

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 40

Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
1	A 3	F 1	39	6	1	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT UNDER PERMIT #005-99-01, A3 is now 1/2 to 2" dbh, 5-15 ft tall, LEFT A FEW SCATTERED RED OAK POLES														
2	S 6	S 1	16	95	9	110	40	black spruce-swamp	immature	Y		80+ years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : S6Q4 WAIT, CHK IN 10 YRS														
3	Q 6	Q 1	72	107	8	80	27	mixed swamp conifer	low quality	Y		80+ years	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : C4S4E4L WET AREA CHK IN 80 YRS														
4	S 3	S 2	61	90	2	0	25	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : S3S2														
5	Q 6	L 0	32	87	6	110	27	mixed swamp conifer	low quality	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : Q6E4L POOR SITE														
6	R 3	U 0	4	12	3	0	50	red pine	immature	N		40-49 years	0	
comnts Fmd : R3J3, PLANTED TO R,J, SEEDLINGS, ACORNS, 1995. In 2007 , the red and jack pine are doing good, 1-4 inches dbh, 5-15 feet tall, did not see any oak.														
7	A 6	F 2	12	75	9	100	46	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : A5F4B4, Cut now. Protect edge, keep red line on high ground, wildlife will help with line. Wld : Protect wetland edges. Cut no white pine or oak.														
8	Q 6	L 0	19	102	7	100	26	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : Q6E4 POOR STD WAIT 20 YRS														
9	S 5	S 1	18	90	6	60	30	black spruce-swamp	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : S4T4 NICE S,T, CK IN 20 YRS, Wet area to cross for access.														
10	F 6	S 2	13	105	10	110	40	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Land survey needed Blocked by other physical obstacle														
comnts Fmd : S5A4F4 NICE B.SPR POOR ASP., ACCESS THRU PVT., ACROSS WET AREA.														
11	D 0	D 0	10			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : NOTHING MERCH. TREED BOG-D														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
12	A 3	U 0	46	15	3	0	48	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3F1, 1-4 IN DBH, 10-30 FT TALL, CUT PRMT #27-89-1														
13	N 0	N 0	13			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : N-MARSH														
14	A 6	F 1	13	77	10	90	46	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : A5M4F4, CUT NOW, leave all white and red pine, cedar, hemlock, oak, and black cherry. Wld : Protect wetland edges. Cut no white pine or oak.														
15	Q 6	Q 1	123	105	8	120	26	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet														
comnts Fmd : SCA, C5F4S4 POOR SITE LEAVE FOR EVER,POT OLD GRWTH Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
16	A 3	U 0	1	21	3	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3F2, 1-3 IN DBH, 20-30 FT TALL														
17	D 0	D 0	5			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : D-TREED BOG														
18	Q 6	Q 1	21	101	8	70	26	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : POT OLD GRWTH Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
19	M 9	M 1	13		12	80	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M7M6, THINNED, 1990-94, 14 SEPARATE FIREWOOD UNITS														
20	M 6	M 1	3		10	80	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6M7, CUT UNDER PERMIT #006-99-01 BY HERB CRICK														
21	F 6	F 2	2	80	9	90	50	spruce-fir (uplands-including upland black spruce)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Neighbor														
comnts Fmd : F5M4M7, leave for buffer along private drive.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
22	A 3	U 0	7	16	4	0	46	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3, 2-4 IN. DBH, 25-30 FT TALL, CUT PRMT 41-89-1, has some F2 U, at the south end, (1/2) acre.														
23	Z 0	Z 0	10			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Z WATER,HAYWIRE LK.														
24	U 0	U 0	1	23		0	56	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : POWER LINE, mostly raspberry and some grass.														
25	F 2	U 0	1	23	1	0	56	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : Power line right of way. F2U, fir and hardwood brush, some raspberry.														
26	S 6	Q 1	14	90	8	100	32	black spruce-swamp	immature	Y	seed tree	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : S6C4F4 . Stand could be cut, but, have to come thru private from the west. It is a winter cut , wet area. Leave the cedar and and some spruce for seed. Cut only part of stand, leave low areas, wildlife will put in the red line.														
Wld : Wildlife movement corridor area. Protect lowland conifer strips of cover through uplands for wildlife. Wildlife Division will help paint boundaries for this sale. Cut no white pine or cedar.														
27	E 2	L 0	26	97		0	20	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA, POG, E2L NO MERCH.TIMBER, POT OLD GRWTH														
Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
28	M 6	M 1	42		10	80	50	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Cut prmt. #7-99-01, FDF. QUAL. , ACCESS FROM SOUTH, ACROSS PVT.														
29	Q 5	L 0	13	104	5	40	32	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA, POT OLD GROWTH, Q5L SPARSE WAIT 40 YRS														
Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris and intact nutrient cycles.														
30	R 9	S 1	2	113	15	90	60	red pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA, R8W7S4R4, LEAVE FOR COVER, Lots of spruce blown over.														
Wld : SCA-Biodiversity Mintenance Stand, maintain for diversity, aesthetics, and the protection of biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
31	M 6	M 1	23		9	90	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : FDF, CUT UNDER PERMIT #006-99-01 BY HERB CRICK														
32	F 2	U 0	4	16	2	0	32	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : F2U, CUT PRMT # 41-89-1														
33	F 2	U 0	11	16	2	0	32	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : F2U, CUT PRMT #41-89-1														
34	M 6	M 1	7		11	90	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6M7 CUT IN 1991														
35	A 3	U 0	5	22	4	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3, 2-4 IN. DBH, 15-20 FT TALL														
36	A 3	U 0	2	22	4	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3, 2-4 IN. DBH, 15-20 FT TALL														
37	Q 6	Q 1	2	105	7	70	26	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA, C5F4S4, POT OLD GRWTH														
Wld : SCA-Biodiversity Maintenance Stand, maintain as movement coridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
38	Q 5	Q 1	27	101	8	50	26	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA, POT OLD GRWTH, Some dead fir,														
Wld : SCA-Biodiversity Maintenance Stand, maintain as movement coridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris and intact nutrient cycles.														
39	M 6	M 1	33		10	80	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6M7, THINNED, 1990-94, 14 SEPARATE FIREWOOD UNITS														
40	F 2	F 1	6	7	2	0	32	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Cut prmt. #7-99-01, Finished in 2000. There are a few cedar scattered around in the stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
41	F 2	U 0	18	17	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
comnts Fmd : F2F1U, A few hemlock and cedar scattered in stand. CUT IN 1990, prmt. # 41-89-01														
42	M 6	M 1	4		9	70	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6M7, FIREWOOD SALE, Cut in 1990														
43	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : N-MARSH														
44	Z 0	Z 0	25			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Z-WATER														
45	S 6	S 1	39	90	9	130	32	black spruce-swamp	immature	Y		80+ years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Blocked by other physical obstacle														
comnts Fmd : S674, Wld : Wildlife Movement Corridor. Low timber value, sparse trees with pockets of spruce, cedar, and tamarack. Serves as the only concealing cover between lowland brush along Miller Creek and upland hardwoods that have been recently cut very hard to a low basal area on private land.														
46	M 6	M 1	5		11	140	46	northern hardwood	unevenaged	Y	selection	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Adjacent landowner denies access														
comnts Fmd : M6F4A4 Wld : Small 5 acre pocket of upland hardwoods along transitional zone to lowland. Cut no white pine, hemlock, cedar, black cherry.														
47	Q 5	L 0	3	104	5	40	32	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA, POT OLD GROWTH, Q5L, SPARSE, BEAVER IN AREA Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
48	F 2	U 0	5	16	2	0	32	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : F2U, CUT PRMT # 41-89-1														
49	M 6	M 1	2		11	90	46	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6M7 CUT IN 1991														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
50	L 0	L 0	1			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA. L-LOWLAND BRSH, POT OLD GRWTH														
Wld : SCA-To protect riparian areas for wildlife species.														
51	L 0	L 0	2			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA, L-LOWLAND BRSH, POT OLD GRWTH														
53	D 0	D 0	5			0	25	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : D-TREED BOG														
54	L 0	L 0	3			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : L-LOWLAND BRSH														
55	L 0	L 0	14			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA, POT OLD GROWTH, L-LOWLAND BRSH														
56	L 0	L 0	3			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA, POT OLD GROWTH, L-LOWLAND BRSH														
57	D 0	D 0	1			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA, POT OLD GROWTH D-TREED BOG														
Wld : SCA-Biodiversity Maintenance Stand, protect treed bog for biological legacies such as snags, coarse woody debris, intact nutrient cycles and movement cooridor for wildlife.														
58	L 0	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : L-LOWLAND BRSH														
Wld : SCA-Biodiversity Maintenance Stand, maintain														
59	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : D-TREED BOG														
60	M 6	M 1	1		10	110	46	northern hardwood	unevenaged	N	selection	within 0-9 years	3	
comnts Fmd : M6F4M4, cut now with stand 26,														
Wld : Cut no white pine, hemlock, black cherry, or cedar.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
61	C 5	F 1	1	101	10	60	26	cedar	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA, POT OLD GRWTH,lake buffer</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														
62	H 9	F 1	8	95	16	210	60	hemlock	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA, H9H6C4, LEAVE FOR COVER, POT OLD GRWTH</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														
63	Q 6	F 1	3	95	11	140	60	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA, POT OLD GRWTH ,lake buffer</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														
64	Q 6	F 1	1	97	9	120	32	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA, Q6E4H6, LEAVE FOR LAKE BUFFER, POT OLD GRWTH</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species and protection of riparian areas. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														
65	Z 0	Z 0	1			0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Z-WATER</p>														
66	L 0	L 0	5			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : L-LOWLAND BRSH</p>														
67	L 0	L 0	101			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA, L-LOWLAND BRSH</p>														
68	M 6	F 1	2	9	90	46		northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA, M5F4B4, POG</p> <p>Wld : SCA-Biological Maintenance Stand, Potential Old Growth, maintain for biodiversity and biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
69	A 3	F 1	15	6	1	0	40	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT UNDER PERMIT # 005-99-01 OCCASIONAL RED OAK POLE TREES AND SOME RED AND WHITE PINE REMAINING.														
70	S 4	S 1	6	90	6	30	30	black spruce-swamp	low quality	Y		80+ years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : S4T4L														
71	U 0	U 0	2			0		upland brush	nonstocked	N		not scheduled	0	
72	F 2	U 0	1	23	1	0	56	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : Power line right of way. F2 U, hardwood brush and raspberry.														
73	L 0	L 0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Power line ROW, L-LOWLAND BRSH														
74	F 2	U 0	1	16	2	0	46	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : F2U, 1-2 IN. DBH, 5-15 FT TALL, CUT PRMT 41-89-1.														
400	G 0	G 0	1			0	46	grass	nonstocked	N		not scheduled	0	
401	G 0	G 0	1			0	46	grass	nonstocked	N		not scheduled	0	
402	G 0	G 0	1			0	50	grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	1			0	50	grass	nonstocked	N		not scheduled	0	
404	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
405	G 0	G 0	1			0	46	grass	nonstocked	N		not scheduled	0	
comnts Fmd : CREATED 1992														
406	G 0	G 0	3			0	48	grass	nonstocked	N		not scheduled	0	
comnts Fmd : CREATED 1992														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 40

Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
407	G 0	G 0	1			0	48	grass	nonstocked	N		not scheduled	0	

comnts Fmd : CREATED 1992

Total Acres..... 1068