

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|----------|---------|-----------|--|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 1 | A 3 | F 2 | 21 | 7 | 1 | 0 | 62 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : EAST HALF OF STAND BURNED IN 1999. WEST HALF WAS CUT UNDER PERMIT #008-99-01 MOST OF THE PINE IS STILL ALIVE EVEN IN THE BURNED AREA. GOOD ASPEN REGEN THROUGHOUT. 2007 - A3 1 " dbh, 5-10' tall over fir. Only a few of the unburned pine sawtimber trees have survived the fire. | | | | | | | | | | | | | | |
| 2 | F 2 | M 2 | 12 | 14 | 2 | 0 | 67 | spruce-fir (uplands-including upland black spruce) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : 3-8' spruce/fir with scattered pockets of sapling and polesized white spruce. | | | | | | | | | | | | | | |
| 3 | A 3 | F 2 | 33 | 14 | 2 | 0 | 57 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Fairly decent aspen regeneration 1-3" dbh 5-15' tall. Scattered pockets of spruce and fir. | | | | | | | | | | | | | | |
| 4 | A 5 | F 3 | 6 | 85 | 9 | 50 | 57 | spruce-fir (uplands-including upland black spruce) | sparse | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : A4F4M4, Poorly stocked aspen with fir and soft maple over a dense fir understory. Occasional upland cedar. Access is very poor thru a very wet swamp. Volume of timber does not justify the effort of sale prep and poor logging chance. Let the stand convert to a fir type | | | | | | | | | | | | | | |
| 5 | S 5 | F 2 | 18 | 77 | 8 | 60 | 42 | black spruce-swamp | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Typical wet black spruce stand but with variable stocking levels. | | | | | | | | | | | | | | |
| 6 | M 6 | F 3 | 5 | | 10 | 90 | 45 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Higher ridge of mixed hardwoods around Gimse Lake. Primarily soft maple and white birch poles with scattered large white pine sawtimber and occasional aspen and spruce/fir. Fairly heavy fir understory. | | | | | | | | | | | | | | |
| 7 | Q 4 | Q 3 | 26 | 80 | 5 | 10 | 20 | mixed swamp conifer | sparse | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : Mostly a Q3 but with sparse black spruce poles. Remaining conifers are a mix of tamarack, cedar, fir, and black spruce over tagalder. | | | | | | | | | | | | | | |
| 8 | M 6 | F 2 | 19 | 95 | 10 | 120 | 48 | northern hardwood | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA An isolated old hardwoods island of mostly soft maple with huge yellow birch, several over 36" dbh. Stand also contains scattered hemlock, and upland cedar. North edge of stand has a few white birch and heavier F3 regeneration. Excellent candidate for potential old growth. | | | | | | | | | | | | | | |
| 9 | A 3 | X 0 | 22 | 15 | 1 | 0 | 57 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Stocking is acceptable for an A3 but is rather light with open pockets. Soils are very sandy. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|--------|---------|-----------|--|----------------------------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 10 | Q 5 | L 0 | 36 | 95 | 7 | 50 | 45 | mixed swamp conifer | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : SCA S4C4L, black spruce with fir, white spruce, and cedar. Occasional white birch and soft maple. Quite low and wet. Bob's creek runs through this stand. Retain as biodiversity maintenance area to protect the riparian values of Bob's creek and provide wildlife travel corridor.</p> | | | | | | | | | | | | | | |
| 11 | B 6 | F 3 | 18 | 97 | 9 | 80 | 55 | spruce-fir (uplands-including upland black spruce) | mature | Y | seed tree | within 0-9 years | 3 | |
| <p>comnts Fmd : Mature birch and aspen on a sandy ridge adjacent to Co. Rd 557. Fairly steep north of Bob's Creek sloping east toward swamp conifers. Retain that part of the stand north of Bob's Creek for retention and aesthetics, treat the southern portion with a seed tree harvest leaving scattered white birch. To discriminate against aspen regen, no aspen will be cut. In addition, all white pine, spruce, and 3 stick fir will also be retained. The stand will probably convert to spruce/fir but perhaps a few birch will also regenerate. Alternate M:O will be white pine.</p> | | | | | | | | | | | | | | |
| 12 | S 3 | S 3 | 2 | 98 | 2 | 0 | 42 | black spruce-swamp | immature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : BLACK S SWAMP POCKET WITHIN STAND 3. SI TAKEN FROM STND 34. Almost a treed bog but also contains a few decent saplings.</p> | | | | | | | | | | | | | | |
| 13 | S 6 | S 2 | 10 | 99 | 6 | 70 | 45 | black spruce-swamp | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA Black spruce stand along Bob's Creek. Retain as biodiversity maintenance area to protect the riparian values along Bob's Creek.</p> | | | | | | | | | | | | | | |
| 14 | A 3 | F 2 | 42 | 14 | 2 | 0 | 55 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| <p>comnts Fmd : A2F1J1 aspen is short 6-10' tall, 1-3" dbh. Scattered pockets of spruce/fir and jack pine. Site index taken from stand 15.</p> | | | | | | | | | | | | | | |
| 15 | A 5 | F 1 | 35 | 52 | 9 | 50 | 70 | white pine | sparse | Y | | not scheduled | 0 | |
| <p>comnts Fmd : Off site 6-8" dbh 1-2 stick aspen clones among mixed red and jack pine. Understory is a mix of white/jack/red pine and fir with pockets of excellent white pine. This is a dry mesic stand converting to pine and will probably be typed as a pine stand the next entry period.</p> | | | | | | | | | | | | | | |
| 16 | F 3 | X 0 | 10 | 15 | 2 | 0 | 55 | spruce-fir (uplands-including upland black spruce) | immature | N | | 40-49 years | 0 | |
| <p>comnts Fmd : F2J2T1 West edge of stand 9. Upland conifers over sweetfern and braken.</p> | | | | | | | | | | | | | | |
| 17 | S 6 | S 2 | 2 | 76 | 8 | 100 | 42 | black spruce-swamp | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Pocket of black spruce surrounded by swamp conifers.</p> | | | | | | | | | | | | | | |
| 18 | C 4 | L 0 | 97 | 80 | 6 | 40 | 26 | cedar | immature | N | | 30-39 years | 0 | |
| <p>comnts Fmd : ity maintenance area to protect the riparian values along and east of Bob's Creek. Swamp conifers consist of black spruce, fir, tamarack. Regen is tag alder over Q1.</p> | | | | | | | | | | | | | | |
| 19 | A 3 | X 0 | 28 | 17 | 2 | 0 | 55 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| <p>comnts Fmd : Very sandy soils with grass and lichen. Aspen is 1-4" dbh and rather short at 10-25' tall. Scattered spruce/fir/jack pine and tamarack poles and saplings. Semi-open in places. Site index from stand 11.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|----------|---------|-----------|--|----------------------------------|---------------------|---------------|------------------|------------------|---------------|
| 20 | A 6 | F 2 | 9 | 90 | 10 | 90 | 55 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 3 | |
| <p><u>Treatment Limiting Factors:</u> Land survey needed</p> <p>comnts Fmd : Mostly bigtooth aspen with scattered fir poles and white pine sawtimber over heavy fir regeneration. Good access through private land but there are no near corners so a survey is needed. All white pine and spruce will be retained.</p> | | | | | | | | | | | | | | |
| 21 | W 9 | W 3 | 104 | 82 | 12 | 70 | 50 | white pine | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : W8 GOOD W3 REGEN. CUT BY GARY GAZAN UNDER PERMIT# 009-99-01. Aspen is regenerating where the white pine regen is low. Dry Mesic stand.</p> | | | | | | | | | | | | | | |
| 22 | W 9 | W 2 | 30 | 77 | 12 | 90 | 49 | white pine | immature | N | thinning | within 0-9 years | 2 | |
| <p><u>Treatment Limiting Factors:</u> Land survey needed</p> <p>comnts Fmd : Good white pine stand over mixed softwoods and mature aspen. Dry Mesic. A survey is required to establish state ownership.</p> | | | | | | | | | | | | | | |
| 23 | S 5 | S 2 | 9 | 75 | 6 | 60 | 48 | black spruce-swamp | old growth (potential or actual) | N | | 30-39 years | 0 | |
| <p>comnts Fmd : SCA S5Q4S2L Potential old growth. Mostly black spruce with a few cedar. Part of a large wetland complex.</p> | | | | | | | | | | | | | | |
| 24 | Q 5 | L 0 | 186 | 75 | 7 | 50 | 48 | mixed swamp conifer | old growth (potential or actual) | N | | 50-59 years | 0 | |
| <p>comnts Fmd : SCA Q5L Potential old growth. A blend of swamp conifers, cedar, black spruce, tamarack and white birch over tag alder and Q1. Part of a large wetland complex.</p> | | | | | | | | | | | | | | |
| 25 | S 5 | S 2 | 3 | 75 | 6 | 60 | 48 | black spruce-swamp | old growth (potential or actual) | N | | 30-39 years | 0 | |
| <p>comnts Fmd : SCA S5Q4S2L Potential old growth. Mostly black spruce with a few cedar. Part of a large wetland complex.</p> | | | | | | | | | | | | | | |
| 26 | D 0 | D 0 | 29 | | | 0 | 24 | treed bog | old growth (potential or actual) | N | | not scheduled | 0 | |
| <p>comnts Fmd : SCA Potential old growth. Treed bog. Retain as biodiversity maintenance area to protect the riparian values of a large wetland complex.</p> | | | | | | | | | | | | | | |
| 27 | S 5 | S 2 | 8 | 75 | 6 | 60 | 48 | black spruce-swamp | old growth (potential or actual) | N | | 30-39 years | 0 | |
| <p>comnts Fmd : SCA S5Q4S2L Potential old growth. Part of a large wetland complex. Mostly black spruce with a few cedar.</p> | | | | | | | | | | | | | | |
| 28 | S 5 | S 2 | 5 | 75 | 6 | 60 | 48 | black spruce-swamp | old growth (potential or actual) | N | | 30-39 years | 0 | |
| <p>comnts Fmd : SCA S5Q4S2L Potential old growth. Part of a large wetland complex. Mostly black spruce with cedar.</p> | | | | | | | | | | | | | | |
| 29 | F 2 | X 0 | 1 | 14 | 1 | 0 | 45 | spruce-fir (uplands-including upland black spruce) | immature | N | | 30-39 years | 0 | |
| <p>comnts Fmd : 3-12' spruce and fir regen over blueberries.</p> | | | | | | | | | | | | | | |
| 30 | A 3 | F 2 | 20 | 14 | 2 | 0 | 55 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| <p>comnts Fmd : A2FIJ1 aspen is short 6-10' tall, 1-3" dbh. Scattered pockets of spruce/fir and jack pine. Site index taken from stand 15.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|-----------|-----|------------|---------|-----------|--------------------|----------------------------------|---------------------|---------------|------------------|------------------|---------------|
| 31 | S 6 | F 3 | 3 | 98 | 6 | 110 | 42 | black spruce-swamp | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : Black spruce island surrounded by conifer swamp and lowland hardwoods. | | | | | | | | | | | | | | |
| 32 | S 6 | F 2 | 2 | 98 | 8 | 110 | 42 | black spruce-swamp | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : Black spruce "island" surrounded by swamp conifers and lowland hardwoods. A few nice white pine sawtimber scattered throughout the stand. | | | | | | | | | | | | | | |
| 33 | S 6 | S 3 | 3 | 98 | 6 | 90 | 42 | black spruce-swamp | mature | Y | final harvest | within 0-9 years | 3 | |
| comnts Fmd : Small stand primarily of black spruce with a few cedar and white birch. Most of the spruce will be cut, while retaining the cedar and birch. Regeneration of black spruce should not be issue with nearby seed trees and advanced regen in the understory. Marketing the sale may be difficult due the the small size of the stand and low volume of timber. | | | | | | | | | | | | | | |
| 34 | S 6 | S 3 | 33 | 98 | 6 | 90 | 42 | black spruce-swamp | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA- A low, wet black spruce an cedar stand. Retain as a biodiversity maintainance area to protect the riparian values along Bob's Creek and wildlife travel corridor. | | | | | | | | | | | | | | |
| 35 | S 6 | S 3 | 5 | 75 | 7 | 80 | 48 | black spruce-swamp | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Black spruce swamp pocket. | | | | | | | | | | | | | | |
| 36 | S 5 | S 2 | 5 | 75 | 6 | 60 | 48 | black spruce-swamp | old growth (potential or actual) | N | | 30-39 years | 0 | |
| comnts Fmd : SCA S5Q4S2L Potential old growth. Mostly black spruce with a few cedar. Part of a large wetland complex. | | | | | | | | | | | | | | |
| 37 | L 0 | L 0 | 6 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Potential old growth. Mostly tag alder, part of a large wetland complex. | | | | | | | | | | | | | | |
| 38 | L 0 | L 0 | 2 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Potential old growth. Mostly tag alder, part of a large wetland complex. | | | | | | | | | | | | | | |
| 39 | L 0 | L 0 | 2 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Potential old growth. Mostly tag alder, part of a large wetland complex. | | | | | | | | | | | | | | |
| 40 | L 0 | L 0 | 4 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Mostly tag alder with a few swamp conifers. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Age | Acres | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----|-------|----------|---------|-----------|----------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 41 | L 0 | L 0 | 10 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA. Potential old growth. Mostly tag alder with a few pockets of black spruce. Very wet. Part of a larger wetland complex. | | | | | | | | | | | | | | |
| 42 | L 0 | L 0 | 13 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Potential old growth. Mostly tag alder with a few pockets of black spruce. Very wet. Part of a larger wetland complex. | | | | | | | | | | | | | | |
| 43 | L 0 | L 0 | 2 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Tag alder stand. Retain as biodiversity maintenance area to protect the riparian values and provide for wildlife corridor along Bob's Creek. | | | | | | | | | | | | | | |
| 44 | L 0 | L 0 | 25 | | | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Tag alder stand. Retain as biodiversity maintenance area to protect the riparian values and provide for wildlife corridor along Bob's Creek. | | | | | | | | | | | | | | |
| 45 | V 0 | V 0 | 32 | | | 0 | | bog or muskeg | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Bog. Retain as biodiversity maintenance area to protect the riparian values and provide for wildlife corridor along Bob's Creek. | | | | | | | | | | | | | | |
| 46 | L 0 | L 0 | 1 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Wet alder. | | | | | | | | | | | | | | |
| 47 | L 0 | L 0 | 1 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Tag alder along a small drainage. | | | | | | | | | | | | | | |
| 48 | Z 0 | Z 0 | 1 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small spring pond | | | | | | | | | | | | | | |
| 49 | Z 0 | Z 0 | 6 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Gimze Lake | | | | | | | | | | | | | | |
| 50 | A 3 | F 2 | 4 | 7 | 1 | 0 | 62 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : 2007 - A3 1" dbh, 5-10' tall over fir. Cut in 1998 under permit # 008-99-01. | | | | | | | | | | | | | | |
| 51 | V 0 | V 0 | 1 | | | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small bog. | | | | | | | | | | | | | | |
| 52 | V 0 | V 0 | 1 | | | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small bog. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|------------|---------|-----------|--|------------|---------------------|------------|------------------|------------------|---------------|
| 53 | V 0 | V 0 | 3 | | | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small bog. | | | | | | | | | | | | | | |
| 54 | X 0 | X 0 | 1 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : County road 557 | | | | | | | | | | | | | | |
| 55 | B 6 | F 3 | 2 | 97 | 9 | 80 | 55 | spruce-fir (uplands-including upland black spruce) | mature | Y | seed tree | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> Scenic values/visual values | | | | | | | | | | | | | | |
| comnts Fmd : Part of stand 11 but west of Co. Rd 557. Mature birch and aspen on a sandy ridge adjacent to Co. Rd 557. The stand will be treated with stand 11 with a seed tree harvest leaving scattered white birch. To discriminate against aspen regen, no aspen will be cut. In addition, all white pine, spruce, and 3 stick fir will also be retained. The stand will probably convert to spruce/fir but perhaps a few birch will also regenerate. Alternate M:O will be white pine. | | | | | | | | | | | | | | |
| 56 | X 0 | X 0 | 4 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : County road 557 | | | | | | | | | | | | | | |
| 57 | W 9 | F 2 | 2 | 82 | 12 | 90 | 50 | white pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Large diameter white and red pine over aspen, birch, and scatterd black spruce poles. Regen is W1 over a medium stocking of fir. Stand drops off fairly sharply toward the bog to the west. | | | | | | | | | | | | | | |
| 58 | Q 5 | Q 2 | 11 | 95 | | 60 | 45 | mixed swamp conifer | immature | Y | | 20-29 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Swamp conifers along Bob's Creek Road. | | | | | | | | | | | | | | |
| 59 | G 0 | X 0 | 3 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Power line R-O-W. | | | | | | | | | | | | | | |
| 60 | Q 5 | L 0 | 1 | 95 | 7 | 50 | 45 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : S4C4L, black spruce with fir, white spruce, and cedar. Occasional white birch and soft maple. Quite low and wet. Bob's creek runs through this stand. Retain as biodiversity maintainance area to protect the riparian values of Bob's creek and provide wildlife travel corridor. | | | | | | | | | | | | | | |
| 61 | Q 3 | X 0 | 10 | 15 | 1 | 0 | 42 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : A mix of black spruce, fir and tamarack with scattered cattails. Low and wet. | | | | | | | | | | | | | | |
| 62 | Q 5 | L 0 | 21 | 95 | 7 | 50 | 45 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : S4C4L, black spruce with fir, white spruce, and cedar. Occasional white birch and soft maple. Quite low and wet. Bob's creek runs through this stand. Retain as biodiversity maintainance area to protect the riparian values of Bob's creek and provide wildlife travel corridor. | | | | | | | | | | | | | | |

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 43

Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------------|-----|--------|---------|-----------|---------|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 400 | G 0 | X 0 | 12 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Larger opening with scattered jack pine, white spruce and fir. | | | | | | | | | | | | | | |
| 401 | G 0 | X 0 | 1 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small opening filling in with spruce/fir and white pine seedlings. | | | | | | | | | | | | | | |
| 402 | G 0 | X 0 | 2 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 403 | G 0 | X 0 | 2 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Very sandy, with lichen. | | | | | | | | | | | | | | |
| 404 | G 0 | X 0 | 1 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 405 | G 0 | X 0 | 1 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Opening is filling in with aspen. | | | | | | | | | | | | | | |
| 406 | G 0 | X 0 | 9 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Larger opening with scattered jack pine, white spruce/fir and cherry brush. | | | | | | | | | | | | | | |
| 407 | G 0 | X 0 | 1 | | | 0 | 57 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small opening along Escanaba River adjacent to the powerline R.O.W. | | | | | | | | | | | | | | |
| Total Acres..... | | | 1095 | | | | | | | | | | | |