

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	M 6	M 2	50		10	80	70	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : FDF, CUT PRMT.# 10-99-01. FINISHED IN 2001														
2	A 6	F 2	11	80	10	80	47	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	
comnts Fmd : A5F4M4 The stand is on a higher ridge and drops into the riparian zone. There is an occassional spruce/for pole tree and scattered large basswood and sugar maple "wolf" trees. The sale prescription will exclude the riparian zone and retain the large hardwoods.														
Wld : Cut no white pine or oak if it exists.														
3	A 6	F 1	7	90	10	110	54	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA Proposed as a potential old growth stand along the Little West Branch of the Escanaba River to protect the riparian zone and wildlife corridor along the river.														
Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species, and to protect riparian area along Little West Branch of the Escanaba River. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
4	Q 6	S 1	13	100	7	170	35	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA Proposed as a potential old growth stand along the Little West Branch of the Escanaba River to protect the riparian zone and wildlife corridor along the river.														
Wld : SCA-Biodiversity Maintenance Stand, maintain as potential old growth and movement corridor for wildlife species and protection of riparian areas along Little West Branch of the Escanaba River. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
5	A 3	X 0	23	17	1	0	63	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 20-25' tall 1-2" DBH														
6	Q 6	Q 1	47	125	6	110	38	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth Too wet														
comnts Fmd : SCA Proposed as a potential old growth stand along the Little West Branch of the Escanaba River to protect the riparian zone and wildlife corridor along the river. Sparse Q4 in the northwest, becomes a heavily stocked Q6 in the southeast.														
Wld : SCA-Biodiversity Maintenance Stand, maintain for future old growth and movement corridor for wildlife species, also protection of riparian areas along the Little West Branch of the Escanaba River. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.														
7	Q 6	L 0	27	113	8	100	27	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : C5S4T4 POOR SITE WAIT 10-20 YRS														
8	A 3	X 0	8	17	1	0	63	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 20-25' tall 1-2" DBH														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
9	L 0	L 0	7			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Potential old growth. Riparian zone of tag alder along the Little West Branch of the Escanaba River.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain to protect riparian areas along Little West Branch of Escanaba River.</p>														
10	P 5	Q 1	15	90	10	50	54	balsam poplar & swamp aspen and swamp white birch	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA Proposed as a potential old growth stand along the Little West Branch of the Escanaba River to protect the riparian zone and wildlife corridor along the river.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain for potential old growth and movement corridor for wildlife species, and the protection of riparian corridor along Little West Branch of the Escanaba River. Promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														
11	Q 6	L 0	30	125	8	140	30	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : C6F4S4M4B4C7 Contains a pocket of pure black spruce.</p>														
12	M 6	M 2	46		10	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
<p>comnts Fmd : High site quality. Stand is predominantly sugar maple and basswood with an occasional white birch and upland cedar. Transitioning to M9. Only a few regen gaps from previous treatment but those gaps have good regeneration. Marking will be limited to sugar maple stems, retaining all the minor species ie. basswood, w. birch, cedar, white pine, hemlock.</p> <p>Wld : Cut no hemlock, white pine, or cedar. Underplant hemlock and/or white pine after sale is completed.</p>														
13	A 3	X 0	41	17	3	0	63	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Aspen 2-4" 30-40' tall.</p>														
14	Q 6	L 0	17	109	8	140	30	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : C5S4T4A4B4C7 East side fades to a P type.</p>														
15	A 3	X 0	36	15	1	0	65	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : CUT UNDER PERMIT 16-89-1. 1-2" DBH, 10-20' tall.</p>														
16	C 6	F 1	11	155	7	70	26	cedar	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet</p> <p>comnts Fmd :</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
17	M 6	M 1	24	10	120	66	northern hardwood	unevenaged	Y	selection	within 0-9 years	2		
<p>comnts Fmd : Nice stand of predominately sugar maple, with basswood, white birch, and yellow birch. Additional species include upland cedar, hemlock, and white spruce. Retain all the minor species ie. basswood, w. birch, cedar, white pine, hemlock. Regeneration is essentially non-existent.</p> <p>Wld : Cut no hemlock, white pine, or cedar. Underplant with hemlock and/or white pine after sale is completed.</p>														
18	A 3	X 0	36	5	1	0	60	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Cut 2002 permit#11-99-01 LaFleur.</p>														
19	C 6	Q 1	1	157	8	170	30	cedar	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : Occasional hemlock and white birch. Residual "checkerboard" patch of cedar.</p>														
20	C 6	Q 1	36	125	8	140	29	cedar	mature	N		not scheduled	0	
<p>comnts Fmd : C6C7 over swamp conifers and tag alder.</p>														
21	A 6	F 1	15	90	10	110	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : A5F4M4 Occasional cedar. Aspen is good sized and healthy. Almost all of the spruce are large, super-canopy trees. Retain cedar and the large spruce.</p> <p>Wld : Cut no white pine or oak if it exists. Keep some of the large windfirm spruce for diversity and seed source.</p>														
22	C 5	F 1	32	87	8	60	45	cedar	mature	N		not scheduled	0	
23	B 5	F 2	10	47	8	60	65	paper birch	immature	N		not scheduled	0	
<p>comnts Fmd : Stand is a mix of aspen, birch, fir, with a few hardwood trees adjacent to Co. Rd 438.</p>														
24	A 6	F 1	58	47	7	80	65	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Well stocked aspen with spruce, fir and white birch over mostly fir and hazel. Most of the stand is higher except for a low pocket on the east side.</p>														
25	A 6	F 2	12	87	10	100	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Fairly well stocked aspen stand with a good mix of softwood and white birch. Portions of the stand are wetter with more Balm, almost a "P" type. The aspen is big and mature, average dbh is 12"-14". Scattered throughout the stand are large, super-canopy white spruce. Retain all cedar, white pine, and duper-canopy spruce.</p>														
26	C 5	F 1	3	87	8	60	45	cedar	mature	N		not scheduled	0	
27	A 3	F 1	38	5	1	0	60	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Cut 2002 permit #11-99-01 LaFleur. Has regenerated nicely.</p>														
28	C 6	Q 1	57	130	6	110	29	cedar	mature	N		not scheduled	0	
<p>comnts Fmd : C6F4S4 with tag alder.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	Acrs	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
29	Q 5	Q 1	49	115	8	50	30	mixed swamp conifer	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Typical swamp conifers over tag alder. Stocking variable.</p>														
30	C 6	Q 1	11	97	8	80	55	cedar	mature	N		not scheduled	0	
<p>comnts Fmd : Smaller 1-2 stick cedar and swamp conifers.</p>														
31	M 6	M 1	5		10	110	55	northern hardwood	unevenaged	N	selection	within 0-9 years	2	
<p>comnts Fmd : Small hardwood stand along Co. Rd 438. Also contains a few large aspen, basswood and an occasional upland cedar. Cutting will be limited to the w. birch and hard maple. Retain the large aspen, basswood, and cedar.</p> <p>Wld : Cut no white pine, hemlock, or cedar. Underplant with hemlock and/or white pine after sale is completed.</p>														
32	Q 6	F 1	6	80	8	70	40	mixed swamp conifer	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
33	A 6	F 2	65	47	9	110	65	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Healthy aspen stand with scattered fir poles.</p>														
34	M 6	M 1	9	47	10	100	65	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : Small patch of primarily sugar maple. Site quality is good, but regeneration from the last cutting is essentially non-existent except for a few fir and ironwood. Stand 66 is very similar.</p>														
35	A 6	F 2	80	47	8	80	65	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Nice aspen with scattered fir poles. Hunter walking trail within the stand. Last mowed in 1989. Lots of downed trees across the trail.</p> <p>Wld : Maintain hunter walking trail. Disk and plant to attract wildlife and increase accessibility for hunters, hikers, and wildlife viewers.</p>														
36	C 6	Q 1	241	157	8	170	30	cedar	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : SCA Occasional hemlock and white birch. In some areas the cedar is quite short.</p>														
37	M 6	M 3	18	25	7	90	53	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : Cut heavily in 1982. Lots of stump sprouting has resulted in a large number of twins and triplets. Avg. dbh is 6"-7" with very dense sugar maple regeneration 1/2" - 1" diameter and 10'-15' tall.</p>														
38	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : A low wet swale of willow and cattails with tag alder.</p>														
39	M 6	F 2	3	87	8	90	55	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : This stand drops quickly to a large cedar swamp on the west with a fringed of spruce/fir on the east fading to a natural opening. Scattered upland cedar and yellow birch throughout.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
40	A 6	F 2	8	82	10	80	60	aspen (upland)	immature	Y	final harvest	within 0-9 years	3	
<p>comnts Fmd : West of stand 41 but lower and wetter. Conifer content is significant, and transitioning to a spruce/fir stand. Aspen is fairly sparse in areas.. Contains a large stick nest in a 16" aspen about 30' up.</p> <p>Wld : Watch for future use of stick nest and determine species that constructed if possible. Protect stick nest and buffer area using MNFI guidelines. Protect trees with similar structure as tree with nest and survey for additional nests in area. Cut no white pine and make an effort to protect some of the white pine saplings during sale.</p>														
41	A 5	F 2	22	57	9	70	65	aspen (upland)	immature	Y	final harvest	within 0-9 years	3	
<p>comnts Fmd : Stand is located on a high and dry sidehill sloping to a wet cedar stand on the west. There are occasional upland cedar, hemlock, and red maple stems in the stand with pockets of M2-M3. Stocking is variable from an A5 to heavily stocked A6. As usual, all cedar, hemlock, and white pine will be retained.</p> <p>Wld : Cut no white pine, cedar, or hemlock. Survey for stick nests when on site in Stand #41.</p>														
42	M 5	F 1	2	75	8	60	60	northern hardwood	immature	N		not scheduled	0	
<p>comnts Fmd : A very small hardwood stand along county road 438. Treat with adjacent stand from compartment 51.</p>														
43	M 6	M 1	36		10	80	60	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Cut under permit #12-99-01 in 2000. Hardwood regeneration is essentially nonexistent. Raspberry is very prolific.</p>														
44	L 0	L 0	3			0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Mostly tag alder with willow and few small black spruce.</p>														
45	M 9	M 2	16		11	100	65	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Nice island of hardwoods predominately of sugar maple with occasional basswood, and large yellow birch sawtimber trees. Has just transitioned to an M9 stand.</p>														
46	C 6	F 1	18	157	7	140	30	cedar	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet</p>														
<p>comnts Fmd :</p>														
47	M 9	F 2	16	95	18	120	58	northern hardwood	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Blocked by other physical obstacle</p>														
<p>comnts Fmd : SCA-Potential old growth. Remote island of hardwood surrounded by a large cedar swamp. Trees are old, very large and consist of yellow birch, red maple, and hemlock with occasional white pine and big white spruce.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain for potential old growth and to promote biological legacies such as snags, coarse woody debris, and intact nutrient cycles.</p>														
48	A 3	F 1	43	14	1	0	61	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : CUT UNDER PERMIT 36-89-1 Aspen is 1-2" in diameter, 10-20' tall.</p>														
49	N 0	N 0	11		0	0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Old beaver flooding.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
50	C 6	Q 2	75	147	8	140	30	cedar	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Formerly designated as potential old growth. Maintain as biodiversiy maintenance area.</p> <p>Wld : SCA-Biodiversity Maintenance Stanc, maintain as movement corridor for wildlife species. Promote biological legacies such as snags, coarse woody debris, large live cavity trees, and intact nutrient cycles.</p>														
51	A 6	F 3	23	69	9	70	60	spruce-fir (uplands-including upland black spruce)	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity</p> <p>comnts Fmd : This stand is extremely variable with poorly defined stand boundaries. It ranges from dense smaller fir downhill to the south, and a better stocking of aspen and large white spruce uphill. Some of the spruce is over 18" dbh. The stand also contains scattered white birch and large red maple. The fir is unevenaged, approximately 43-70 years old. Allow this stand to transition to a fir stand.</p> <p>Wld : Allow this stand to succeed to a fir stand.</p>														
52	M 6	F 2	18		8	80	65	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : Cut permit #12-99-01 in 2000. Stand is on a hill sloping down to Co. Rd 438.</p>														
53	M 6	M 1	7		10	90	56	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Formerly designated as potential old growth. Very remote island of hardwood surrounded by cedar swamp complex. Contains a few upland cedar in the stand. Maintain as biodiversiy maintenance area.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species. Promote biological legacies such as snags, coarse woody debris, large live cavity trees, and intact nutrient cycles.</p>														
54	Q 5	F 1	12	147	8	50	30	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Too wet</p> <p>comnts Fmd : SCA Formerly designated as potential old growth. Maintain as biodiversiy maintenance area.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as movement corridor for wildlife species. Promote biological legacies such as snags, coarse woody debris, large live cavity trees, and intact nutrient cycles.</p>														
55	F 4	A 2	40	13	4	10	60	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
<p>comnts Fmd : CUT PERMIT 32-89-01; Semi open with clumps of spruce/fir. Decent aspen regeneration on the west side..</p>														
56	M 6	M 2	14		10	100	66	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Mixed hardwood stand treated under permit #018-97-01. Good scattering of large hemlock.</p>														
57	C 6	Q 2	54	147	8	190	30	cedar	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Formerly designated as potential old growth. Maintain as biodiversiy maintenance area. Part of a fairly large wetland complex.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain for potential old growth and movement corridor for wildlife species. Promote biological legacies such as snags, coarse woody debris, large live cavity trees, and intact nutrient cycles.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
58	H 9	F 3	10		14	80	45	hemlock	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Potential old growth. Nice large, mature hemlock and white pine over cedar and occasional black spruce and soft maple. Retain for large tree/legacy tree characteristics.</p> <p>Wld : SCA-Biodiversity Maintenance Stand, maintain as potential old growth and movement corridor for wildlife species. Promote biological legacies such as snags, coarse woody debris, large live cavity trees, and intact nutrient cycles.</p>														
59	V 0	V 0	3			0		bog or muskeg	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Formerly designated as potential old growth. Maintain as biodiversity maintenance area.</p> <p>Wld : SCA-Biodiversity Maintenance Stand.</p>														
60	L 0	L 0	23			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA Potential old growth. Riparian zone of tag alder along the Little West Branch of the Escanaba River.</p>														
61	C 5	F 1	13	87	8	60	45	cedar	mature	N		not scheduled	0	
62	M 6	F 1	7		10	120	66	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
<p>comnts Fmd : This is a good quality hardwood stand with scattered upland cedar. Basswood and soft maple become more prevalent moving east through the stand as does the fir in the understory. Occasional yellow birch and hemlock can be found along the northern transition zone.</p> <p>Wld : Cut no hemlock, white pine, cedar. Underplant hemlock and/or white pine after sale is completed.</p>														
63	A 3	X 0	8	17	1	0	63	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : A3 20-25' tall 1-2" DBH</p>														
64	M 6	M 1	5		13	90	80	northern hardwood	unevenaged	N		not scheduled	0	
<p>comnts Fmd : Occasional large white spruce, hemlock, and white birch. There are a few very large (over 24" dbh) hard maple remnants in the eastern part of the stand.</p>														
65	C 6	Q 1	6	157	8	170	30	cedar	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : Occasional hemlock and white birch. In some areas the cedar is quite short. Residual "checkerboard" patches.</p>														
66	M 6	U 1	8		10	90	56	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : Small patch of primarily sugar maple. Site quality is good, but regeneration from the last cutting is essentially non-existent except for a few fir and ironwood. There is a fringe of M3 possibly from an old wildlife cutting which occurred in the 70's?</p>														
67	M 6	F 1	8		8	90	60	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : CUT WITH COMPT 51 STAND 12 UNDER PERMIT #011-98-01</p>														
68	L 0	L 0	8		0	0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Originally part of stand 36, these patch cedar cuts regenerated only to tag alder, small white birch and occasional tamarack.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
69	A 3	X 0	35	17	1	0	58	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3 over fir with scattered white birch and spruce/fir saplings. 1-4" dbh 15-30' tall. Slopes toward the Little West Branch becoming wetter with a good mix of dogwood.														
70	M 6	M 1	8		9	70	70	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : FDF. CUT PRMT.# 10-99-01. FINISHED IN 2001														
71	A 3	X 0	6	17	1	0	28	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3 2" dbh, 25-30' tall.														
72	L 0	L 0	47			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA Potential old growth. Riparian zone of tag alder along Chandler Brook.														
73	L 0	L 0	2			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA Potential old growth. Riparian zone of tag alder along Chandler Brook.														
74	A 6	F 2	8	46	10	90	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : A6F4 Stand is made up of individual aspen clones among spruce/fir with occasional mixed hardwood and white birch. Tamarack along the east frindge. Fairly low and wet. There is an old stick nest along the east side.														
75	F 2	X 0	7	26	1	0	60	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : Semi-open 3-10' spruce/fir with scattered large white pine, red maple, and hemlock. There is a fair amount of white pine regeneration mixed in.														
76	X 0	X 0	7			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County Road 438														
77	Z 0	Z 0	9			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : West Branch of the Escanaba River.														
78	X 0	X 0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : ROSS GRADE														
79	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Gravel Pit														
80	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
81	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County Road 438														
401	G 0	G 0	4			0	54	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Site of the old CCC camp explosives storage building.														
402	G 0	G 0	3			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : Maintain wildlife opening. Rollerchop to discourage brush and saplings from encroachment.														
403	G 0	G 0	5			0	65	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Natural opening with spruce and fir.														
404	G 0	G 0	17			0	65	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : Maintain wildlife opening. Roller-chop to discourage brush and saplings from encroachment.														
405	G 0	G 0	2			0	65	grass	nonstocked	N		not scheduled	0	
406	G 0	G 0	3			0	65	grass	nonstocked	N		not scheduled	0	
407	G 0	G 0	1			0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Almost an A2. Opening is filling in with aspen.														
408	G 0	G 0	13			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Narrow natural opening with scattered spruce/fir.														
409	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Narrow opening filling in.														
410	G 0	G 0	4			0	60	grass	nonstocked	N		not scheduled	0	
411	G 0	G 0	1			0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : Maintain wildlife opening. Roller-chop to discourage brush and saplings from encroachment.														
412	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 52

Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
413	G 0	G 0	6			0	60	grass	nonstocked	N		not scheduled	0	
414	G 0	G 0	2			0	65	grass	nonstocked	N		not scheduled	0	
415	G 0	G 0	4			0	50	grass	nonstocked	N		not scheduled	0	
416	G 0	G 0	2			0	68	grass	nonstocked	N		not scheduled	0	
417	G 0	G 0	4			0	68	grass	nonstocked	N		not scheduled	0	
418	G 0	G 0	1			0	58	grass	nonstocked	N		not scheduled	0	
419	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	

comnts Fmd : Narrow opening filling in.

Total Acres..... 1928