

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-------|-----|----------|---------|-----------|--|------------|---------------------|------------|---------------|------------------|---------------|
| 1 | Q6 | Q2 | 41 | 77 | 8 | 110 | 44 | mixed swamp conifer | mature | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 2 | A3 | F1 | 7 | 6 | 1 | 0 | 66 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : Cut under permit #009-00-01 | | | | | | | | | | | | | | |
| 3 | M9 | M1 | 32 | | 13 | 70 | 66 | northern hardwood | unevenaged | N | | 20-29 years | 0 | |
| comnts Fmd : Good quality hardwoods cut in 2002 under permit #09-00-01. Some maple seedlings with raspberry. | | | | | | | | | | | | | | |
| 4 | A2 | F1 | 61 | 18 | 2 | 0 | 78 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Fairly low and wet with willow in many places, the stand is only moderately stocked with aspen saplings. | | | | | | | | | | | | | | |
| 5 | A3 | F1 | 32 | 28 | 4 | 0 | 78 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Excellent stocking of aspen saplings 3-5 " dbh 15-25' tall. | | | | | | | | | | | | | | |
| 6 | M6 | M2 | 21 | | 11 | 100 | 68 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Good quality pole hardwoods cut in 2002 under permit #09-00-01. | | | | | | | | | | | | | | |
| 7 | F3 | M2 | 8 | 17 | 3 | 0 | 34 | spruce-fir (uplands-including upland black spruce) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Cut with a diameter limit under permit #35-90-2. Scattered cedar and hemlock. | | | | | | | | | | | | | | |
| 8 | M6 | F2 | 5 | | 8 | 80 | 68 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : DIAMETER CUT 12 INCHES PLUS WINTER 90-91 - PERMIT 35-90-2. | | | | | | | | | | | | | | |
| 9 | M9 | M2 | 44 | | 14 | 100 | 68 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : High quality hardwoods select cut under permit #009-00-01. | | | | | | | | | | | | | | |
| 10 | Q6 | Q2 | 79 | 76 | 6 | 80 | 26 | mixed swamp conifer | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Stand varies from a swamp conifer stand to a mixed lowland hardwoods E type. Mixed hardwoods consist of black ash and red maple. East edge of stand contains a small black spruce bog. | | | | | | | | | | | | | | |
| 11 | M9 | M2 | 13 | | 13 | 80 | 68 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Good quality poletimber stand select cut under permit # 009-00-01 | | | | | | | | | | | | | | |
| 12 | M6 | F2 | 15 | 88 | 9 | 70 | 55 | northern hardwood | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Wet red maple and fir stand with occasional hemlock. Poor access. | | | | | | | | | | | | | | |
| 13 | A2 | F1 | 1 | 18 | 2 | 0 | 78 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Medium stocked aspen saplings. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|-------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 14 | E 5 | Q 2 | 19 | 70 | 7 | 60 | 32 | swamp hardwoods | low quality | N | | not scheduled | 0 | |
| comnts Fmd : E4C4Q4 VERY WET | | | | | | | | | | | | | | |
| 15 | A 2 | F 1 | 1 | 18 | 2 | 0 | 78 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Medium stocked aspen saplings. | | | | | | | | | | | | | | |
| 16 | Q 6 | F 1 | 12 | 69 | 11 | 80 | 55 | mixed swamp conifer | mature | N | | not scheduled | 0 | |
| comnts Fmd : Cedar and hemlock "island" within a black ash swamp. | | | | | | | | | | | | | | |
| 17 | E 5 | Q 2 | 79 | 70 | 7 | 60 | 32 | swamp hardwoods | low quality | N | | 40-49 years | 0 | |
| comnts Fmd : E4C4Q4 Very wet. There is some cedar regeneration in patches 1-4' tall. | | | | | | | | | | | | | | |
| 18 | Q 6 | Q 3 | 1 | 76 | 8 | 90 | 44 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of swamp conifers. Retain for diversity. | | | | | | | | | | | | | | |
| 19 | M 6 | M 3 | 7 | 93 | 8 | 70 | 50 | northern hardwood | mature | N | | 20-29 years | 0 | |
| comnts Fmd : Poor quality red maple pole stand on an inaccessible ridge within the swamp. Regeneration on the north side is M3, on the south end F3. | | | | | | | | | | | | | | |
| 20 | Q 5 | E 1 | 38 | 88 | 6 | 40 | 26 | mixed swamp conifer | sparse | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Stand varies from a swamp conifer stand to a mixed lowland hardwoods black ash type. | | | | | | | | | | | | | | |
| 21 | A 4 | A 3 | 119 | 28 | 4 | 30 | 78 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A4A3F1. Aspen stand is just starting to move into the poletimber class. Fully stocked 3-4" saplings with a few larger 5-6" poles. Scattered fir and Balm. | | | | | | | | | | | | | | |
| 22 | Q 3 | L 0 | 1 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 23 | C 6 | Q 2 | 26 | 105 | 8 | 120 | 32 | cedar | mature | N | | not scheduled | 0 | |
| comnts Fmd : Cedar stand with a few fir. | | | | | | | | | | | | | | |
| 24 | Q 3 | L 0 | 2 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 25 | L 0 | L 0 | 33 | | 0 | 0 | 22 | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Drainage impeded by RR track. | | | | | | | | | | | | | | |
| 26 | A 4 | A 3 | 18 | 28 | 4 | 30 | 78 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A4A3F1. Aspen stand is just starting to move into the poletimber class. Fully stocked 3-4" saplings with a few larger 5-6" poles. Scattered fir and Balm. Some areas have regenerated to M2. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 27 | S3 | X0 | 14 | 75 | 3 | 0 | 34 | black spruce-swamp | immature | N | | not scheduled | 0 | |
| comnts Fmd : Stunted black spruce with a few scattered poles. | | | | | | | | | | | | | | |
| 28 | H6 | Q3 | 7 | | 11 | 100 | 55 | hemlock | unevenaged | N | | not scheduled | 0 | |
| comnts Fmd : H5M4C4F4 A mix of hemlock, cedar, fir, and soft maple. Low and wet with a small "knob" of red maple. Scattered huge red maple, white pine and aspen. | | | | | | | | | | | | | | |
| 29 | Q6 | Q3 | 2 | 86 | 8 | 90 | 44 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of swamp conifers. Retain for diversity. | | | | | | | | | | | | | | |
| 30 | S2 | S2 | 144 | 106 | 3 | 0 | 32 | black spruce-swamp | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| Inadequate volume due to low stocking/small diameter/etc. | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA This stand consists primarily of stunted black spruce and tamarack but also has a small area of black spruce poles. Stocking varies from S1 to S5. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and intact natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 31 | A6 | F3 | 1 | 72 | 6 | 100 | 63 | aspen (upland) | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : SCA Small island of aspen, birch, and fir surrounded by black spruce bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 32 | Q3 | L0 | 4 | 126 | 3 | 0 | 34 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to low stocking/small diameter/etc. | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : S2F2T1C1 A mix of swamp conifer saplings over tag alder. Occasional pole sized black spruce. | | | | | | | | | | | | | | |
| 33 | S3 | X0 | 4 | 75 | 3 | 0 | 34 | black spruce-swamp | immature | N | | not scheduled | 0 | |
| comnts Fmd : Stunted black spruce with a few scattered poles. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 34 | M6 | M1 | 6 | | 12 | 120 | 58 | northern hardwood | immature | Y | selection | within 0-9 years | 2 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Blocked by other physical obstacle</p> <p>comnts Fmd : Fair quality hardwood stand showing the effects of past excessive logging damage. Lots of scars, and cankers. The stand also contains cherry and large red maple. Heavy maple seedling stocking about 12" high. Poor access over a very long winter road.</p> <p>Wld : Strive to enhance overstory size class representation and species diversity. Retain trees with cavity/den sites. Leave all white spruce, hemlock, white pine, and cedar.</p> | | | | | | | | | | | | | | |
| 35 | M6 | F2 | 3 | 82 | 10 | 130 | 64 | northern hardwood | immature | Y | selection | within 0-9 years | 2 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Blocked by other physical obstacle</p> <p>comnts Fmd : Red maple stand with wetter soils. Mostly fir in the understory. Occasional hemlock and yellow birch. Poor access over a long winter road.</p> <p>Wld : Strive to enhance overstory size class representation and species diversity. Retain trees with cavity/den sites. Leave all white spruce, hemlock, white pine, and cedar.</p> | | | | | | | | | | | | | | |
| 36 | Q3 | L0 | 4 | 126 | 3 | 0 | 34 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Too wet</p> <p>comnts Fmd : S2F2T1C1 A mix of swamp conifer saplings over tag alder. Occasional pole sized black spruce.</p> | | | | | | | | | | | | | | |
| 37 | S3 | X0 | 6 | 75 | 3 | 0 | 34 | black spruce-swamp | immature | N | | not scheduled | 0 | |
| <p>comnts Fmd : Stunted black spruce with a few scattered poles.</p> | | | | | | | | | | | | | | |
| 38 | D0 | D0 | 157 | 67 | | 0 | 10 | treed bog | old growth (potential or actual) | N | | not scheduled | 0 | |
| <p>comnts Fmd : SCA Non productive stunted black spruce bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth.</p> <p>Wld : Special conservation area. Allow natural ecosystem processes and disturbances to proceed.</p> | | | | | | | | | | | | | | |
| 39 | A6 | F3 | 10 | 75 | 11 | 90 | 61 | aspen (upland) | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Potential or designated old growth</p> <p>comnts Fmd : SCA Inaccessible island of aspen, white birch, and soft maple within stand 38. Better quality hardwoods on the eastern side of the stand. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth.</p> <p>Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p> | | | | | | | | | | | | | | |
| 40 | Q3 | L0 | 1 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| <p>comnts Fmd : Small pocket of black spruce and swamp conifers.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 41 | Q3 | L0 | 2 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 42 | M6 | M2 | 13 | | 12 | 140 | 70 | northern hardwood | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA Inaccessible hardwood island within stand 30. Contains aspen in the NW part of the stand. Scattered huge yellow birch. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 43 | B6 | F3 | 4 | 77 | 8 | 70 | 60 | paper birch | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA Small island of white birch, red maple and aspen, surrounded by bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 44 | M2 | M1 | 5 | 28 | 3 | 0 | 62 | northern hardwood | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Soft maple and aspen regeneration from the 1980 harvest. 2-4" dbh.M2A1 Wet soils. | | | | | | | | | | | | | | |
| 45 | A3 | F2 | 34 | 28 | 3 | 0 | 54 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : 2-3"dbh aspen saplings with fir growing on low, wet ground. Willow is located where the aspen regeneration is sparse. | | | | | | | | | | | | | | |
| 46 | M6 | M3 | 45 | | 10 | 110 | 65 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Last harvested in 1986. This is a poletimber stand with a few sawtimber sized trees. Occasional cherry, large white pine, and yellow birch. Stand also contains a few fir along the frindge, and a N/S wet black ash swale. | | | | | | | | | | | | | | |
| 47 | A5 | A3 | 27 | 30 | 5 | 50 | 76 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Transitioning to A6. Small aspen 2 stick poles over a dense stocking of aspen saplings. | | | | | | | | | | | | | | |

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|------|-----------|-----------|---------------------|----------------------------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | D | B Tot. BA | | | | | | | | |
| 48 | A 6 | F 3 | 1 | 72 | 6 | 100 | 63 | aspen (upland) | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Potential or designated old growth Inadequate volume due to small acreage</p> <p>comnts Fmd : SCA Small island of aspen, birch, and fir surrounded by black spruce bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth.</p> <p>Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p> | | | | | | | | | | | | | | |
| 49 | A 2 | L 0 | 17 | 15 | 1 | 0 | 58 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| <p>comnts Fmd : Cut in 1993 under permit #13-90-01, the aspen is heavily stocked where it regenerated, but many areas of the stand are wet, with only willow and tag alder present.</p> | | | | | | | | | | | | | | |
| 50 | Q 5 | Q 2 | 136 | 91 | 6 | 60 | 26 | mixed swamp conifer | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet Potential or designated old growth</p> <p>comnts Fmd : SCA A mix of swamp conifers over black spruce and tag alder. Stand is quite variable. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth.</p> <p>Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p> | | | | | | | | | | | | | | |
| 51 | M 9 | M 3 | 89 | | 13 | 100 | 71 | northern hardwood | unevenaged | N | selection | within 0-9 years | 2 | |
| <p>comnts Fmd : Area treated under timber sale # 013-90-01 with cutting completed in 1996. Excellent well developed hard maple regeneration 1" in diameter and 8'-12' tall. Site quality is very high, AoCA. The stand is dominated by sawtimber sized sugar maple, with occasional cherry, basswood, and the rare red oak sawtimber. There are very few 6"-8" poles, and only a few 10" dbh poles. Forest floor is carpeted with dutchman's-breeches.</p> <p>Wld : Retain all oak, hemlock, white pine, cedar, and white spruce. Strive to enhance overstory size class representation and species diversity. Retain trees with cavity/den sites. Nearly pure sugar maple stand. Extremely dense understory of sugar maple saplings. Yellow birch in overstory. Protect vernal ponds from equipment traffic.</p> | | | | | | | | | | | | | | |
| 52 | A 6 | F 3 | 3 | 72 | 6 | 100 | 63 | aspen (upland) | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Potential or designated old growth Inadequate volume due to small acreage</p> <p>comnts Fmd : SCA Small island of aspen, birch, and fir surrounded by black spruce bog.</p> <p>Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p> | | | | | | | | | | | | | | |
| 53 | A 2 | L 0 | 18 | 15 | 1 | 0 | 58 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| <p>comnts Fmd : Cut in 1993 under permit #13-90-01, the aspen is heavily stocked where it regenerated, but many areas of the stand are wet, with only willow and tag alder present.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|----------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | D | Tot. BA | | | | | | | | |
| 54 | Q5 | Q3 | 5 | 76 | 8 | 50 | 44 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small wet pocket of swamp conifers. Retain for diversity. | | | | | | | | | | | | | | |
| 55 | S4 | S2 | 25 | 121 | 5 | 40 | 26 | black spruce-swamp | old growth (potential or actual) | Y | | not scheduled | 0 | |
| Treatment Limiting Factors: Inadequate volume due to low stocking/small diameter/etc. Too wet Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA Stand varies from S2 to S4. Most stems are 2-5" dbh. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 56 | H6 | F2 | 4 | 112 | 11 | 90 | 52 | hemlock | mature | N | | not scheduled | 0 | |
| comnts Fmd : Wet hemlock inclusion and vernal pond within stand 51. | | | | | | | | | | | | | | |
| 57 | D0 | D0 | 19 | 67 | | 0 | 10 | treed bog | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Non productive stunted black spruce bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 58 | H6 | F2 | 24 | 112 | 11 | 90 | 52 | hemlock | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA H5C4B4M4F4. A fairly narrow upland ridge that juts out into the large bog. The stand is a variable hemlock stand running from almost pure hemlock to white birch and black spruce. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem porcesses/disturbances. | | | | | | | | | | | | | | |
| 59 | D0 | D0 | 27 | 67 | | 0 | 10 | treed bog | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : SCA Non productive stunted black spruce bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 60 | Q6 | Q3 | 5 | 76 | 8 | 90 | 44 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Skinny stand of swamp conifers along the state property line. Retain for diversity. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|--------|---------|-----------|---|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 61 | Q3 | L0 | 3 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 62 | Q3 | L0 | 3 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 63 | A6 | F3 | 7 | 72 | 6 | 100 | 63 | aspen (upland) | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : SCA Small island of aspen, birch, and fir surrounded by black spruce bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 64 | Q3 | L0 | 3 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 65 | Q3 | L0 | 1 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 66 | C6 | Q2 | 5 | 105 | 8 | 120 | 32 | cedar | mature | N | | not scheduled | 0 | |
| comnts Fmd : Cedar stand with a few fir. | | | | | | | | | | | | | | |
| 67 | S6 | S2 | 2 | 127 | 5 | 80 | 32 | black spruce-swamp | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : SCA Small finger of black spruce poles over spruce saplings surrounded by bog. This stand is part of a vast wetland complex that consist of large remnant hardwood, hemlock, and aspen "islands" surrounded by bog. Stands within this large complex have remained essentially untouched since the turn of the century, contain many habitat elements as described in the wildlife comments, and are excellent candidates for potential old growth. | | | | | | | | | | | | | | |
| Wld : Special conservation area. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances. | | | | | | | | | | | | | | |
| 68 | S3 | X0 | 2 | 75 | 3 | 0 | 34 | black spruce-swamp | immature | N | | not scheduled | 0 | |
| comnts Fmd : Stunted black spruce with a few scattered poles. | | | | | | | | | | | | | | |
| 69 | X0 | X0 | 17 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Highway M35 and Canadian-Soo Railroad R-O-W's. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|------------|---------|-----------|---|------------|---------------------|------------|---------------|------------------|---------------|
| 70 | Q3 | L0 | 1 | 67 | 3 | 0 | 34 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : Small pocket of black spruce and swamp conifers. | | | | | | | | | | | | | | |
| 71 | X0 | X0 | 2 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Highway M35 and Canadian-Soo Railroad R-O-W's. | | | | | | | | | | | | | | |
| 401 | G0 | G0 | 1 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Site of an old homestead. Filling in with spruce/fir and cherry brush. | | | | | | | | | | | | | | |
| Wld : Site tordoned in 1980 and 1982. Site level, semi-smooth. Very lush grasses and forbs (white and red clover). Stand 70% filled in with woody plants - balsam poplar saplings and trembling aspen saplings. Some raspberry. Too small an area to maintain. Two-track leading to opening supports nice timothy forage. | | | | | | | | | | | | | | |
| 402 | G0 | G0 | 4 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| Wld : Site tordoned in 1980 and 1982. Old RR grade passes through stand. Site level and smooth. No real access to stand due to active RR tracks. 95% openland. Very lush timothy with little bracken, though more bracken to north. Low amounts of willow, white spruce poles, tag alder, white pine saplings, and white pine poles encroaching. A good opening to maintain next entry period to remove some woody growth. | | | | | | | | | | | | | | |
| 403 | G0 | G0 | 4 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| Wld : Opening cleared in August of 1995 and seeded in August of 1996. Gently rolling terrain with smooth surface. Awesome forage quality - 50% birdsfoote trefoil, 50% timothy. One of our best wildlife openings. 100% openland. Maintain as needed in future. | | | | | | | | | | | | | | |

Total Acres..... 1636