

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	W9	F3	7	93	14	80	58	white pine	mature	N		10-19 years	0	
comnts Fmd : Thinned in 1974 and 1996-97, this stand is the southern part of a large dry mesic stand which lies primarily in the adjacent compartment to the north, and as a result, is managed as one stand. The stand consists of large diameter red and white pine with large diameter hemlock inclusions. Most of the marketable fir component was removed in 96-97.														
2	A6	A3	13	33	6	70	70	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Has grown into a fully stocked A6 stand 5-7" dbh 1-2 sticks tall. Understory is A3 over F1.														
3	Q3	L0	8	33	2	0	34	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Fir, spruce, balm, white birch with tag alder.														
4	Q6	Q2	28	67	8	90	30	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : A mix of black spruce, tamarack, fir, cedar. Very wet.														
5	C6	F2	66	180	10	130	32	cedar	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Too wet														
comnts Fmd : Nice cedar swamp, almost a C8. Good diameters on much of the cedar.														
6	Q3	L0	1	28	1	0	32	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Patch cedar cut from 1980. Regeneration consists of balck spruce, fir, balm, white birch, tag alder. Could not find any cedar regeneration above the snow line.														
7	Q3	L0	1	28	1	0	32	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Patch cedar cut from 1980. Regeneration consists of balck spruce, fir, balm, white birch, tag alder. Could not find any cedar regeneration above the snow line.														
8	Q6	F1	64	100	9	120	40	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Very wet conifer swamp with cedar, black spruce, fir, soft maple, white birch, over tag alder, fir, spruce.														
9	L0	L0	172		2	0	15	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA Retain as a riparian zone to protect the wetland and wildlife values and travel corridor along the West Branch of the Big West Branch of the Escanaba River. Primarily tag alder with an occasional clump of swamp conifers.														
Wld : Special conservation area. Provides for consistent management of the stream corridors within this compartment. Maintian as movement corridor for wildlife. Promote natural ecosystem processes/disturbances.														
10	S6	S3	5	75	7	110	40	black spruce-swamp	mature	N		10-19 years	0	
comnts Fmd : Almost a pure black spruce swamp with occassional white birch and cedar.														
11	A6	A3	31	34	5	70	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Has just grown into a pole stand. Aspen is 5-7" dbh, 1-2 stick. Scattered fir clumps.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
12	M9	M1	15		14	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Thinned in 1979 and 2003 under permit # 020-00-01. Scattered upland cedar.														
Wld : UNDERPLANT WITH HEMLOCK														
13	A3	F1	38	16	2	0	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 2-3" dbh, 20-25' tall. Scattered small openings.														
14	C6	Q1	276	132	6	120	27	cedar	mature	N		not scheduled	0	
comnts Fmd : Large stand with occasional "islands" of black spruce, fir, aspen.														
15	H9	X0	7	92	15	130	27	hemlock	immature	N		not scheduled	0	
comnts Fmd : Beautiful large well stocked hemlock stand with big yellow birch and hard maple sawtimber trees. No understory visible above the snow.														
Wld :														
16	F5	F3	28	28	7	60	55	spruce-fir (uplands-including upland black spruce)	immature	N		10-19 years	0	
comnts Fmd : Select cut in 1980. Fir and aspen 2-4 stick poletimber over heavy fir seelings and saplings. Scattered white spruce, white birch and upland cedar. Stand has several semi open pockets and young aspen clones. One dense hemlock pocket in the northern section of the stand.														
17	Q5	Q1	12	78	6	50	27	mixed swamp conifer	immature	Y		not scheduled	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : Scattered cedar and black spruce. Very wet. Stand fades to a bog in the center.														
18	D0	D0	2		2	0	20	treed bog	sparse	N		not scheduled	0	
comnts Fmd : Sphagnum bog.														
19	M9	M1	4		15	100	55	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Large diameter hardwoods with good blend of hemlock.														
20	A3	F1	6	17	2	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 1-3" 15-25' tall														
21	A3	X0	13	8	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut under permit # 021-00-01. Dense, fully stocked stand.														
22	F6	F2	2	51	8	90	35	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
comnts Fmd : Small fir stand on narrow ridge.														
23	A3	X0	16	5	1	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut in 2003 under permit #20-00-01.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
24	M9	M1	29		12	100	70	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Select cut under permit #021-00-01. Good mix of hemlock scattered in the stand with a excellent H9 stand adjacent to the south. Regen is primarily raspberry and ironwood.</p> <p>Wld :</p>														
25	Q3	L0	3	26	1	0	27	mixed swamp conifer	immature	N		80+ years	0	
<p>comnts Fmd : Black spruce, fir, Balm, white birch, a few white pine over tag alder. Birch and balm is 10'-18' tall, black spruce 6'-15' tall, fir 4'-8'. Could not find any cedar regeneration.</p>														
26	A6	F2	23	83	11	100	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Narrow stand along Co. Rd 438 that drops off sharply to the cedar stand to the north. Contains a rocky shelf in the western portion of the stand. The aspen is large, overmature and the stand varies considerably. The predominant covertype changes back and forth between aspen, fir, white birch and Balm. The sale boundary will stay up out of the wet zone and exclude the low black spruce/conifer frindge. Scattered large hardwoods and the small hardwood island along 438 will be retained for aesthetics. 1</p> <p>Wld : Leave some scattered white birch and white spruce. Retain all cedar, hemlock, oak, and white pine.</p>														
27	A6	F1	11	54	10	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Scattered fir and large white spruce, occassional white birch. West side is lower with fewer hardwoods and more spruce/fir and birch. Black ash swale inside the stand.</p> <p>Wld : Leave all hemlock, cedar, white pine, and oak.</p>														
28	M9	M1	12		11	100	60	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : TSID IN 1978 Cut in 2002-2003 by Sanville under permit # 022-00-01. Occasional white birch. Has just transitioned to an M9 stand.</p> <p>Wld :</p>														
29	Q5	L0	3	92	8	60	30	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : A wet swamp conifer drainage between stands 28 and 30.</p>														
30	M9	M1	17		14	100	60	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : Cut in 2003 by Sanville under permit # 022-00-01. Scattered upland cedar. High percentage of 12" sawlogs.</p> <p>Wld :</p>														
31	C6	F1	114	92	7	110	50	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Narrow 2 chain wide dry ridge that regenerated to aspen and birch after a fire. The stand is converting naturally to a fir stand.</p>														
33	A3	F1	53	17	3	0	70	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A3, 2-4" dbh, 10-20' tall. A few sparse areas but still fully stocked.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
34	M9	M1	3		11	100	65	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Manage with the stand to the north. Last treated in 1997-1998. High quality small sawtimber stand. Regeneration is mostly ironwood and leatherwood.														
35	M6	M1	13		11	100	65	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Manage with the stand to the north. Last treated in 1997-1998. Still a pole stand but moving toward M9. Better maple regeneration in this stand. Contains a small patch of white pine sawtimber on the south edge.														
36	A6	F2	7	92	11	70	60	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA Overmature poor quality aspen with a mix of fir, black spruce, soft maple and white birch. Scattered red and white pine. This stand will be retained as a riparian buffer along the West Branch of the Big West Branch of the Escanaba River.														
Wld : Special conservation area. Stand will be managed as a natural buffer for the Escanaba River to meet fisheries objectives.														
37	B4	A2	14	6	9	30	68	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Backdrop for the monument. Cut in 2002 by Sanville under permit # 022-00-01. The stand was scarified for seed be prep and also partially underplanted with white pine by wildlife division. The planted white pine seedlings survival is very poor. A large percentage of the remnant seed trees have died or are almost dead with most of the living trees experiencing dying tops. Aspen has respouted in much of the stand except the very south end where raspberry is quite prolific. Long term M:O will be aspen.														
Wld : MACHINE SCARIFY AFTER HARVEST TO ENCOURAGE BIRCH REGEN. Underplanted with white pine in 2002.														
38	A6	A3	34	33	5	70	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Nice aspen pole stand.														
39	S6	S3	16	75	7	110	40	black spruce-swamp	mature	N		10-19 years	0	
comnts Fmd : Almost a pure black spruce swamp with occassional white birch,cedarand balm.														
40	A3	F1	40	27	4	0	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 3-5" dbh well stocked aspen over fir.														
41	C6	F1	115	139	9	230	27	cedar	mature	N		not scheduled	0	
comnts Fmd : Large, very well stocked cedar swamp. Part of the stand contains a higher fir and spruce component. The stand surrounds a small "island" of aspen.														
42	A3	F1	44	14	2	0	72	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Aspen is doing well. 2-3" 10-20' tall.														
43	A6	F2	7	87	9	110	68	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Isolated inaccessible island surrounded by cedar. Formerly designated as potential old growth.														
44	A5	A3	14	24	5	60	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Aspen looks ok. The stand is fully stocked but not with poletimber yet. The understory has a fair amount of sugar and red maple stems.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
45	Q 6	Q 1	60	102	8	170	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Dense mixed swamp conifers with tamarack over scattered black spruce , fir and tag alder. Scattered aspen and white birch. Very wet.														
46	A 6	A 3	6	34	5	70	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Small aspen poles over dense aspen saplings. With scattered fir. Same stand as stand 49.														
47	F 5	F 2	6	75	10	60	45	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Historical and archeological sites														
comnts Fmd : SCA Former site of the Escanaba River CCC camp. Stand consists of the camp spruce plantings with fir and aspen volunteers. Retain for historic and recreational purposes.														
Wld : Special conservation area - historical/cultural site.														
48	A 3	F 1	15	18	2	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Well stocked aspen 1-3" dbh 10-20' tall.														
49	A 6	A 3	16	34	5	70	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Small aspen poles over dense aspen saplings. With scattered fir. Stand contains a large spring in the southwest.														
50	A 6	A 3	31	26	6	70	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Just transitioned to A6. 2-3 stick aspen over A3F1.														
51	A 6	A 3	8	24	6	70	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Just transitioned to A6. 2-3 stick aspen over A3F1.														
52	L 0	L 0	12		1	0	20	lowland brush	nonstocked	N		not scheduled	0	
53	A 6	F 3	7	68	11	70	60	aspen (upland)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
Inadequate volume due to small acreage														
comnts Fmd : Stand is a mix of aspen, fir, and white birch with occasional upland cedar, white pine, and cherry. Regeneration consists of dense fir seedlings and saplings. Terrain is very steep, falling away from the road toward the river. The slope is highly erodible. Retain as biodiversity maintenance area to protect the riparian values of the Little West Branch of the Escanaba River and provide for wildlife travel corridor.														
54	A 6	F 3	7	60	11	100	70	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Nice aspen poles with fir and white spruce over dense fir regeneration along a narrow ridge. Stand also contains an occasional red pine sawtimber tree. Retain the few large diameter spruce and all red pine. In addition, the western 300' of the stand will be retained to protect the fishery of Bryan Creek.														
Wld : Retain all cedar, hemlock, white pine, and oak.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
55	T5	Q2	1	82	7	60	30	tamarack	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Too wet</p> <p>comnts Fmd : Tamarack poles over black spruce and fir, with tag alder.</p>														
56	S6	S2	14	92	7	110	50	black spruce-swamp	immature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Narrow black spruce stand along Co. Rd 438, with occasional tamarack and aspen pole. Stand varies from lowland to upland with dense black spruce saplings throughout. Visual impact will be significant but regeneration should not be an issue. Scattered seed trees will be retained throughout the stand.</p> <p>Wld : Management objective must be S. Retain cedar, hemlock, and white pine.</p>														
57	A3	F1	12	7	1	0	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Cut under permit # 019-00-01. Stand has regenerated nicely and is 6-12' tall.</p>														
58	B5	A3	13	6	10	50	55	paper birch	immature	N		40-49 years	0	
<p>comnts Fmd : Stand located on a ridgetop, was seed tree cut in 2002 with scarification under perm # 019-00-01. Most of the remnant seed trees are healthy, but the stand is regenerating to aspen with scattered fir seedlings. Long term M:O will be aspen.</p>														
59	A6	F2	2	28	5	70	68	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A5F4. The stand has just moved from a sapling to a pole stand. Good mix of spruce and fir throughout.</p>														
60	W7	A1	19	93	14	10	58	white pine	immature	N		40-49 years	0	
<p>comnts Fmd : Scattered white pine and red pine over small A1 patches and raspberry.</p>														
61	S6	S2	2	75	7	80	40	black spruce-swamp	immature	N		not scheduled	0	
<p>comnts Fmd : Black Spruce swamp pocket.</p>														
62	R9	F2	2	93	14	110	58	red pine	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : Beautiful red and white pine growing on a steep sidehill. Small fir in the understory.</p>														
63	A6	F2	5	68	10	70	60	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA Stand formerly designated as potential old growth. This stand varies from an A5F5B4 to a P4A4E4, with the understory ranging from F2 to L. Retain as a portion of the riparian zone along the Big West Branch of the Escanaba river to protect the wetland and wildlife values and wildlife travel corridor.</p> <p>Wld : Special conservation area. Maintain as natural movement corridor for wildlife. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/desn, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p>														
64	L0	L0	8			0		lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
65	Q 6	Q 2	20	104	9	140	45	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA Formerly designated as potential old growth, this stand provides connectivity of the riparian zone with its associated wildlife/wetland values along the Big West Branch of the Escanaba River.</p> <p>Wld : Special conservation area. Provides for consistent management of the stream corridors within this compartment. Maintain as movement corridor for wildlife. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p>														
66	W 9	F 2	2	93	15	90	58	white pine	immature	N		10-19 years	0	
<p>comnts Fmd : Nice white and red pine growing on a steep sidehill. A continuation of the same ridge as stand 62. Occasional white birch pole. Small fir in the understory.</p>														
67	B 6	M 3	9	83	9	80	70	northern hardwood	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : Cut under permit #020-00-01 removing spruce/fir and aspen. Overstory birch is moderately healthy. The stand continues to slowly convert to hardwoods.</p>														
68	A 6	M 2	2	70	9	90	60	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Small island of aspen within a large cedar swamp. Good soft maple regeneration in the understory. Formerly designated as potential old growth, this stand will be retained to allow natural succession to proceed.</p>														
69	Z 0	Z 0	1		0	0	20	water	nonstocked	N		10-19 years	0	
<p>comnts Fmd : Beaver flooding.</p>														
70	Z 0	Z 0	1		0	0	20	water	nonstocked	N		20-29 years	0	
<p>comnts Fmd : High volume natural spring that flows to the Little West Branch of the Escanaba River.</p>														
71	A 6	F 2	15	68	10	70	60	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA A5P4B4 Similar to stand 63 but contains less fir and leans heavier toward a P4B4 stand. Formerly designated as potential old growth. The understory ranges from F2 to L. Retain as a portion of the riparian zone along the Big West Branch of the Escanaba river to protect the wetland and wildlife values and wildlife travel corridor.</p> <p>Wld : Special conservation area. Provides for consistent management of the stream corridors within this compartment. Maintain as movement corridor for wildlife. Promote habitat elements such as supercanopy trees, numerous large snags, abundant and varied tree cavities/dens, frequent large diameter downed trees, and natural ecosystem processes/disturbances.</p>														
72	A 3	X 0	4	8	1	0	60	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Cut under permit # 021-00-01. Dense, fully stocked stand.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	Acrs	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
73	L 0	L 0	28	2	0	15	lowland brush	old growth (potential or actual)	N			not scheduled	0	
<p>comnts Fmd : SCA Mostly tag alder with an occasional clump of swamp conifers. Retain as a portion of the riparian zone along Bryan Creek and the Big West Branch of the Escanaba river to protect the wetland and wildlife values and wildlife travel corridor.</p> <p>Wld : Special conservation area. Provides for consistent management of the stream corridors within this compartment. Maintain as movement corridor for wildlife. Promote natural ecosystem processes/disturbances.</p>														
74	L 0	L 0	17	2	0	15	lowland brush	old growth (potential or actual)	N			not scheduled	0	
<p>comnts Fmd : SCA Mostly tag alder with an occasional clump of swamp conifers. Retain as a portion of the riparian zone along the Big West Branch of the Escanaba river to protect the wetland and wildlife values and wildlife travel corridor.</p> <p>Wld : Special conservation area. Provides for consistent management of the stream corridors within this compartment. Maintain as movement corridor for wildlife. Promote natural ecosystem processes/disturbances.</p>														
75	X 0	X 0	1		0		other non-stocked or non-forest or non-productive	nonstocked	N			not scheduled	0	
<p>comnts Fmd : Gravel pit</p>														
76	E 4	E 1	4	4	10	35	swamp hardwoods	immature	Y			not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small black ash swale with an occasional aspen and white birch.</p>														
77	M 6	M 1	1	10	90	60	northern hardwood	unevenaged	N			20-29 years	0	
<p>comnts Fmd : Small hardwood island within aspen stand 40. Primarily sugar maple.</p> <p>Wld :</p>														
78	S 6	S 3	4	75	7	110	black spruce-swamp	mature	N			10-19 years	0	
<p>comnts Fmd : Almost a pure black spruce swamp with occassional white birch and cedar.</p>														
79	A 6	A 3	9	33	6	70	70	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Has grown into a fully stocked A6 stand 5-7" dbh 1-2 sticks tall. Understory is A3 over F1.</p>														
80	A 6	A 3	37	34	5	70	70	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Has just grown into a pole stand. Aspen is 5-7" dbh, 1-2 stick. Scattered fir clumps.</p>														
81	A 6	A 3	9	34	5	70	70	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Has just grown into a pole stand. Aspen is 5-7" dbh, 1-2 stick. Scattered fir clumps.</p>														
82	M 3	U 1	4	4	0	55	northern hardwood	immature	N			10-19 years	0	
<p>comnts Fmd : Well stocked sugar maple sapling stand resulting from an earlier wildlife cutting. Will soon be transitioning to a pole stand.</p>														
83	H 9	H 1	2	92	15	140	27	hemlock	immature	N		not scheduled	0	
<p>comnts Fmd : Beautiful large well stocked almost pure hemlock inclusion surrounded by hardwoods.</p> <p>Wld :</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
84	Q3	L0	1	26	1	0	27	mixed swamp conifer	immature	N		80+ years	0	
comnts Fmd : Cedar strip cuttings that have regenerated to black spruce, fir, Balm, white birch, a few white pine over tag alder. Birch and balm is 10'-18' tall, black spruce 6'-15' tall, fir 4'-8'. Could not find any cedar regeneration.														
85	Q3	L0	1	26	1	0	27	mixed swamp conifer	immature	N		80+ years	0	
comnts Fmd : Cedar strip cuttings that have regenerated to black spruce, fir, Balm, white birch, a few white pine over tag alder. Birch and balm is 10'-18' tall, black spruce 6'-15' tall, fir 4'-8'. Could not find any cedar regeneration.														
86	Q3	L0	1	26	1	0	27	mixed swamp conifer	immature	N		80+ years	0	
comnts Fmd : Cedar strip cuttings that have regenerated to black spruce, fir, Balm, white birch, a few white pine over tag alder. Birch and balm is 10'-18' tall, black spruce 6'-15' tall, fir 4'-8'. Could not find any cedar regeneration.														
87	Q3	L0	1	26	1	0	27	mixed swamp conifer	immature	N		80+ years	0	
comnts Fmd : Cedar strip cuttings that have regenerated to black spruce, fir, Balm, white birch, a few white pine over tag alder. Birch and balm is 10'-18' tall, black spruce 6'-15' tall, fir 4'-8'. Could not find any cedar regeneration.														
88	A3	F1	5	7	1	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut under permit # 019-00-01. Stand has regenerated nicely and is 6-12' tall. Formerly part of stand 58.														
89	A3	X0	4	7	1	0	70	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut under permit #020-00-01, this stand was originally a strip of aspen included in stand 67 along ecotone between the upland white birch and black spruce lowlands.														
90	X0	X0	18			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County road 438														
91	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Kates grade.														
92	X0	X0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Ross grade.														
93	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Small bog surrounded by aspen.														
94	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Small bog surrounded by aspen.														
401	G0	G0	1			0	70	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 58

Entry Year: 2010

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
402	G 0	G 0	2			0	55	grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	3			0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Created in 1975. Last mowing was in 1989.														
Wld : Mow.														
404	G 0	G 0	2			0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : Mow.														
405	G 0	G 0	1			0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd :														
Wld : Mow.														
406	G 0	G 0	2			0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : Mow.														
407	G 0	G 0	1			0	68	grass	nonstocked	N		within 0-9 years	0	opening maintenance
408	G 0	G 0	2			0	68	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : Mow.														
409	G 0	G 0	1			0	68	grass	nonstocked	N		not scheduled	0	
410	G 0	G 0	2			0	68	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld :														
411	G 0	G 0	2			0	68	grass	nonstocked	N		within 0-9 years	0	opening maintenance
412	G 0	G 0	1			0	68	grass	nonstocked	N		not scheduled	0	
413	G 0	G 0	2			0	68	grass	nonstocked	N		not scheduled	0	

Total Acres..... 1865