

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A 6	F 3	13	80	9	120	65	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Mixed forest type which is primarily a buffer strip along the Flopper Creek.</p> <p>Wld : SCA- Stand set aside as protection of riparian area and wildlife corridor along Flopper's Creek.</p>														
2	N 0	N 0	12		0	0	30	marsh	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Wetland marsh with the Flopper Creek flowing through it.</p> <p>Wld : SCA- Marsh Complex along Flopper's Creek.</p>														
3	A 6	W 2	17	86	8	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	6	
<p>comnts Fmd : Currently under contract-TS#114-07-01: North Flopper Sale. A significant buffer was left along creek which will become a separate stand upon sale completion. Cut with timber to the north when that compartment is entered in 2007.</p> <p>Wld : Cut no oak, white pine, or red pine.</p>														
4	Z 0	Z 0	10			0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Not labled on maps but know locally as Frenchman's pond.</p>														
5	Q 5	Q 3	20		6	60	45	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Buffers Flopper Creek and associated wetlands. Contains some S and N inclusions.</p> <p>Wld : SCA- Potential Old Growth. This stand is a mix of cedar, black spruce, and tamarack, which offers cover and a travel corridor for wildlife, as well as protects riparian areas along Flopper's Creek.</p>														
6	A 6	F 3	4	86	8	130	64	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Borders Frenchman's Pond and associated wetlands. Left for wildlife values.</p> <p>Wld : SCA- Potential Old Growth. Let succeed into old growth conditions and allow natural processes to take place. Stand acts as part of a wildlife corridor near Frenchman's Pond and Flopper's Creek.</p>														
7	Z 0	Z 0	10			0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Large beaver flooding.</p>														
8	R 9	F 3	10	87	13	120	60	red pine	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Blocked by other physical obstacle</p> <p>comnts Fmd : Can not access this stand from within this compartment due to the Flopper Creek and associated wetlands. Can access from the north however the timber in this compartment was cut in 1992.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
9	A2	F2	8	16	2	0	62	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Contains F3, R3, and M2 inclusions. One to two acres on the west side of this stand was cut in association with the stand to the north in compartment 252 in 2004.														
10	A6	F3	7	86	8	130	64	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Borders Hemmings Lake and associated wetlands. Left for wildlife values.														
Wld : SCA- Potential Old Growth. Let succeed into old growth and allow natural processes to take place. Stand is part of a wildlife corridor along Flopper's Creek.														
11	S5	S2	9		5	60	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Stand ranges from N to S6 and contains a drainageway between ponds.														
Wld : SCA- Placed into Potential Old Growth to protect riparian areas and provide wildlife corridor along Flopper's Creek.														
12	Z0	Z0	2			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : A little bog kettle hole pond.														
13	R9	F3	3	86	13	120	60	red pine	immature	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : All surrounding timber cut. Can treat in 20 to 30 years along with stand 23.														
14	Z0	Z0	6			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Hemmings Lake.														
15	A6	F3	11	86	9	160	62	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Borders Hemmings Lake and maintains old growth conditions for wildlife. White birch inclusions.														
Wld : SCA- Potential Old Growth stand protected to provide wildlife corridor and protect riparian areas along Flopper's Creek.														
16	D0	D0	2		0	0	30	treed bog	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Large kettle hole. Contains a small pond and some low land conifers around the edges.														
Wld : SCA- Lowland depression. Vegetation is sparse, influence from frost pocket.														
17	O6	F3	19	86	9	100	60	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Stand contains pockets of aspen and overstocked oak. Should thin overstocked oak pockets to improve tree health and allow for crown expansion. Retain all large pines and oak.														
Wld : Cut no red pine, white pine, or oak.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
18	O 9	M 3	69		12	100	60	oak	immature	N		10-19 years	0	
comnts Fmd : Five acre or so M9 inclusion along north edge of stand. Quite a bit of O5 inclusion in south of stand. When cut leave all yellow and white birch and remove all suppressed maple.														
19	A 3	F 1	72	17	4	0	63	aspens (upland)	immature	N		40-49 years	0	
comnts Fmd : O7 to O9 overstory in the north half of this stand.														
20	R 9	M 3	46		16	80	61	red pine	immature	N		30-39 years	0	
comnts Fmd : Most of stand partially cut 10 to 15 years ago. F3, A3, and pine regeneration all occur as understories.														
21	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
22	Q 6	Q 2	12		7	80	45	mixed swamp conifer	unevenaged	N		not scheduled	0	
comnts Fmd : Contains S inclusions.														
23	A 3	F 2	46	25	4	0	60	aspens (upland)	immature	N		30-39 years	0	
comnts Fmd : Large pine and oak residual in places. F3 inclusions. Some areas non-stocked.														
24	R 6	X 0	12	48	8	100	61	red pine	immature	N		20-29 years	0	
comnts Fmd : Plantation. Thinned in 2003: TS#116-00-01.														
25	A 3	W 2	56	5	1	0	60	aspens (upland)	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2003 TS#115-00-01. Left all oak, red and white pine, spruce-fir seed trees, and 3 to 6 white birch per acre.														
26	D 0	D 0	4		0	0	38	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Narrow band of low land conifers around the perimeter. This kettle hole contains a small pond.														
27	S 5	S 2	6	58	6	60	50	black spruce-swamp	immature	N		40-49 years	0	
comnts Fmd : Harvested in 2003: TS#115-00-01. Used a stump diameter limit of 6 inches.														
28	R 9	M 1	39		10	70	62	red pine	unevenaged	N		40-49 years	0	
comnts Fmd : Harvested in 2003: TS#115-00-01. Partially cut the miscellaneous species out of this stand. Left a spruce-fir seed source and 3 to 6 wildlife trees per acre. Marked only those pine in need of thinning.														
29	A 3	M 1	110	16	3	0	63	aspens (upland)	immature	N		40-49 years	0	
30	O 6	W 2	6		8	80	59	oak	immature	N		10-19 years	0	
comnts Fmd : Manage for an oak/pine association. Partially cut the miscellaneous species. Leave 3 to 6 wildlife trees per acre.														
31	O 6	W 1	7		8	110	59	oak	immature	N		10-19 years	0	
comnts Fmd : Partially cut the maple and intolerant hardwoods. Leave 3 to 6 wildlife trees per acre.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	H								
32	R 5	J 2	7		9	40	60	red pine	immature	N		30-39 years	0	
comnts Fmd : Understory consists of maple and/or white pine in places.														
33	A 3	M 1	50	24	4	0	62	aspen (upland)	immature	N		30-39 years	0	
34	A 3	M 2	29	7	1	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2001: TS#121-99-01. Left the oak, large pines, and 3 to 6 wildlife trees per acre. Some localities could be called an oak type with an A3 understory.														
35	A 3	M 1	36	24	4	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Contains approximately 4 acres of open or nonstocked land.														
36	A 6	M 1	42	86	8	110	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Retain all large pines and oak.														
37	J 6	M 1	10	86	8	90	70	jack pine	mature	Y	final harvest	within 0-9 years	1	direct seeding
comnts Fmd : Retain all large pines and oak.														
38	A 3	M 2	35	7	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2001: TS#121-99-01. Left the oak, large pines, and 3 to 6 wildlife trees per acre.														
39	A 3	M 1	60	16	3	0	63	aspen (upland)	immature	N		40-49 years	0	
40	W 6	W 2	17		8	70	60	white pine	unevenaged	N		10-19 years	0	
comnts Fmd :														
41	A 3	F 2	11	25	4	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Large pine and oak residual in places. F3 inclusions. Some areas non-stocked.														
42	R 6	X 0	94	48	8	100	61	red pine	immature	N		20-29 years	0	
comnts Fmd : Plantation. Thinned in 2003: TS#116-00-01.														
43	A 5	A 3	13	25	5	40	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Some areas open to semi-open. W3 understory in places.														
44	A 4	A 3	21	25	5	30	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Some areas open to semi-open. W3 understory in places.														
45	S 6	S 2	14		6	80	50	black spruce-swamp	unevenaged	N		not scheduled	0	
comnts Fmd : Upland F6 inclusions especially around edges of stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
46	V 0	V 0	6			0	30	bog or muskeg	nonstocked	N		not scheduled	0	
47	R 9	A 3	22		14	70	62	red pine	unevenaged	N		30-39 years	0	
comnts Fmd : Harvested in 2003: TS#116-00-01. Left 3 to 6 wildlife trees per acre.														
48	A 3	M 1	75	16	3	0	62	aspen (upland)	immature	N		40-49 years	0	
400	G 0	X 0	1	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
401	G 0	X 0	1	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
402	G 0	X 0	1	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
403	G 0	X 0	2	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
404	G 0	X 0	2	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LAND DISKED AND SEEDED 8-94														
405	G 0	X 0	1	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LAND DISKED AND SEEDED 8-94														
406	G 0	X 0	1	14		0	69	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
407	G 0	X 0	2	14		0	69	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
408	G 0	X 0	3	15		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : CLEARED AND SEEDED 7/93 AFTER SALE #13-90														
409	G 0	X 0	2	15		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : CLEARED AND SEEDED 7/93 AFTER SALE #13-90														
410	G 0	X 0	2	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 257 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
411	G0	X0	2	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
412	G0	X0	2	14		0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL AND LANDING DISKED AND SEEDED 8-94														
413	G0	X0	2			0	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : Cleared and seeded in 2002.														
Total Acres.....			1217											