

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	B5	F2	174	80	9	60	53	aspen (upland)	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Remote, inaccessible, inoperable at this time. Rocky ridges and low, wet swales. A mix of white birch, aspen, white pine, red maple with a few scattered red oak.</p>														
2	A6	F2	61	75	8	70	55	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : No access due to rocky, steep bluffs. A mix of even aged species. Blowdown in areas. Understory is a mix of red maple and hazel. Fair scattering of red oak. An abundance of white pine growing among the rock ledges.</p>														
3	A6	F2	148	75	9	80	55	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Very rugged, shear rock bluffs prevent access. Pole size aspen, white pine, white birch, red maple, black spruce. The east side of this stand includes the former stand 106, which was formerly designated as potential old growth. It was decided at the pre-review (8/19/2008) to remove this SCA designation.</p>														
4	A6	M1	146	91	8	70	52	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Similar to stand 8 but contains more white pine. Inaccessible large bigtooth aspen stand with white pine, white birch and red maple. Additional scattered species include red oak, jack pine, white spruce, and red pine. Terrain again varies from rocky ledges to alder lowlands with wet black spruce swamp pockets. Central portion of the stand has seen significant blowdown areas. These areas are regenerating with birch, oak, and red maple seedlings.</p>														
5	A6	F2	8	75	9	80	55	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Very rugged, shear rock bluffs prevent access. Pole size aspen, white pine, white birch, red maple, black spruce.</p>														
6	A3	M1	95	15	1	0	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Good aspen regeneration but it is short, only 10-15' tall. Red maple has heavy stump sprouting and there is a scattering of red oak seedlings 1' diameter 5-10' tall.</p>														
7	M6	M1	76		8	70	55	northern hardwood	immature	N		not scheduled	0	
<p>comnts Fmd : This stand is a mix of hardwoods, red maple, white birch, aspen, fir and white pine. Occasional red oak. Inoperable at this time, the terrain consists of rock ledges and low wet ravines. Much of the the stand has a good brush layer of hazel. Jumped quite a few grouse.</p>														
8	A6	M1	90	91	8	70	52	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Inaccessible large bigtooth aspen stand with white pine, white birch and red maple. Additional scattered species include red oak, jack pine, white spruce, and red pine. Terrain again varies from rocky ledges to alder lowlands with wet black spruce swamp pockets. Central portion of the stand has seen significant blowdown areas. These areas are regenerating with birch, oak, and red maple seedlings.</p>														
9	A6	F1	10	99	7	80	40	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Too steep</p> <p>comnts Fmd : No access due to rocky, steep bluffs and outcrops. Blowdown in areas. A4W4B4F4.</p>														
10	A3	M1	34	15	1	0	55	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A2M1J1F1 Aspen is 10-15' tall, 1-2" dbh. Contains about 10 BA of white pine sawtimber overstory.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
11	A3	F2	21	31	4	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Aspen saplings over fir, 3-5' dbh, the aspen is slowly transitioning to a pole stand.														
12	J2	F1	73	4	1	10	60	jack pine	immature	N		40-49 years	0	
comnts Fmd : Harvested in 2004: TS#120-00-01, the stand has a medium stocking of jack pine and aspen seedlings with scattered groups of white pine sawtimber that was excluded from the harvest.														
13	J3	J3	39	18	4	0	60	jack pine	immature	N		40-49 years	0	
comnts Fmd : Was comm.in Fall of 1984 by Bert & Dale Wiecech, permit # 8-82, "Paint Can Creek Sale". Access was from the north off Co.Rd. MP and across newly installed culverts on Paint Can creek. 2008- Jack pine is doing well, 3-5" dbh with white pine, aspen, and red pine saplings mixed in. Wld : Stand was scarified with roller chopper & anchor chains, then seeded with cyclone seeder. FTP #C31-61, completed in May 1990. 1/2 pound of seed/ acre was used.														
14	A3	F2	108	14	2	0	45	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3J1 Was comm. Cut during 1994 by Oro Logging (St.John), permit #25-91, "Wisconsin Electric Powerline Block". Original M:O was for fir but the stand is aspen with fir growing on the rocky outcrops. Wld :														
15	J3	A1	13	19	3	0	54	jack pine	immature	N		40-49 years	0	
comnts Fmd : J2 A1 Stand was cut the summer of 1989 by Mead, permit #14-83 , with access form the east through sec 19, T46R30W.														
16	A3	J1	30	15	3	0	52	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : CUT IN 85-86. PERMIT 8-82. Comment 5/98, Warren. Stand 16 is listed on Sale# 15-91 (CoRd MU Sale). I don't understand this. Figure this out at next entry. 1999 KL- I don't understand this either. 2008 Aspen is now 3-5" dbh 20-30' tall.														
17	J5	F1	45	72	8	60	65	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : J4A4B4M4 Very rugged terrain inaccessible because of rock bluffs and ridges. Jack pine mortality is moderate to high, and the stand has incurred signifiacant blowdown in the north. Dense red maple seedlings have regenerated in these blowdown areas. Scattered white pine regeneration is also present. To the east the stand degrades to black spruce.														
18	A2	F1	66	14	2	0	66	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Comm. cut 1993-94, permit # 15-91, Nickels Logging. "CoRd MU Block". Access from north -- Co.Rd. MP														
19	F6	F3	9	87	10	90	48	spruce-fir (uplands-including upland black spruce)	immature	Y	final harvest	within 0-9 years	3	
comnts Fmd : Upland black spruce and fir with aspen and a few white pine. Retain the white pine and a buffer along Oneal Creek.														
20	S6	S2	8	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.														
21	S6	S2	7	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	avg. D B Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
22	Z0	Z0	34		0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Composed primarily of beaver floodings.												
23	S6	S2	7	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.												
24	S6	S2	4	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.												
25	S6	S2	8	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : Inaccessible black spruce stand along the south side of the creek. Black spruce with a few tamarack and occasional white pine.												
26	S6	S2	4	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : Inaccessible black spruce stand along the creek. Black spruce with a few tamarack and occasional white pine.												
27	S6	S2	18	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : Inaccessible black spruce stand on both sides of the creek. Black spruce with a few tamarack and occasional white pine.												
28	S6	S2	3	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Too wet												
comnts Fmd : Small, wet black spruce swamp pockets found within stand 7. Black spruce with a few tamarack and occasional white pine.												
29	S6	S2	3	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.												
30	S6	S2	17	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : Inaccessible black spruce stand within stand 4. Black spruce with a few tamarack and occasional white pine and aspen.												
31	I0	X0	5				local use	nonstocked	N		not scheduled	0
comnts Fmd : Inactive gravel pit along Co. Rd MP.												
32	S6	S2	7	87	9 70	48	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle												
comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.												

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
33	S6	S2	1	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.</p>														
34	A3	W1	34	14	2	30	68	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Comm. cut 1994, permit # 15-91, Nickels Logging. A2J2. Stand has regenerated nicely to aspen and jack pine over a W1. Scattered white pine sawtimber remain in the overstory. There is one pocket of W8 over heavy red maple regeneration.</p>														
35	W9	F1	11		15	90	70	white pine	unevenaged	N		10-19 years	0	
<p>comnts Fmd : A mixed stand of "larger" trees surrounded by young regeneration. White pine predominates with white birch, aspen, soft maple, and fir poles.</p>														
36	A3	F1	3	4	1	0	40	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Possible trespass.</p>														
37	W7	F1	10	72	12	30	55	white pine	immature	N		20-29 years	0	
<p>comnts Fmd : Steep ridge above the creek. White pine sawtimber, white birch, fir, large aspen.</p>														
38	S6	S2	2	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : One of several inaccessible small black spruce swamp pockets found within stands 1,4, and 8. Black spruce with a few tamarack and occasional white pine.</p>														
39	A6	F2	5	75	8	70	55	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : A4F4W7 No access due to rocky, steep bluffs. A mix of even aged species. Blowdown in areas. Understory is a mix of red maple and hazel. Fair scattering of red oak. An abundance of white pine growing among the rock ledges.</p>														
40	A6	F2	7	75	8	80	55	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Potential or designated old growth</p> <p>comnts Fmd : SCA Steep, rocky, inaccessible.</p>														
41	A3	M1	3	15	1	10	55	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A2M1J1F1 Aspen is 10-15' tall, 1-2" dbh. Contains about 10 BA of white pine sawtimber overstory.</p>														
42	A3	M1	7	15	1	10	55	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A2M1J1F1 Aspen is 10-15' tall, 1-2" dbh. Contains about 10 BA of white pine sawtimber overstory.</p>														
43	A3	F1	16	5	1	0	50	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Harvested in 2003: TS#119-00-01. The stand is regenerating to aspen with a scattering of white pine sawtimber especially among the rocky areas.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
44	A3	F1	7	5	1	0	50	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2003: TS#119-00-01. The stand is regenerating to aspen with a scattering of white pine sawtimber especially among the rocky areas.														
45	A3	F1	14	5	1	0	50	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2003: TS#119-00-01. The stand is regenerating to aspen with a scattering of white pine sawtimber especially among the rocky areas.														
46	B6	F2	1	88	8	70	57	paper birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Small rocky stand just west of M35.														
47	F4	M1	4	91	8	40	52	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Rocky ledge above the creek. Inaccessible and a good buffer. Occasional white pine with upland black spruce.														
48	A3	J1	18	15	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut in 1993 under permit #13-91-01. Red oak, cherry and white pine were retained.														
49	A3	F1	11	4	1	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2004: TS#120-00-01.														
50	L0	L0	6			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag alder and willow														
51	Z0	Z0	15			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Composed primarily of beaver floodings.														
52	J6	F1	35	72	8	80	65	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : J4A4B4M4 Very rugged terrain inaccessible because of rock bluffs and ridges. Jack pine mortality is moderate to high. Scattered white pine regeneration is also present. To the west the stand drops to black spruce.														
53	J5	F1	29	72	8	60	65	jack pine	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Jack pine, black spruce, white birch and white pine with a scattering of soft maple and aspen. Access is poor and the actual operable area will be reduced significantly by the rock ledges. A sale here will be marginal and will require winter specs. Low priority.														
54	S6	S2	3	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Inaccessible black spruce stand bordering stands 1 and 4. Black spruce with a few tamarack and occasional white pine and aspen.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
55	J3	A2	80	14	1	0	66	jack pine	immature	N		50-59 years	0	
<p>comnts Fmd : Was comm. cut in 1994 by Nickel's Logging, permit #15-91, "Co.Rd. MU Block". Access from south, Co.Rd. MU. Stand has regenerated to jack pine and aspen, with a number of red maple stump sprouts.</p> <p>Wld : Hemlock and cherry was left.</p>														
56	A3	M1	14	14	2	0	66	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Was comm. Cut in 1994 by Nickel's Logging, permint #15-91, "Co.Rd. MU Block". Access from south, Co.Rd. MU.</p>														
57	L0	L0	4					lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Tag alder and willow</p>														
58	S6	F3	5	87	10	90	48	black spruce-swamp	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA Upland black spruce and fir with aspen and a few white pine. Retain as a buffer along Oneal Creek to protect the riparian values and wildlife corridor along the creek.</p>														
59	Z0	Z0	7					water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Composed primarily of beaver floodings.</p>														
60	Z0	Z0	22					water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Large beaver "lake".</p>														
61	Z0	Z0	51					water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Composed primarily of beaver floodings.</p>														
62	Z0	Z0	99					water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Composed primarily of beaver floodings.</p>														
63	Z0	Z0	10					water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Composed primarily of beaver floodings.</p>														
64	Z0	Z0	18					water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Composed primarily of beaver floodings.</p>														
65	K0	K0	1					rock	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Rock ledge</p>														
66	S6	S2	5	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Inaccessible flooded small black spruce swamp pocket found between stands 17 and 52. Black spruce with a few tamarack and occasional white pine.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
67	S6	S2	3	87	8	120	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Small pocket of black spruce.														
68	S6	S2	2	87	8	120	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Small pocket of black spruce.														
69	W8	F1	14	72	12	50	55	white pine	immature	N		10-19 years	0	
comnts Fmd : Inaccessible , steep, rocky.														
70	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag alder and willow														
71	L0	L0	4			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag alder and willow														
72	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag alder and willow														
73	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Stunted black spruce bog.														
74	S6	S2	1	87	9	70	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
comnts Fmd : Black spruce with a few tamarack and occasional white pine. Near the Elf line.														
75	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Highway M35.														
400	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
401	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
402	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
403	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 277 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
404	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
405	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
406	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
407	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This opening and the trail are filling in with sweetfern.														
Total Acres..... 1967														