

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	Q6	Q2	77	99	8	70	30	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small diameter swamp conifers.</p>														
2	Q4	L0	7	91	5	10	18	mixed swamp conifer	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Mostly short black spruce mixed with cedar and tagalder. Very wet.</p>														
3	S3	L0	4	91	1	0	18	black spruce-swamp	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Too wet</p> <p>comnts Fmd : Low wet black spruce bog with tagalder. Nonproductive.</p>														
4	A6	F2	2	49	7	70	60	aspen (upland)	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity Blocked by other physical obstacle</p> <p>comnts Fmd : Narrow steep eskar with aspen, fir, and white birch. Poor access.</p>														
5	A6	F1	6	43	8	70	68	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : A6 3-stick average, well-stocked. Healthy upland aspen poles with spruce and fir. Hold 10 years for age class diversity. Cut with stands 6,8, and 25.</p>														
6	A6	M2	9	67	9	90	55	aspen (upland)	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity</p> <p>comnts Fmd : Healthy upland aspen poles with spruce/fir, white birch, and a few hardwood. East side has heavy regen of 3-4" red maple saplings, while the west half is heavier to fir seedlings and saplings. Hold 10 years for age class diversity. Cut with stands 5,8, and 25.</p>														
7	Q4	Q1	5	103	6	30	24	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Scattered black spruce and cedar with lowland brush.</p>														
8	A6	A1	31	43	8	100	68	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Healthy upland aspen poles with spruce and fir. Hold 10 years for age class diversity. Cut with stands 5,6, and 25.</p>														
9	Q4	Q1	5	99	6	20	15	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Mostly short black spruce mixed with cedar and tagalder. Very wet.</p>														
10	A6	A1	5	43	7	70	60	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : 2-stick average. Heavy softwood component. Same esker as stand 4.</p>														
11	C6	Q2	67	100	6	80	26	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : Smaller diameter cedar with black spruce and tamarack.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
12	A3	A1	39	25	4	0	66	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Well stocked aspen sapling stand transitioning to poles. 3-5" avg. dbh.														
13	M6	M2	9		9	100	65	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : FDF WAS THINNED 1981. Couple large nice wildlife trees here should not be cut. Thinned by Mark Johnson permit #21-01-01.														
14	M6	M2	4		9	100	65	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Well stocked, fair quality 1 northern hardwood stand.														
15	A6	F1	3	43	6	80	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 2-stick aspen with heavy softwood component.														
16	M6	M1	1		8	70	65	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : M6 select cut dec.2005 by St. John permit #32-033-04-01														
17	C6	Q1	52	109	9	120	28	cedar	mature	N		not scheduled	0	
comnts Fmd : Average sized cedar with swamp conifers.														
18	H6	Q2	4	97	10	80	57	hemlock	mature	N		not scheduled	0	
comnts Fmd : Upland F type but no F. Mostly larger hemlock and upland cedar. Hemlock dieback. Fir dead.														
19	A3	X0	57	16	2	0	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 cut 1993. 2"-3" dbh aspen saplings 2-30' tall well-stocked.														
20	C6	Q2	14	99	8	100	30	cedar	immature	N		not scheduled	0	
comnts Fmd : Cedar poles with associated swamp conifers.														
21	A3	F1	49	4	1	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut dec. 2005 St. John permit #32-033-04-01. East part of stand cut by Mark Johnson(deceased during contract in 2003). Well stocked A3.														
22	A6	F3	6	44	8	90	63	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 3 stick aspen and white spruce poles over fir and aspen saplings.														
23	A3	F1	41	7	1	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut 2002 by St. John permit #19--01-01. 2009 excellent regeneration.														
24	Q6	Q1	29	83	6	70	45	mixed swamp conifer	immature	Y		not scheduled	0	

Treatment Limiting Factors:

Too wet

comnts Fmd : Variable swamp conifer stand ranging from pure cedar to tamarack. A blend of cedar, fir, spruce, tamarack, white birch over Q2 and tagalder.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
25	A 6	A 1	6	67	9	100	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Healthy upland aspen poles with spruce and fir. Hold 10 years for age class diversity. Cut with stands 5,6,and 8.														
26	A 6	U 1	83	79	10	80	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Good sized aspen poles but the stand has lost a fair amount of timber to blowdown. The result is a patchy stand with BA's in excess of 110 in places and as low as 20 in the blowdown areas. Harvest plans will retain the few upland cedar.														
27	L 0	L 0	30		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
28	L 0	L 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
29	L 0	L 0	1		0	15		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
30	M 6	M 1	4		8	90	70	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : Widely spaced trees with low tops, forks, and multiple stems. Mostly hard maple with an occasional basswood. No regen, sedge on forest floor.														
31	A 6	A 3	125	35	8	90	67	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Well stocked almost pure 3-4 stick aspen stand. South side runs a little smaller in dbh and a little shorter.														
32	S 6	S 2	13	92	7	90	55	black spruce-swamp	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : SCA Lowland black spruce with scattered white birch, aspen and fir. Understory of spruce over tag alder.														
33	Q 6	L 0	13	91	7	80	45	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Too wet														
comnts Fmd : SCA Black spruce, fir, and aspen over tag alder. Very wet. Retain as riparian buffer along the creek.														
34	A 6	F 2	2	71	9	80	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Small acreage stand, patchy, with larger diameter (but short) aspen and upland black spruce. Sale setup will involve a major line running project. Small acreage may make the sale unfeasible to harvest.														
35	Q 6	Q 1	18	83	6	70	50	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Swamp conifer stand with good quality cedar and small fir. Scattered white birch and black spruce. Very wet.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
36	Q6	Q1	6	83	6	70	50	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to small acreage</p> <p>comnts Fmd : Swamp conifer stand with good quality cedar and small fir. Scattered white birch and black spruce. Tag alder in understory. Very wet.</p>														
37	C6	C1	4	81	8	120	62	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : Nice cedar stand with associated species.</p>														
38	Q6	Q2	24	106	8	90	27	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Influence zones</p> <p>comnts Fmd : SCA Swamp conifers stand will be retained to protect the riparian values along the small creek.</p>														
39	A3	F1	8	7	1	0	65	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Cut under permit #021-01-01 by Mark Johnson.</p>														
40	A3	A3	7	22	4	0	64	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : CUT 1987. 2-4" well stocked aspen saplings 30-40' tall.</p>														
41	A3	A3	14	22	4	0	55	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : CUT 1987. 2-5" well stocked aspen saplings 30-40' tall.</p>														
42	P6	F1	3	69	7	80	49	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to small acreage</p> <p>comnts Fmd : Narrow swale of aspen on the higher ground with ash, and balm on the lower ground.</p>														
43	M6	M1	16		8	80	65	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : FDF. Ok quality south, better north. Aspen to mostly cut out south. 2009 - Stand cut by Jacobson Logging 11/27/04 permit #20-01-01.</p>														
44	A6	A1	6	39	7	100	60	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : CUT OVER 1970. 3-4 stick aspen poles with occasional fir and hardwoods.</p>														
45	A3	A3	78	22	4	0	72	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : CUT 1987. 2-5" well stocked aspen saplings 30-40' tall.</p>														
46	Q6	Q2	3	81	7	80	30	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small wet swamp conifer stand.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
47	A 6	A 3	1	35	8	90	67	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Well stocked almost pure 3-4 stick aspen island.														
48	E 5	L 0	12	76	6	60	50	swamp hardwoods	low quality	N		not scheduled	0	
comnts Fmd : WET AREA, MOSTLY ASH, SOME SMALL DEAD ELM, SCATTERED CONIFERS. M3 with yellow birch coming in on old wildlife cut. Rest is swale.														
49	Q 4	L 0	6	133	8	40	28	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth Too wet Influence zones														
comnts Fmd : SCA Scattered cedar and fir with alder along a small creek. Retain as riparian buffer.														
50	Q 6	Q 2	10	106	8	90	27	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet Inferior quality														
comnts Fmd : Patchy large balsam and cedar.														
51	M 6	M 1	7		8	90	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : FDF. Small good quality stand of primarily sugar maple with basswood and a few red maple. Stand cut fall 2004 jacobson logging permit #20-01-01.														
52	N 0	N 0	7		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : non-stocked former beaver pond.														
53	Q 5	L 0	47	70	6	40	45	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA Former potential old growth, retain as riparian buffer along the creek. Low, wet poorly stocked swamp conifer stand of cedar, fir, tamarack, black spruce.														
54	A 6	A 2	11	79	8	90	60	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity Land survey needed														
comnts Fmd : STARTS OUT P AND GETS BETTER QUALITY FURTHER SOUTH WITH ELEVATION. 2009- Access to stand too wet to inventory.														
55	A 3	F 1	35	15	1	0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 2-3" dbh 20-30 ft tall well-stocked.														
56	M 9	U 1	68		13	100	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Excellent quality sugar maple and basswood stand with just 2-3 white birch and yellow birch stems on the south end. The stand will benefit from a light thinning to reduce crown competition.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
57	C 6	C 1	11	132	9	100	26	cedar	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Deer yards Too wet</p> <p>comnts Fmd : SCA Retain as riparian buffer along the creek. Very good quality cedar.</p>														
58	A 6	A 1	24	85	10	100	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Mature aspen stand with a fair amount of blowdown. This is a wet site, with white birch, fir, and "upland" cedar which will be retained. On the north and west, the stand degrades to black ash/P type. Harvesting will be limited to the winter months.</p>														
59	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
<p>comnts Fmd : County road</p>														
60	A 3	F 1	66	22	4	0	77	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : CUT 1987. 2-5" well stocked aspen saplings 30-40' tall.</p>														
61	C 6	C 1	103	136	7	120	24	cedar	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Deer yards Too wet Influence zones</p> <p>comnts Fmd : SCA-Former potential old growth. Large "pure" cedar stand. Deer yard.</p>														
62	P 5	E 1	10	78	7	60	62	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Former A6, what aspen that isnt dead has been blown down. Small white birch, cedar, and black ash remain over black ash seedlings. A very wet site.</p>														
63	C 6	C 1	6	109	9	110	30	cedar	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet</p> <p>comnts Fmd : Nice cedar more upland than usual.</p>														
64	P 6	P 1	20	79	8	90	39	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Balm and fir mix with cedar and black ash swales.</p>														
65	A 6	M 2	18	94	14	120	72	northern hardwood	mature	Y	removal	within 0-9 years	1	
<p>comnts Fmd : This is a high quality hardwood site dominated by large 12-18" aspen over sugar maple poles and a few white birch along the western fringed. Areas of aspen blowdown have decent sugar maple regeneration. Remove the overstory aspen and let the stand convert to northern hardwoods. Retain all hardwoods.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
66	A3	A3	18	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 cut 1994 well-stocked 1" dbh. 2009- Aspen is now 2-3" 20-30' tall.														
67	M5	M3	7		9	50	58	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Old wildlife type cut. Scattered large maple and hemlock over 2"dbh maple regeneration.														
68	C6	C1	27	107	6	110	26	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Deer yards														
comnts Fmd : Fair cedar with tamarack but smaller diameter. Tag alder in the understory.														
69	M9	U1	114		13	110	68	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : FDF.cut 1994 good quality stand. Sugar maple sawtimber stand with a good blend of basswood. There are a couple of pockets of decent regeneration in the old gaps but most of the understory is leatherwood. Stand contains huge old basswood and maple remnants.														
70	C6	C1	20	140	7	100	26	cedar	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Deer yards Influence zones Too wet														
comnts Fmd : SCA - Low, wet, fairly nice cedar stand. Formerly listed as potential old growth. Deer yard.														
71	A3	F1	70	25	4	0	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : A3 well stocked 3-4" saplings with an occasional 2 stick pole. Scattered spruce/fir saplings in the understory.														
72	M6	U1	7		10	120	70	northern hardwood	unevenaged	Y	thinning	within 0-9 years	2	
comnts Fmd : Even-aged sugar maple pole stand with good potential especially after the twins are removed. Occasional basswood, hemlock, and large sugar maple which will be retained. Understory consists of leatherwood and ironwood.														
73	E6	E1	8	69	6	70	48	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Small ash with some balsam.														
74	L0	L0	29			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA- Former potential old growth. Lowland brush.														
75	A6	A2	9	34	7	90	67	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Well-stocked 3-4 stick aspen.														
76	M6	M1	14		8	90	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Cut permit #22-01-01 LaFleur in 2003. Hard maple and basswood with occassional yellow birch and soft maple.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
77	C6	C1	65	99	7	110	35	cedar	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Deer yards</p> <p>comnts Fmd : SCA Large fairly nice cedar stand. Former potential old growth. Deer yard</p>														
78	Z0	Z0	1		0	0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Beaver pond</p>														
79	A6	F1	20	78	10	80	62	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Excellent stand of large aspen on 3 north and south running "ridges" with narrow drains between. White birch component increases moving east to west while dbh decreases. A fair amount of the aspen has been lost to blowdown. Mixed conifers consists of 3-4 stick white spruce and fir. This will be a winter sale as access will require crossing a narrow Q/alder type.</p>														
80	A3	A3	24	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : A3 cut 1994 well-stocked 1" dbh. 2009- Aspen is now 2-3" 20-30' tall.</p>														
81	Q5	L0	54	89	5	50	20	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Extremely wet swamp conifer stand.</p>														
82	S6	S1	17	99	7	90	35	black spruce-swamp	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to small acreage</p> <p>comnts Fmd : Remote "island" of short black spruce. Too wet to access this stand this entry period.</p>														
83	A6	F1	7	72	10	80	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Bigtooth aspen with a few white birch and white spruce on a small ridge. Swamp conifers to the west. Stand contains a small vernal pond on the south end. Winter cut as crossing a narrow swale will be required to access the stand.</p>														
84	A6	A2	13	37	6	80	55	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Well stocked 6-7" 3 stick aspen poles over A2 saplings.</p>														
85	A6	A1	4	78	9	80	60	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Aspen is a mix of bigtooth and quakers with a heavier concentration of white birch moving south within the stand. Has a fringed of spruce/fir on the south end. Stand contains a small vernal pond which will be excluded from the sale. Cut with stand 83.</p>														
86	Q6	Q2	16	127	5	100	28	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet Regeneration technology inadequate</p> <p>comnts Fmd : Cedar, tamarack, and black spruce in a very wet site.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
87	L 0	L 0	25			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : LOWLAND BRUSH														
88	A 3	F 1	19	28	2	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : A3 2-3" dbh. Mostly well stocked but with a few sparse areas.														
89	Q 4	Q 1	20	74	6	40	35	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : lowland brush with scattered trees.														
90	A 3	F 1	19	28	2	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : A3 2-3" dbh. Mostly well stocked but with a few sparse areas.														
91	Q 6	Q 2	16	127	5	100	28	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet Regeneration technology inadequate														
comnts Fmd : Cedar, tamarack, and black spruce in a very wet site.														
400	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
401	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
402	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
403	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
404	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
405	G 0	G 0	5			0	68	grass	nonstocked	N		not scheduled	0	
comnts Fmd : HUNTER WALKING TRAIL MOWED 1985 RESEEDDED 1986														
406	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
407	G 0	G 0	8			0	67	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 64

Entry Year: 2011

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
408	G 0	G 0	3			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
409	G 0	G 0	1			0	65	grass	nonstocked	N		not scheduled	0	
410	G 0	G 0	9			0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
411	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
412	G 0	G 0	3			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
413	G 0	G 0	2			0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
414	G 0	G 0	1			0	67	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
415	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
416	G 0	G 0	15			0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
417	G 0	G 0	2			0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
Total Acres.....			2147											