

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D |         | Site Indx | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
|   |                       |                         |      |     | B      | Tot. BA |           |                     |                                  |                     |            |               |                  |               |
| 1   | Q6                    | Q1                      | 21   | 99  | 8      | 140     | 30        | mixed swamp conifer | old growth (potential or actual) | Y                   |            | not scheduled | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Potential or designated old growth</p> <p>comnts Fmd : SCA, RIPARIAN AREA, SEMI LOW CREEK AND 2 AC LOWLAND BRUSH IN NE CORNER . A SMALL AREA OF HIGHER GROUND WITH RED MAPLE ALONG EAST EDGE</p> <p>Wld : SCA-Potential Old Growth, riparian area, and wildlife corridor.</p> |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 2   | M6                    | M1                      | 30   |     | 11     | 80      | 73        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| <p>comnts Fmd : M6M7, Area treated under timber sale no. 36-92-01. Cut in 1997-98. Stand is now a mix of hard and soft maple, yellow birch, beech, a few spruce and hemlock. A lot of beech reproduction is taking over, crowding out the maple.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 3   | H9                    | H1                      | 5    |     | 17     | 150     | 50        | hemlock             | two aged                         | Y                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : Area treated under timber sale no. 36-92-01. Part of the east edge was cut in 1997-98. This is a real nice stand of mostly large trees, nice mix of species.</p>                           |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 4   | Q5                    | L0                      | 28   | 109 | 8      | 70      | 25        | mixed swamp conifer | sparse                           | Y                   |            | not scheduled | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Too wet<br/>Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : VERY WET AND POOR SITE, NO NEEDS FOR A LONG TIME</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 5   | Q6                    | Q1                      | 33   | 119 | 9      | 110     | 26        | mixed swamp conifer | mature                           | Y                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Too wet<br/>Blocked by other physical obstacle</p> <p>comnts Fmd : Q6E4, SOME NICE STEMS, WET IN THE STAND WITH POOR WET ACCESS TO GET TO STAND. LEAVE FOR WILDLIFE.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 6   | Q6                    | Q1                      | 58   | 84  | 9      | 90      | 55        | mixed swamp conifer | mature                           | Y                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Too wet<br/>Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : GRADIENT FROM HIGH TO LOW GROUND, A WIDE VARIETY OF SPECIES, LEAVE THE STAND FOR WILDLIFE.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 7   | M6                    | M1                      | 66   |     | 11     | 80      | 60        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| <p>comnts Fmd : M6M7, Cut prmt# 45-91-01, finished in 1998, Quite a mix of species in the stand, hard and soft maple, beech, yellow birch, black cherry, hemlock. Lots of beech seedlings and saplings coming in taking over.</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 8   | M6                    | M1                      | 95   |     | 10     | 80      | 55        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| <p>comnts Fmd : Area treated under timber sale no. 36-92-01. M6M7, now, wide variety of species, hard and soft maple, yellow birch, beech, black cherry, and hemlock. Lots of beech reproduction.</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 9   | M6                    | M1                      | 56   |     | 9      | 80      | 55        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| <p>comnts Fmd : M6M7, Cut prmt# 34-01-01, good mix of species, mostly hard maple with soft maple, yellow birch, beech, black cherry, hemlock, and spruce also. Lots of beech reproduction.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. |         | Site Indx | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
|   |                       |                         |      |     | D B  | Tot. BA |           |                     |                                  |                     |            |               |                  |               |
| 10  | M6                    | M1                      | 10   |     | 10   | 80      | 55        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| Too wet   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| Inadequate volume due to small acreage  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : M6M7, Medium quality, wet area to cross accessing from the east. Low basal area and small size, leave until next treatment period.   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 11  | Q6                    | Q1                      | 47   | 74  | 9    | 100     | 55        | mixed swamp conifer | immature                         | N                   |            | 20-29 years   | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| Too wet   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : Low wet area with weat access to stand. Leave for wildlife.  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 12  | Q6                    | M1                      | 36   | 79  | 9    | 120     | 55        | mixed swamp conifer | mature                           | Y                   |            | 10-19 years   | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| Cedar or Hemlock cutting restraints   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : Drier Q site , leave for buffer along Johnson Creek.   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 13  | M6                    | M1                      | 36   |     | 10   | 100     | 55        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| comnts Fmd : M6M7,Cut in 1985, prmt. # 017-82-1, it has a mix of hard and soft maple, yellow birch, beech, and some hemlock. The basal area is 100 and it could be cut now, but, it should be left for 10 years to cut with other stands, to make it economically feasible. |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 14  | A5                    | A1                      | 10   | 24  | 5    | 50      | 70        | aspen (upland)      | immature                         | N                   |            | 30-39 years   | 0                |               |
| comnts Fmd : A4M4, Cut in 1985, # 017-82-1  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 15  | Q6                    | E1                      | 31   | 69  | 9    | 90      | 65        | mixed swamp conifer | immature                         | N                   |            | 80+ years     | 0                |               |
| comnts Fmd : MOSTLY DRY WITH WET POCKETS NUMEROUS DEADFALLS, PART OF THE STAND WAS CUT IN 1982, LEAVE FOR WILDLIFE.   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 16  | M5                    | M1                      | 14   | 24  | 8    | 50      | 62        | northern hardwood   | immature                         | N                   |            | 40-49 years   | 0                |               |
| comnts Fmd : M4F4, CUT 1985 # 017-82-1  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 17  | M6                    | M1                      | 90   |     | 11   | 80      | 65        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| comnts Fmd : M6M7, a mix of hard and soft maple , yellow birch, beech, and hemlock. Select cut in 1985 #, 017-82-1, Fair quality stand. Cut in 2003 by Randy Wirtanen. Prmt# 35-01-01.  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 18  | A5                    | A1                      | 45   | 24  | 5    | 60      | 65        | aspen (upland)      | immature                         | N                   |            | 30-39 years   | 0                |               |
| comnts Fmd : A4M4, Cut in 1985 # 017-82-1, nice aspen with some black cherry and maple mixed in.  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 19  | E6                    | F1                      | 23   |     | 7    | 80      | 50        | swamp hardwoods     | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| Potential or designated old growth  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : SCA, RIPARIAN AREA, BORDERS BEAVER POND , HARDWOOD POOR, LEAVE FOR BUFFER ALONG CREEK.   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| Wld : SCA-Potential Old Growth, riparian area, and wildlife corridor.   |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |
| 20  | M6                    | M1                      | 25   |     | 11   | 90      | 60        | northern hardwood   | unevenaged                       | N                   |            | 20-29 years   | 0                |               |
| comnts Fmd : M6M7, WAS CUT 1969, WAS ALSO CUT WITH COMP. TO THE WEST, IN 2005. STAND HAS A MIX OF HARD AND SOFT MAPLE, YELLOW BIRCH, BLACK CHERRY, BEECH, AND HEMLOCK.  |                       |                         |      |     |      |         |           |                     |                                  |                     |            |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D |         | Site Indx | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period    | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|------------------|------------------|---------------|
|  |                       |                         |      |     | B      | Tot. BA |           |                     |                                  |                     |            |                  |                  |               |
| 21   | Q6                    | Q1                      | 42   | 101 | 8      | 120     | 60        | mixed swamp conifer | old growth (potential or actual) | Y                   |            | not scheduled    | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Potential or designated old growth</p> <p>comnts Fmd : SCA, Riparian area. Dexter Creek flows through stand.</p> <p>Wld : SCA-Potential Old Growth, riparian area, and wildlife corridor.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 22   | M6                    | M1                      | 63   |     | 11     | 100     | 65        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years      | 0                |               |
| <p>comnts Fmd : M6M7, Thinned 2004 Wirtanen permit #36-01-01. Stand has a mix of hard and soft maple, beech, yellow birch, black cherry, and hemlock.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 23   | M6                    | M1                      | 122  |     | 11     | 110     | 65        | northern hardwood   | unevenaged                       | N                   | selection  | within 0-9 years | 2                | planting      |
| <p>comnts Fmd : M6M7, Cut prmt.# 037-92-01, Finished in 1995, has a mix of hard and soft maple, yellow birch, beech, black cherry, and hemlock. Basal area is 110 to 120, could cut this t.p.. Most of the stand could be cut in the summer. It is a long snowplow if it gets cut in the winter. Retain hemlock, cedar, and black cherry. Some larger generation gaps can be marked to cut out. Avoid areas where there are numerous beech trees. Under plant hemlock after sale is complete.</p> <p>Wld : Include beech as a "no cut" species along with hemlock, white pine, cedar, and black cherry. Underplant hemlock and/or white pine post harvest.</p> |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 24   | Q6                    | E2                      | 16   | 89  | 10     | 90      | 50        | mixed swamp conifer | immature                         | Y                   |            | 80+ years        | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Too wet<br/>Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : A WET STAND WITH A MIX OF Q AND E TYPE, SAVE FOR WILDLIFE.</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 25   | A3                    | F1                      | 15   | 14  | 3      | 0       | 70        | aspen (upland)      | immature                         | N                   |            | 40-49 years      | 0                |               |
| <p>comnts Fmd : A3. 20-30 FT TALL, 2-4" DBH. SOME A2,M2, U,L,X,CATAILS, RASPBERRY. CUT 1993-95, #037-92-01</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 26   | Q6                    | E1                      | 13   |     | 8      | 160     | 34        | mixed swamp conifer | unevenaged                       | Y                   |            | 80+ years        | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Cedar or Hemlock cutting restraints<br/>Blocked by other physical obstacle</p> <p>comnts Fmd : A GOOD VARIETY OF SIZE, AGE, AND SPECIES, WET WITHIN THE STAND, LEAVE FOR WILDLIFE AND DIVERSITY.</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 27   | E6                    | E1                      | 13   |     | 9      | 130     | 50        | swamp hardwoods     | unevenaged                       | Y                   |            | 10-19 years      | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Cedar or Hemlock cutting restraints<br/>Too wet</p> <p>comnts Fmd : A GOOD VARIETY OF SPECIES WET WITHIN THE STAND. LEAVE FOR WILDLIFE AND DIVERSITY.</p>  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 28   | Q6                    | Q1                      | 33   | 109 | 10     | 160     | 34        | mixed swamp conifer | immature                         | Y                   |            | 10-19 years      | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Cedar or Hemlock cutting restraints<br/>Too wet</p> <p>comnts Fmd : WET AREA, LOTS OF CEDAR. LEAVE FOR WILDLIFE AND DIVERSITY.</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |
| 29   | M6                    | M1                      | 88   |     | 11     | 90      | 65        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years      | 0                |               |
| <p>comnts Fmd : M6M7, Thinned in 1992, prmt.# 48-91-1, has a mix of hard and soft maple, yellow birch, black cherry, beech, and hemlock.</p>   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |                  |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj             | Condition  | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|----------|---------|-----------|---------------------|------------|---------------------|------------|---------------|------------------|---------------|
| 30   | Q6                    | L1                      | 15   | 95  | 9        | 90      | 50        | mixed swamp conifer | immature   | Y                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Too wet<br/>                     Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : Wet area, poor quality mix of many species, leave for wildlife and diversity.</p>  |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 31   | M6                    | M1                      | 8    |     | 10       | 70      | 60        | northern hardwood   | unevenaged | N                   |            | 10-19 years   | 0                |               |
| <p>comnts Fmd : M6M7, GOOD ACCESS, MOST OF CHERRY HAS GALL DAMAGE, DEXTER CREEK RUNS NEXT TO STD. WAS CUT WITH COMP. TO THE WEST IN 2005. STD. 22, COMP 102</p>  |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 32   | Q6                    | F1                      | 5    | 119 | 9        | 130     | 30        | mixed swamp conifer | mature     | Y                   |            | not scheduled | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Influence zones</p> <p>comnts Fmd : FIR IN POOR SHAPE, LEAVE STD. FOR BUFFER ALONG ROAD.</p>  |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 33   | M6                    | M1                      | 107  |     | 11       | 80      | 65        | northern hardwood   | unevenaged | N                   |            | 10-19 years   | 0                |               |
| <p>comnts Fmd : M6M7, Stand cut 2002-2005 by R&amp;J logging (Vetort) permit #37-01-01. Has a mix of hard and soft maple, yellow birch, beech, basswood, black cherry, and hemlock.</p>  |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 34   | Q5                    | L0                      | 11   | 109 | 8        | 50      | 25        | mixed swamp conifer | sparse     | Y                   |            | not scheduled | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Too wet<br/>                     Inferior quality<br/>                     Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Very wet and poor quality trees, leave for wildlife and diversity.</p>   |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 35   | Q6                    | Q1                      | 9    | 119 | 9        | 110     | 26        | mixed swamp conifer | mature     | Y                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Cedar or Hemlock cutting restraints<br/>                     Too wet</p> <p>comnts Fmd : Some nice stems, wet within the stand, wet, poor access to stand.</p>  |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 36   | M6                    | M1                      | 4    |     | 9        | 90      | 55        | northern hardwood   | unevenaged | N                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Blocked by other physical obstacle<br/>                     Inadequate volume due to small acreage</p> <p>comnts Fmd : M6 M7, an island within a Q stand, wet access, poor quality wood, a mix of soft maple, yellow birch, beech, and hemlock. Leave of diversity.</p> |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 37   | Q6                    | Q2                      | 4    | 74  | 6        | 70      | 55        | mixed swamp conifer | immature   | N                   |            | 80+ years     | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Too wet</p> <p>comnts Fmd : Low, wet area, multiple aged trees, leave for wildlife and diversity.</p>   |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 38   | M4                    | M1                      | 2    | 30  | 5        | 40      | 60        | northern hardwood   | immature   | N                   |            | 40-49 years   | 0                |               |
| <p>comnts Fmd : M3A1BC1, Cut in 1979, mostly maple stump sprouts, kind of wet.</p>   |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |
| 39   | M5                    | M1                      | 5    |     | 10       | 50      | 55        | northern hardwood   | unevenaged | N                   |            | 20-29 years   | 0                |               |
| <p>comnts Fmd : Cut in 1985, #017-82-1, has a mix of hard and soft maple, and some beech, and hemlock, low BA now, only 50. Check in 20 years.</p>   |                       |                         |      |     |          |         |           |                     |            |                     |            |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D |         | Site Indx | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
|   |                       |                         |      |     | B      | Tot. BA |           |                     |                                  |                     |            |               |                  |               |
| 40  | M5                    | M1                      | 10   | 10  | 50     | 55      |           | northern hardwood   | unevenaged                       | N                   |            | 20-29 years   | 0                |               |
| comnts Fmd : Cut in 1985, #017-82-1, has a mix of hard and soft maple, and some beech, and hemlock, low BA now, only 50. Check in 20 years. |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 41  | A5                    | A1                      | 3    | 24  | 5      | 60      | 70        | aspen (upland)      | immature                         | N                   |            | 30-39 years   | 0                |               |
| comnts Fmd : A5A3,Cut in 1985, #017-82-1, Some black cherry and hard maple in the stand also.   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 42  | M5                    | M1                      | 7    | 24  | 7      | 50      | 62        | northern hardwood   | immature                         | N                   |            | 40-49 years   | 0                |               |
| comnts Fmd : M4F4, CUT 1985, #017-82-1, a mix of mostly soft maple, some hard, fir, and some spruce and hemlock.                            |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 43  | Q6                    | Q1                      | 1    | 101 | 8      | 120     | 60        | mixed swamp conifer | old growth (potential or actual) | Y                   |            | not scheduled | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Potential or designated old growth  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : SCA, Riparian area, Dexter creek flows through the stand.  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| Wld : SCA-Potential Old Growth, riparian area, and wildlife corridor.   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 44  | L0                    | L0                      | 11   |     |        | 0       |           | lowland brush       | nonstocked                       | N                   |            | not scheduled | 0                |               |
| 45  | L0                    | L0                      | 5    |     |        | 0       |           | lowland brush       | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| comnts Fmd : SCA, RIPARIAN AREA.  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| Wld : SCA-Protect riparian areas and wildlife values of this wetland complex.   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 46  | Q6                    | E1                      | 9    |     | 8      | 130     | 34        | mixed swamp conifer | unevenaged                       | Y                   |            | 80+ years     | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Too wet<br>Cedar or Hemlock cutting restraints  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : A variety of size, age and species, wet area. Leave for wildlife and diversity.  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 47  | M6                    | M1                      | 3    |     | 8      | 120     | 65        | northern hardwood   | unevenaged                       | Y                   |            | 10-19 years   | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Inadequate volume due to small acreage<br>Blocked by other physical obstacle                          |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : M6A4F4,Wet access, small acreage, leave for wildlife and diversity.  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| 48  | L0                    | L0                      | 1    |     |        | 0       |           | lowland brush       | nonstocked                       | N                   |            | not scheduled | 0                |               |
| 49  | L0                    | L0                      | 4    |     |        | 0       |           | lowland brush       | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| comnts Fmd : SCA, RIPARIAN AREA.  |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |
| Wld : SCA-Protect riparian areas and wildlife values of this wetland complex.   |                       |                         |      |     |        |         |           |                     |                                  |                     |            |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|------------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 50  | L 0                   | L 0                     | 3    |     |            | 0       |           | lowland brush       | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| comnts Fmd : SCA, RIPARIAN AREA.  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| Wld : SCA-protect riparian areas and wildlife values of this wetland complex.   |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 51  | L 0                   | L 0                     | 4    |     |            | 0       |           | lowland brush       | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| comnts Fmd : SCA, RIPARIAN AREA.  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 52  | M 9                   | M 1                     | 33   |     | 12         | 100     | 60        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| comnts Fmd : M9M6, Area treated under timber sale # 045-91-01. A mix of hard and soft maple, beech, yellow, and white birch.  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 53  | M 6                   | M 1                     | 2    |     | 11         | 120     | 60        | northern hardwood   | unevenaged                       | Y                   |            | 10-19 years   | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| Inadequate volume due to small acreage  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : M6M7, This is an area in stand 52 that was not cut in 1992, with sale # 045-91-01. A mix of hard and soft maple mostly, with a few beech, yellow, and white birch in the area. Cut the stand when stand 52 is cut again. |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 54  | M 6                   | M 1                     | 2    |     | 11         | 120     | 60        | northern hardwood   | unevenaged                       | Y                   |            | 10-19 years   | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| Inadequate volume due to small acreage  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : M6M7, This is an area in stand 52 that was not cut in 1992, with sale # 045-91-01. A mix of hard and soft maple mostly, with a few beech, yellow, and white birch in the area. Cut the stand when stand 52 is cut again. |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 55  | M 6                   | M 1                     | 60   |     | 9          | 80      | 65        | northern hardwood   | unevenaged                       | N                   |            | 10-19 years   | 0                |               |
| comnts Fmd : M6M7, Poor quality trees, mostly red maple, with some hard maple, beech aspen, fir, and hemlock mixed in. Cut in 2003 by Randy Wirtanen. Prmt#35-01-01. Lots of beech seedlings and sapings.                             |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 56  | L 0                   | L 0                     | 24   |     |            | 0       |           | lowland brush       | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| comnts Fmd : SCA. RIPARIAN AREA.  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| Wld : SCA-Protect riparian areas and wildlife values of this wetland complex.   |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 57  | L 0                   | L 0                     | 3    |     |            | 0       |           | lowland brush       | nonstocked                       | N                   |            | not scheduled | 0                |               |
| 58  | Q 6                   | L 0                     | 5    | 79  | 9          | 70      | 70        | mixed swamp conifer | immature                         | Y                   |            | 80+ years     | 0                |               |
| <u>Treatment Limiting Factors:</u>  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| Cedar or Hemlock cutting restraints   |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| comnts Fmd : Q6, Q4E4, Wet area, leave for wildlife, and diversity.   |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |
| 59  | Z 0                   | Z 0                     | 1    |     |            | 0       |           | water               | nonstocked                       | N                   |            | not scheduled | 0                |               |
| 60  | M 3                   | M 1                     | 11   |     | 4          | 0       | 60        | northern hardwood   | unevenaged                       | N                   |            | 40-49 years   | 0                |               |
| comnts Fmd : M3H2A1BC1, Area treated under timber sale # 045-91-01. A mix of soft maple, hemlock, aspen, black cherry, and fir. A few pole sized trees in the stand.  |                       |                         |      |     |            |         |           |                     |                                  |                     |            |               |                  |               |

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 101 Entry Year: 2011

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Size Dnsty | Under Story-Stkng Level | Acres | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj      | Condition  | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|-------|-----|----------|---------|-----------|--------------|------------|---------------------|------------|---------------|------------------|---------------|
| 400   | G 0                   | G 0                     | 1     |     |          | 0       | 65        | grass        | nonstocked | N                   |            | not scheduled | 0                |               |
| comnts Fmd : G OPENING CREATED FROM STD 23  |                       |                         |       |     |          |         |           |              |            |                     |            |               |                  |               |
| 401   | U 3                   | U 0                     | 3     |     | 3        | 0       | 65        | upland brush | nonstocked | N                   |            | not scheduled | 0                |               |
| comnts Fmd : G opening created from stand 29 in 1992. Stand has filled in with maple, birch, black cherry. It is 2-4 inches dbh, 25-30 feet tall. |                       |                         |       |     |          |         |           |              |            |                     |            |               |                  |               |
| Total Acres.....  |                       |                         | 1540  |     |          |         |           |              |            |                     |            |               |                  |               |