

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	C 6	F 1	25	104	9	160	38	cedar	immature	N	10-19 years	0	
<p>comnts Fmd : Whiskey creek lies along the south end of stand. Red maple, white spruce, black spruce, white pine, balsam fir, red pine and tamarack are overstory associates. Old trail enters stand from private land to east. Mixed hardwood is comprised of red maple and white birch. Section 7.</p>													
2	R 9	F 1	9	103	18	150	56	red pine	mature	Y	shelterwood-prep	within 0-9 years	1
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access Road needed (resources not presently available) Land survey needed</p> <p>comnts Fmd : Whiskey creek forms north boundary with C6 stand. Aspen is overmature. Many white birch snags. Red pine up to 22 inch Dbh - very tall. High quality stand - one of the better ones in compartment. Most of the white pine poletimber have suppressed, small crowns - will probably die. Other overstory associates include white birch and white spruce. Will remove some red pine poletimber and white pine sawtimber to achieve proper residual density and spacing. Moderate relief in stand. An extension of this same red pine stand on adjacent private land to south has been recently cut and a road network exists in close proximity to this stand. Section 7. Soil = Rousseau - Dawson Complex.</p> <p>Wld : maintain stand diversity with mature trees. leave a mix of all species present. A good creek buffer will be needed.</p>													
3	C 6	C 1	2	104	5	180	38	cedar	immature	N	40-49 years	0	
<p>comnts Fmd : Tamarack poles present. Section 7.</p>													
4	J 6	J 1	1	24	5	100	41	jack pine	immature	N	30-39 years	0	
<p>comnts Fmd : White pine and black spruce poletimber associates. Section 7.</p>													
5	Q 5	L 1	10	59	7	60	30	mixed swamp conifer	nonstocked	N	not scheduled	0	
<p>comnts Fmd : Pockets of small black spruce poles. Areas with heavier cedar stocking. White birch and white pine poles present. Section 7.</p>													
6	J 5	J 1	1	34	5	60	50	jack pine	immature	N	30-39 years	0	
<p>comnts Fmd : Section 7.</p>													
7	J 5	J 2	3	34	4	40	50	jack pine	immature	N	40-49 years	0	
<p>comnts Fmd : Section 7.</p>													
8	J 5	J 2	1	34	4	40	50	jack pine	immature	N	30-39 years	0	
<p>comnts Fmd : Section 7.</p>													
9	J 6	J 1	1	34	5	90	50	jack pine	immature	N	30-39 years	0	
<p>comnts Fmd : Section 7.</p>													
10	Q 5	E 1	2	64	6	40	38	mixed swamp conifer	immature	N	30-39 years	0	
<p>comnts Fmd : Heavier stocking and larger trees to east. Pockets with cedar stocking. White pine poles present. Section 7.</p>													
11	J 6	S 1	7	39	6	110	50	jack pine	immature	N	10-19 years	0	
<p>comnts Fmd : Hemlock, black spruce, red maple and red pine are overstory associates. Clones of aspen separate from patches of jack pine. Aspen and fir will need to be treated next entry period, but jack pine won't be ready. Section 7.</p>													

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
12	D 0	D 0	10			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Infrequent small tamarack and spruce poles. Average Dbh = 3". Section 7 and 12.														
13	J 5	J 2	1	34	4	40	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 7.														
14	J 5	J 2	1	34	4	40	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 7.														
15	Q 6	Q 2	18	39	5	70	50	mixed swamp conifer	immature	N		30-39 years	0	
comnts Fmd : Understory species are tamarack and black spruce, 1"-4" Dbh. White pine saplings present. Pockets of W8/W9 over S2. Some scattered knobs with more pine. Black spruce will be primary future crop. White birch and aspen are overstory associates. Section 13.														
16	J 5	J 2	3	34	4	40	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
17	E 5	F 1	2	39	5	40	50	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : Cedar, aspen and fir are overstory associates. Section 20.														
18	J 5	J 2	2	34	4	40	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
19	J 5	J 1	3	34	6	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Infrequent, small white birch poles. Section 18.														
20	J 4	J 2	1	34	4	20	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Section 7.														
21	J 6	J 2	2	34	5	70	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 7.														
22	J 5	J 1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Isolated white and red pine in overstory. Section 18.														
23	Q 6	S 1	5	57	8	80	48	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : It was determined at the mini-review last entry period that due to the unique relationships between this stand and the adjacent pine ridge that this stand would make a good old growth stand. This designation will be re-evaluated this YOE (2011). Section 18.</p>														
24	D 0	D 0	11			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
25	R6	S1	19	103	11	130	56	red pine	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : White pine sawtimber present. Mixed hardwood pulp class comprised of red maple and white birch. Ridges and hills. Aspen and white birch ready to be harvested. Steep, longer slope at far west terminus of ridge. Red pine sawlog component has average Dbh of 16 inches. Will retain some scattered white birch, spruce and aspen. Section 18. Some white pine will be removed. Soil = Rousseau - Dawson Complex.														
26	S6	S2	2	59	6	110	30	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Widely scattered red pine sawtimber. Section 18.														
27	S6	S1	12	59	7	80	40	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Areas of lower BA. Scattered red pine poles. Multi-age, multi-sized stand. Section 18.														
28	S5	S2	3	59	5	60	30	black spruce-swamp	nonstocked	N		40-49 years	0	
comnts Fmd : Tamarack poles present. Cedar saplings - 2" Dbh. Section 18.														
29	Q6	C1	7	79	10	120	40	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Jack pine poles present. Section 18.														
30	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
31	Q5	C1	2	59	9	40	38	mixed swamp conifer	nonstocked	N		not scheduled	0	
comnts Fmd : Black spruce poles present. Section 18.														
32	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
33	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
34	D0	D0	24			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
35	S6	S1	13	45	5	80	40	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Scattered tamarack, white pine and red pine poles. Section 18.														
36	D0	D0	16			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
37	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
38	N0	N0	2				0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
39	D0	D0	16				0	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
40	Z0	Z0	1				0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
41	Z0	Z0	4				0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
42	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
43	J5	S1	4	34	5	60	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
44	Z0	Z0	1				0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
45	J5	J2	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
46	W6	S1	7	34	9	120	50	white pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
47	J4	S1	7	34	6	30	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Red pine, white birch and tamarack in overstory. Section 13.														
48	J6	S1	3	34	5	90	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Scarce red pine sawtimber. Section 18.														
49	J5	J2	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
50	R6	S1	15	34	7	90	50	red pine	immature	N		30-39 years	0	
comnts Fmd : A mixed composition pine site. White birch and black spruce in overstory. Cedar and white pine saplings. Sections 13 and 18.														
51	J6	S1	6	39	8	70	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
52	J6	J1	5	34	6	80	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 18 and 19.														
53	D0	D0	15			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 18 and 19.														
54	Q6	Q2	1	85	9	120	41	mixed swamp conifer	immature	N		10-19 years	0	
comnts Fmd : Section 12.														
55	S5	S2	8	85	6	50	40	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
56	D0	D0	20			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 19.														
57	Q6	Q2	3	85	9	90	41	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Stand adjacent to Johns creek. Section 12.														
58	T5	S1	11	67	5	60	45	tamarack	immature	N		30-39 years	0	
comnts Fmd : Section 19.														
59	S5	S1	26	67	5	40	45	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Patches of homogenous S-type - saplings and poles. Stocking highly variable. Infrequent white birch and red pine in overstory. Section 19.														
60	N0	N0	33			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 19 and 20.														
61	W9	F1	1	95	14	160	43	white pine	mature	N	thinning	within 0-9 years	2	
comnts Fmd : Some white pine poles have top-dieback. Cedar, tamarack, black spruce, red maple and white birch poles present. Retain cedar and any hemlock. Section 20. Soil = Spot - Finch Complex. Wld : leave some mature white and red pine and some maple and birch. Protect the adjacent marsh land with an adequate buffer. leave cedar and hemlock.														
62	R6	S1	3	89	11	110	45	red pine	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Aspen is past prime (16" Dbh). Fair amount of aspen and white birch snags. Jack pine and cedar are overstory associates. Some 24" Dbh red pine. Retain what little white birch is alive. Reserve cedar. Leave any oak, hemlock and spruce. May need to mark some white pine for operability. Ridges with some moderate slopes. Two Hearted River Management Zone. Section 20. Soil = Rousseau - Spot Complex. Wld : leave a few of the large diameter aspen, birch and white pine. Leave cedar, oak, hemlock and spruce														
63	S4	S2	6	59	5	20	30	black spruce-swamp	immature	N		40-49 years	0	
comnts Fmd : Small knob - W1/S1 inclusion - north side of old trail (trail extends to east, crossing private to Co. Rd. 407). Section 7.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
64	D 0	D 0	14			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 19.														
65	W 5	S 1	1		10	40	50	white pine	unevenaged	N		30-39 years	0	
comnts Fmd : Black spruce and tamarack poles as associates. Section 19.														
66	J 6	S 1	3	49	9	80	50	jack pine	immature	N		10-19 years	0	
comnts Fmd : Could call stand a R-type or mixed pine as clumps heavier to red pine. White pine, tamarack, black spruce and white birch poles present. Some jack pine stems just short of 4 sticks. Red pine and white pine saplings present. Section 19.														
67	W 9	S 2	19	91	18	90	46	white pine	immature	N		within 0-9 years	0	
comnts Fmd : Two Hearted River Zone. Aspen, white spruce, jack pine and black cherry are overstory associates. Midstory dominated by immature black spruce. Heavier concentrations of black spruce and tamarack poles to west. Mixed softwood comprised of tamarack, black spruce and fir. Section 20.														
68	A 3	A 0	17	25	3	0	56	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Two Hearted River zone. Light component of fir, red maple, white pine and white spruce poles. Section 20.														
69	M 6	M 2	60		9	100	50	northern hardwood	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Mixed hardwood pulpwood category comprised of beech, yellow birch, white birch and sugar maple. Scattered hemlock groves. Heavier hemlock stocking est of two-track. Fir, red pine and white spruce are overstory associates. Many large diameter hardwood snags with cavities. Low quality red maple sawlogs. Pockets of heavier sawlog stocking to south. Abundant hemlock and white pine saplings. Fir saplings abundant in some areas, particularly around stand perimeter. Stand within influence zones of Dawson creek and Little Dawson creek. Sections 19 and 30.														
70	W 6	S 2	47	92	11	140	48	white pine	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Hemlock is overstory associate. Stand within influence zones of Dawson creek and Little Dawson creek. Sections 19 and 30.														
71	A 6	F 1	10	75	10	100	50	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
<p><u>Treatment Limiting Factors:</u> Land survey needed</p> <p>comnts Fmd : HCVA = Two Hearted River - Natural River Zone. White spruce and red maple are overstory associates. Aspen is deteriorating. Frequent white birch snags. Higher ridge with some steep slopes. Many nice white pine poles 6 inches Dbh. White and red pine saplings. Reserve white pine and white birch. Retain any oak or white spruce. Stand within influence zone of Dawson Creek. Section 19. Soil = Rousseau Fine Sand.</p> <p>Wld : leave a birch component, and a few maple and a few mature aspen. Leave spruce, oak and most mature white pine.</p>														
72	S 6	S 1	4	75	8	130	44	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : White pine overstory component. Higher knob. Section 30.														
73	D 0	D 0	2			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Dawson creek. Section 19.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
74	D 0	D 0	5			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 33.														
75	W 9	S 2	4	92	18	100	48	white pine	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Black spruce and white birch poles present. Some 26 inch Dbh red pine. Stand within influence zone of Little Dawson creek. Sections 29 and 30.														
76	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 30.														
77	Z 0	Z 0	19			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 30.														
78	S 6	S 2	5	92	10	120	48	black spruce-swamp	old growth (potential or actual)	Y		not scheduled	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson creek. Areas with white pine stocking to east. Marsh "island". Section 30.														
79	S 6	S 2	1	83	6	90	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Tamarack and white pine overstory associates. Section 30.														
80	D 0	D 0	8			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Tamarack predominant tree. Spruce also present. Section 30.														
81	A 6	S 2	5	57	9	130	55	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd : This stand is on a remote sand island out in expansive marsh/bog. Higher topography. Good quality aspen but impossible to get to it. Red pine and white birch are overstory components. Small inclusions would type out to spruce. Section 30.														
82	W 6	F 1	1	92	11	100	47	white pine	immature	N		not scheduled	0	
comnts Fmd : Stand borders Johns creek. Section 12.														
83	S 4	S 2	1	83	5	30	41	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near Dawson creek. Section 19.														
84	S 6	S 2	2	83	6	80	48	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near Dawson creek. Marsh "island". Section 19.														
85	W 4	A 2	1	92	10	40	51	white pine	immature	N		40-49 years	0	
comnts Fmd : Trembling aspen, red maple, hemlock, white birch, fir and red pine are overstory associates. A2 is 2" Dbh. Sections 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
86	S6	S1	4	83	6	110	48	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. White birch poles present. Stand within influence zone of Dawson Creek and smaller tributary. Section 19.														
87	S6	S1	6	83	6	110	48	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Marsh "island". Stand near tributary of Dawson creek. Section 30.														
88	Q6	Q2	78	111	10	90	36	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet State law or policy (identify in comments) Road needed (resources not presently available)														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. North portion of stand within influence zone of Dawson creek and small tributary. Sections 25 and 30.														
89	S5	S2	8	83	6	60	48	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Very remote, inaccessible stand. Section 30.														
90	R9	F2	1	110	18	170	55	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values Inadequate volume due to small acreage														
comnts Fmd : Black spruce, hemlock and cedar are overstory components. The Burma road (CCI road) extends along north boundary of this stand. Conduct overstory treatment when stand 164 is treated. Section 15.														
91	S6	S1	1	83	7	80	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
92	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
93	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
94	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
95	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
96	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh island. Section 30.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	Cr es	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
97	S 4	S 2	3	83	5	30	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
98	S 4	S 2	1	83	5	30	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
99	S 6	S 1	144	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
comnts Fmd : Aspen, red maple and white birch are overstory associates. Small inclusions of white birch/aspen type. True spectrum of spruce size/age classes. Sections 30 and 31.														
100	A 6	M 1	13	42	6	100	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Pockets with higher aspen and white birch stocking. Nice white pine saplings. Poor quality aspen. Would be an excellent white pine site. Black spruce poles present. Section 30.														
101	W 6	S 2	5	82	9	70	56	white pine	immature	N		20-29 years	0	
comnts Fmd : Section 31.														
102	J 1	N 0	3	14	4	0	45	jack pine	nonstocked	N		40-49 years	0	
comnts Fmd : Infrequent bigtooth aspen and red maple poles. Vernal pond. Large sandy areas due to ATV traffic. Would suggest posting signs and planting mix of jack and red pine. Section 31. Interspersed small openings.														
103	S 6	S 2	9	77	8	120	51	black spruce-swamp	nonstocked	N		20-29 years	0	
comnts Fmd : White birch poles present. Section 31.														
104	D 0	D 0	69			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Some interspered marsh. Section 31.														
105	W 6	C 1	30	132	10	140	47	white pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet Bridge needed (portable bridge not available or inadequate)														
comnts Fmd : Red pine and red maple components of overstory. Only access for logging equipment is from the north. Stand is a mosaic of Q4 inclusions and uplands. Overall site is low elevation. More cedar to west. A bridge would have to be placed over the little Dawson Creek and maybe also over Dawson Creek. In addition this would have to be a winter sale due to the wetness of access road. Section 31.														
106	N 0	N 0	564			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Interlaced marsh patches. Sections 19,30 and 31.														
107	S 5	S 2	3	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 31.														
108	S 5	S 2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 31														
109	Q 6	C 2	13	65	7	70	40	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Survey corner is located on the northern end of stand. Section 31.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Acrs	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B Tot. BA								
110	S4	S2	1	83	5	30	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
111	S4	S2	1	83	5	30	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
112	S4	S2	1	83	5	30	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
113	S4	S2	1	83	5	30	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
114	N0	N0	59			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 24 and 25.														
115	Q6	Q2	20	111	10	90	36	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Road needed (resources not presently available)														
Too wet														
comnts Fmd : Section 25.														
116	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 24.														
117	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 24.														
118	W6	S2	1	83	10	100	41	white pine	immature	N		not scheduled	0	
comnts Fmd : Section 15.														
119	Q6	L0	68	104	7	120	40	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
State law or policy (identify in comments)														
Inadequate volume due to low stocking/small diameter/etc.														
Too wet														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near Dawson creek. White birch poles. Cedar saplings. Sections 19 and 24.														
120	D0	D0	2			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Section 19.														
121	D0	D0	6			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 13.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
122	S6	S1	1	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
comnts Fmd : Section 31.														
123	N0	N0	667			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 13.														
124	N0	N0	125			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 13, 14 and 23.														
125	H6	H1	9	92	9	140	48	hemlock	nonstocked	N		40-49 years	0	
comnts Fmd : Numerous vigorous hemlock saplings. White pine is overstory associate. Mixed hardwood poles comprised of beech and yellow birch. Section 21.														
126	J5	J2	5	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
127	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
128	J5	J2	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
129	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
130	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
131	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
132	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
133	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
134	J6	J1	4	34	5	80	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Red pine poles present. Section 12.														
135	J6	J1	4	34	6	70	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Red pine poles. Section 12.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
136	S4	S1	4	111	6	20	35	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Luce County Lease. Small "Island" inclusions of S5/S6 within stand. Section 14.														
137	J5	J1	5	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
138	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
139	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
140	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
141	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
142	S5	S2	2	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Section 13.														
143	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 12.														
144	N0	N0	106			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Area adjacent to Johns Lake. Sections 11, 12 and 14.														
145	Z0	Z0	9			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Johns Lake. Sections 11 and 12.														
146	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Johns Lake. Section 11.														
147	W9	F1	5	92	14	90	61	white pine	immature	N		10-19 years	0	
comnts Fmd : Stand was thinned aprox 30 years ago. A lot of logging damage to the residual trees, especially on the south end of stand. Johns creek flows through stand. Section 12.														
148	W9	F1	1	92	14	90	61	white pine	immature	N		not scheduled	0	
comnts Fmd : Stand is a mix of conifer species with some hardwoods on the north end of stand. North end of stand is on higher ground. Stand adjacent to Johns creek. Section 12.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B	Tot. BA							
149	H9	F1	9	99	20	120	45	hemlock	immature	N		10-19 years	0	
comnts Fmd : Johns creek flows through stand. Section 12.														
150	C6	C1	7	94	9	180	41	cedar	immature	N		10-19 years	0	
comnts Fmd : Nice stand of quality cedar. Section 12.														
151	L0	L0	3		0	0	25	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Area is a drainage of the marsh to the south. Beavers have been in here in the past. An old dam exists on the north end of the stand. Water from this drainage feeds into Johns Creek. Section 12.														
152	Q6	Q2	13	85	9	120	41	mixed swamp conifer	immature	N		10-19 years	0	
comnts Fmd : Stand is a mix of conifer species with sme hardwoods on the north end of stand. North end of stand is on higher ground. Schedule stand with adjacent stands to the east. Section 12.														
153	M6	M1	1		7	70	47	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River Zone - Natural River Zone. Beech, yellow birch and white spruce are overstory associates. Low quality timber. Section 1.														
154	Q6	Q2	7	85	10	160	47	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand is a diverse mix of conifers. Well-distributed, vigorous hemlock and cedar saplings. White birch and black spruce are overstory associates. Section 1.														
155	S6	S1	2	79	5	70	50	black spruce-swamp	old growth (potential or actual)	N		20-29 years	0	
comnts Fmd : HCVA = two Hearted River - Natural River Zone. Section 33.														
156	M9	M2	6		18	100	53	northern hardwood	in process of regeneration	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. West Branch of Two Hearted River borders west side of stand. Johns Creek flows through stand. Poor quality soft maple logs. Gate on private road leading in to stand. Stand sits on a "shelf" before dropping off into a mixed conifer type to the west. White spruce, fir, white pine, beech and yellow birch are overstory associates. Large diameter maple present - 22"-24" Dbh. Section 1.														
157	C6	C1	42	85	9	300	41	cedar	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. West Branch of Two Hearted River forms west boundary of stand. Section 1.														
158	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
159	Q5	E2	28		8	50	47	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. West Branch of Two Hearted River forms west boundary of stand. 90 sq. ft. of tamarack snags. E understory comprised of black ash, yellow birch and red maple. White spruce poles present. Stand lower in landscape than C-type to west. Stand lies on continued downward slope to river. Patches of cedar to west. Sections 1 and 2.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
160	C 6	H 1	25	84	10	320	41	cedar	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Fringe of H9 to south along hardwoods. White birch poles present. Hemlock and cedar saplings well-distributed throughout stand. Section 2.														
161	T 5	L 0	3	89	10	60	50	tamarack	immature	Y		not scheduled	0	
Treatment Limiting Factors: State law or policy (identify in comments)														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Large open patches. Cedar and black spruce overstory associates. Cedar stocking increases closer to river. Section 2.														
162	W 9	Q 1	14	100	14	100	53	white pine	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand adjacent to West Branch of Two Hearted River. There is a small feeder creek that runs through the stand and enters into the river. Section 10.														
163	Q 5	Q 2	23	75	6	40	41	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Drops off the upland on the south side where white pine is present. The cedar is more on the south part of stand. As you move north the stand turns more into spruce and tamarack. Section 10.														
164	W 9	F 2	32	110	18	80	55	white pine	immature	Y		10-19 years	0	
Treatment Limiting Factors: Inadequate volume due to low stocking/small diameter/etc. Scenic values/visual values														
comnts Fmd : Burma Road/snowmobile trail along south boundary of this stand. A seasonal creek runs through the stand and enters the West Branch of the Two Hearted River. Cedar, fir, hemlock, black spruce and white birch are overstory associates. Cedar, hemlock and white pine saplings present. Decreased white pine size and stocking as you proceed to NW. Dense midstory (12ft to 30ft tall) of soft maple, beech, white birch and black spruce. Some pockets of A2 understory. Large diameter red pine present. Section 15.														
165	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15. CCI Road/snowmobile trail run along west edge of stand.														
166	C 6	C 1	40	128	8	100	30	cedar	mature	N		not scheduled	0	
comnts Fmd : Section 36, T48N,R11.														
167	M 6	M 3	7		9	80	55	northern hardwood	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Adjacent to South Branch of Two Hearted River. Section 16.														
168	N 0	N 0	4			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Section 16. Tributary from Hodge (Evergreen Lake) flows through stand in to South Branch of Two Hearted River.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
169	L 0	L 0	2			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Small stream flows through stand and into South Branch of Two Hearted River, which forms west boundary of stand. Survery corner is in this stand on the west side of river just north of the bridge. The bridge appears to be heavy duty. Section 16.														
170	C 6	Q 1	5	118	8	170	30	cedar	old growth (potential or actual)	N		30-39 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Creek flows through stand from Hodge Lake (Evergreen Lake) to South Branch of Two Hearted River. Section 16.														
171	W 9	Q 1	13	93	14	100	50	white pine	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand adjacent to creek running between Hodge Lake (Evergreen Lake) and South Branch of Two Hearted River. Section 16.														
172	C 6	Q 1	26	118	8	140	30	cedar	old growth (potential or actual)	N		30-39 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. South Branch of Two Hearted River forms west boundary of stand. Section 16. Pockets of pure C6. White pine overstory associates. Fairly steep, long bank separates this stand from hardwood stand to east.														
173	M 6	M 2	26		10	110	50	northern hardwood	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. On the Northeast section of the stand there are a bunch of trees that are numbered with blue paint but there are no records indicating what these are for. Abundant beech saplings in M2 layer. White spruce and hemlock are overstory components. Section 16.														
174	N 0	N 0	25			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15.														
175	W 6	S 1	3	101	10	150	45	white pine	immature	N		10-19 years	0	
comnts Fmd : Red pine overstory associates. Very wet, problematic access. Section 15.														
176	W 9	F 1	2	101	20	90	45	white pine	mature	N		10-19 years	0	
comnts Fmd : Very isolated stand due to expansive marsh. Black spruce poles present. Section 15.														
177	S 4	S 1	259	111	6	20	35	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Small "Island" inclusions of S5/S6 within stand. Sections 14,15,22 and 23.														
178	S 5	S 2	3	85	6	40	35	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Section 14.														
179	S 5	S 2	2	85	6	40	35	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Section 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
180	S 5	S 2	6	85	6	40	35	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Section 11														
181	S 4	S 2	3	85	6	30	35	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Section 11.														
182	W 4	A 2	1	92	10	40	51	white pine	immature	N		40-49 years	0	
comnts Fmd : Section 15. "Island".														
183	R 6	S 1	18	103	11	160	56	red pine	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : Scarce oak in overstory. Higher terrain in stand with some steep slopes that may be inoperable. Big tooth and trembling aspen are large diameter and in prime timber condition. Jack pine and black spruce are overstory associates. Some pockets of very high red pine stocking with suppressed crowns. Will retain some scattered white birch, spruce and aspen. Some white pine will be removed. All oak will be left. Section 18. Soil = Rousseau - Dawson Complex.														
184	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
185	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
186	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
187	S 5	S 2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote "marsh" island. Section 13.														
188	S 5	S 2	2	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 13.														
189	J 5	J 2	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
190	J 5	J 1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
191	J 5	J 1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
192	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
193	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
194	J5	J1	3	39	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
195	J5	J1	1	39	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
196	J6	S1	6	46	7	90	50	jack pine	immature	N		10-19 years	0	
comnts Fmd : Red pine, white birch, tamarack and bigtooth aspen are overstory associates. Section 18.														
197	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 13.														
198	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
199	Q6	S1	1		9	140	35	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand adjacent to Little Dawson and Dawson creeks. Yellow birch, white pine and jack pine are overstory associates. Section 19.														
200	S5	S1	4	82	8	50	51	black spruce-swamp	immature	N		40-49 years	0	
comnts Fmd : "Island". Section 13.														
201	J6	J2	2	34	5	80	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 24.														
202	J6	J2	56	34	5	90	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 13 and 14.														
203	J6	J2	16	34	5	90	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
204	S6	S1	38		6	80	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
205	J5	J2	4	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
206	J5	J2	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
207	J6	J2	13	34	5	80	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
208	S6	S1	32		6	70	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
209	W6	F1	12	101	9	80	45	white pine	immature	N		10-19 years	0	
comnts Fmd : Section 15.														
210	W9	H1	89	101	16	120	50	white pine	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. Southwest corner of stand within 1/4 mile of South Branch of Two Hearted River. Yellow birch and trembling aspen are overstory associates. Stand has very mixed composition, especially to north. Small patches of M5/M2. Sections 21 and 22.														
211	Q6	S1	11	79	9	100	36	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. South Branch of Two Hearted River borders west side of stand. Section 33.														
212	D0	D0	13		3	0	20	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Stand has tamarck/black spruce. Trees are small and suppressed. Leatherleaf, labordor tea understory. Section 22.														
213	S5	S2	1	85	6	40	40	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Section 22.														
214	M6	M2	19		9	80	50	northern hardwood	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Hemlock and beech are overstory components. Many snapped-off beech trees. Section 21.														
215	R5	S2	35	84	11	60	45	red pine	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.														
216	N0	N0	14			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.														
217	N0	N0	3			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA							
218	N 0	N 0	1			0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.													
219	N 0	N 0	14			0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.													
220	R 9	S 1	224	81	14	100	55	red pine	mature	N	10-19 years	0	
comnts Fmd : Pine ridges with nested wet swales. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Sections 22,23 and 27.													
221	N 0	N 0	3			0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.													
222	D 0	D 0	1			0	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.													
223	D 0	D 0	15			0	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 22 and 27.													
224	N 0	N 0	2			0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 22.													
225	J 5	J 1	1	34	5	50	50	jack pine	nonstocked	N	not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.													
226	Z 0	Z 0	1			0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 23.													
227	J 6	S 1	7	34	6	100	50	jack pine	nonstocked	N	30-39 years	0	
comnts Fmd : White birch and white pine are overstory associates. Section 18.													
228	R 6	S 1	8	34	9	100	50	red pine	nonstocked	N	30-39 years	0	
comnts Fmd : Pockets of small diameter jack pine that should be allowed to mature before treating stand. Steep hillsides. White birch and trembling aspen are overstory associates. Section 18.													
229	J 5	J 1	2	34	5	50	50	jack pine	immature	N	40-49 years	0	
comnts Fmd : Section 22.													
230	J 5	J 1	1	34	5	50	50	jack pine	immature	N	not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.													
231	J 5	J 1	1	34	5	50	50	jack pine	immature	N	not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.													

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
232	J5	J1	2	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
233	J5	J1	1	39	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
234	J5	J1	1	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
235	W6	F2	16	118	9	90	50	white pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
State law or policy (identify in comments)														
Road needed (resources not presently available)														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Dawson creek. Nice cedar and white pine saplings. Bigtooth aspen is overstory associate. Higher ridge. ATV trail along crest of ridge. Section 24. Would recommend removing stand from POG due to good accessibility for logging.														
236	N0	N0	7			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Dawson creek flows through stand. Section 24.														
237	D0	D0	31			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Dawson creek flows through stand. Section 24.														
238	D0	D0	8			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Dawson creek near stand. Section 24.														
239	S6	S1	13	76	7	70	46	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near Dawson creek. Section 24.														
240	D0	D2	542		3	0	20	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Stand has tamarck/black spruce. Trees are small and suppressed. Leatherleaf, laborador tea understory. Interlaced patches of marsh. Section 23.														
241	J5	J1	1	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island" Section 23.														
242	N0	N0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 23.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
243	J5	J1	1	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
244	J5	J1	3	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
245	N0	N0	6			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 22 and 23.														
246	Z0	Z0	6			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 26.														
247	R9	S1	27	81	14	140	48	red pine	mature	N		not scheduled	0	
comnts Fmd : Nice Pine ridge running through the bog. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 27.														
248	J5	J1	1	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage														
comnts Fmd : Remote marsh "island". Section 27.														
249	J5	J1	1	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage														
comnts Fmd : Remote marsh "island". Section 26.														
250	J5	J1	6	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage														
comnts Fmd : Remote marsh "island". Section 26.														
251	J5	J1	2	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage														
comnts Fmd : Remote marsh "island". Section 26.														
252	S4	S1	1	67	4	30	38	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote stand. Section 23.														
253	S4	S1	10	67	4	30	38	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote stand. Section 26. Survey corner is in the NE corner of stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
254	J5	J1	3	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage</p> <p>comnts Fmd : Remote marsh "island". Section 26.</p>														
255	S5	S1	5	73	6	50	50	black spruce-swamp	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage</p> <p>comnts Fmd : Very remote. Section 26.</p>														
256	D0	D0	3			0		treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Remote marsh "island". Section 26.</p>														
257	J5	J1	2	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage</p> <p>comnts Fmd : Remote marsh "island". Section 26.</p>														
258	J5	J1	1	73	7	60	50	jack pine	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Road needed (resources not presently available) Inadequate volume due to small acreage</p> <p>comnts Fmd : Remote marsh "island". Section 26.</p>														
259	R9	S1	12	81	14	140	48	red pine	mature	N		not scheduled	0	
<p>comnts Fmd : Very remote location. Nice pine ridge running through the bog. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Sections 26 and 27.</p>														
260	D0	D0	4			0		treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Section 27.</p>														
261	W6	W1	19	83	8	70	50	white pine	immature	N		not scheduled	0	
<p>comnts Fmd : Very remote location. Section 27.</p>														
262	R9	S1	5	81	14	140	48	red pine	mature	N		not scheduled	0	
<p>comnts Fmd : Very remote location. Nice pine ridge running through the bog. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 34.</p>														
263	J5	J1	2	34	5	50	50	jack pine	immature	N		not scheduled	0	
<p>comnts Fmd : Very remote location. Section 34.</p>														
264	D0	D0	7			0		treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Section 34.</p>														
265	C6	Q3	19	94	8	100	37	cedar	immature	N		20-29 years	0	
<p>comnts Fmd : Very remote location. Section 34.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
266	R 9	S 1	40	81	14	140	48	red pine	mature	N		not scheduled	0	
comnts Fmd : Very remote location. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 27.														
267	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 27.														
268	D 0	D 0	3			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 27.														
269	D 0	D 2	377		3	0	20	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Stand has tamarck/black spruce. Trees are small and suppressed. Leatherleaf, laborodor tea understory. Sections 26 and 27.														
270	D 0	D 0	37			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Stand near Camp One creek. Section 34.														
271	L 0	L 0	26			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Camp One creek flows through stand. South Branch of Two Hearted River forms west boundary of stand. Sections 33 and 24.														
272	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Johns Creek flows through stand. Section 12.														
273	M 6	F 2	16	78	9	110	46	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. Stand near South Branch of Two hearted River. Section 33.														
274	D 0	D 0	1			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. Stand near South Branch of Two Hearted River. Section 28.														
275	Q 6	Q 2	55	119	9	100	46	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u></p> <p>State law or policy (identify in comments)</p> <p>Too wet</p> <p>comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand adjacent to South Branch of Two Hearted River. A tributary of Two hearted river flows through stand. Sections 28 and 33.</p>														
276	N 0	N 0	2			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. Stand near South Branch of Two Hearted River. Section 28.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
277	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Section 28.														
278	N0	N0	1			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near South Branch of Two Hearted River. Section 28.														
279	L0	L0	3			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. South Branch of Two Hearted River forms stands boundary to west. Section 28.														
280	L0	L0	1			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. South Branch of Two Hearted River forms west stand boundary. Section 28.														
281	L0	L0	2			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. South Branch of Two Hearted River forms west boundary of stand. Section 28.														
282	Q6	Q3	4	119	9	70	46	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments) Too wet														
comnts Fmd : HCVA = Two hearted River - Natural River Zone. Stand near Camp One Creek and South Branch of Two Hearted River. Section 33.														
283	S6	S1	40	94	7	100	46	black spruce-swamp	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments) Too wet														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. South Branch of Two Hearted River forms SW stand boundary. Stand is near Camp One Creek. Section 33.														
284	C6	Q3	9	94	8	100	37	cedar	immature	N		30-39 years	0	
comnts Fmd : Remote stand. Section 34.														
285	C6	Q3	1	94	8	100	37	cedar	immature	N		30-39 years	0	
comnts Fmd : Remote stand. Section 34.														
286	L0	L0	20			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. South Branch of two Hearted River forms west stand boundary. Section 33.														

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
287	S6	S1	7	79	5	70	50	black spruce-swamp	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near South Branch of Two hearted River. Section 34.														
288	D0	D0	12			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near South Branch of Two Hearted River. Section 34.														
289	Q6	Q3	17	113	10	100	46	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments) Road needed (resources not presently available) Adjacent landowner denies access														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of South Branch of Two Hearted River. Section 34.														
290	C6	C1	138	128	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : Sections 35 and 36.														
291	E6	E1	33	73	10	100	46	swamp hardwoods	immature	N		10-19 years	0	
comnts Fmd : Section 35.														
292	C6	C1	30	128	8	100	30	cedar	mature	N		not scheduled	0	
comnts Fmd : Section 36, T48NR11W.														
293	C6	C1	36	128	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : Section 36, T48NR11W.														
294	W9	Q1	3	100	14	100	53	white pine	unevenaged	N		10-19 years	0	
comnts Fmd : Section 10.														
295	C6	F1	2	128	8	150	30	cedar	mature	N		30-39 years	0	
comnts Fmd : Trembling aspen, yellow birch, fir and hemlock are overstory associates. Cedar saplings present. Section 7.														
296	W9	F2	32	97	20	180	50	white pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments) Adjacent landowner denies access Road needed (resources not presently available)														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near West Branch of two Hearted River. Section 36 (T49N,R11W). Very tall, straight white pine boles. Many hardwood and cedar snags. Some pockets with abundant white birch stocking. Large diameter aspen present. White spruce, red pine, hemlock and cedar are overstory associates. Mixed hardwood sawlogs are comprised of yellow birch and red maple. Nice hemlock saplings. 3ft to 4ft wide creek with steep banks flows through SW portion of stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
297	J5	J1	1	34	4	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
298	J4	J2	1	34	4	20	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Section 18.														
299	J5	J1	1	34	5	60	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : Section 7.														
300	J6	J1	13	34	5	100	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : White pine, bigtooth aspen and white birch are overstory associates. Some higher slopes. Section 18.														
301	W9	F3	4	97	14	90	50	white pine	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near West Branch of Two Hearted River. Section 36 (T49N,R11W).														
302	A6	F2	21		11	170	50	aspen (upland)	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. West Branch of Two Hearted River forms west stand boundary. This stand has a steep-sided 3'-4' wide stream that flows through the stand. Red pine is overstory associate. Cedar and hemlock saplings present. Section 36, T49NR11W. Two-Hearted Management Zone.														
303	M6	F2	49	73	9	110	48	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two hearted River - Natural River Zone. West Branch of Two hearted River borders west side of stand. Section 36, T49NR11W. Aspen and red pine are overstory associates.														
304	R9	S1	13	81	14	100	48	red pine	nonstocked	N		not scheduled	0	
Treatment Limiting Factors: Too wet Too steep														
comnts Fmd : Very nice red pine boles. S understory up to 16 ft tall. Aspen and jack pine are overstory associates. Jack pine stocking increases to east. Section 24.														
305	R9	S1	4		12	100	55	red pine	unevenaged	N		20-29 years	0	
comnts Fmd : White birch, cedar and bigtooth aspen are overstory components. Stocking variable - R5/R8 patches. Jack pine not mature. Section 13.														
306	J6	S1	1	39	8	120	50	jack pine	immature	N		20-29 years	0	
comnts Fmd : Red pine and white pine are overstory associates. Section 13.														
307	J6	S1	2	43	8	120	59	jack pine	immature	N		10-19 years	0	
comnts Fmd : Overstory associates include black spruce, tamarack and red maple. Section 20.														
308	J5	S1	5	39	7	50	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : White pine and black spruce are overstory associates. Section 13.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
309	J5	S 1	3	39	7	50	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : White pine, tamarack and red pine are overstory associates. Small patches of J2. Section 13.														
310	J4	J 1	8	34	6	30	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : Tamarack and red pine are overstory associates. Section 13.														
311	J6	J 1	34	34	6	90	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : White pine, red maple, black spruce and white birch are overstory associates. Inclusions of S5 with open water in Feb. - midstand. . Section 13.														
312	J6	S 1	13	39	8	120	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : Sections 13, 23 and 24.														
313	J5	S 1	17	34	7	60	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : White pine poles present. Section 13.														
314	D0	D 0	4			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15.														
315	D0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15.														
316	J6	S 1	6	34	7	120	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : Section 13.														
317	W6	S 2	4	92	10	90	48	white pine	nonstocked	N		not scheduled	0	
comnts Fmd : Tamarack poles present. Section 30.														
318	R9	F 1	9	119	18	200	50	red pine	old growth (potential or actual)	Y	selection	within 0-9 years	1	

Treatment Limiting Factors:

- Existing bridge out or unsafe
- Quiet area/natural area/wilderness
- Inadequate volume due to small acreage

comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand adjacent to Dawson Creek. Tall, large diameter red pine sawtimber - 20 to 22 inch Dbh. May need to remove some white pine for operability. Some steep terrain north of two-track. Section 19. Bridge to east on private land is not able to handle any vehicle traffic, so access is not available. Will need survey support to run private line. Soil = Rousseau Fine Sand.

Wld : leave some mature red pine and submerchantable spruce

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
319	A6	W2	4	49	10	130	55	aspen (upland)	old growth (potential or actual)	Y	final harvest	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Existing bridge out or unsafe Quiet area/natural area/wilderness Inadequate volume due to small acreage</p> <p>comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near Dawson Creek. Red oak is present in stand - retain. White pine poles present. Retain red pine, white birch, white spruce and white pine. Ridge with some fairly steep slopes. No access as bridge on private land to east will not support vehicles. Survey support would be needed. Soil = Rousseau Fine Stand.</p> <p>Wld : leave oak,a birch component, spruce and some red and white pine.</p>														
320	J6	S1	3	49	10	90	50	jack pine	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand borders Dawson Creek. Fir and white pine poles present. Section 19.</p>														
321	D0	D0	9			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson creek. Sections 19 and 30.</p>														
322	S6	S1	5	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
<p>comnts Fmd : Aspen and white birch overstory associates. Section 31.</p>														
323	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Section 31.</p>														
324	S6	S1	1	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
<p>comnts Fmd : Section 31.</p>														
325	R5	S1	1	54	8	60	55	red pine	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Section 31.</p>														
326	D0	D0	2			0		treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Section 31.</p>														
327	S6	S2	6	77	8	120	51	black spruce-swamp	nonstocked	N		20-29 years	0	
<p>comnts Fmd : White birch poles present. Section 31.</p>														
328	S5	S2	1	85	6	50	40	black spruce-swamp	immature	N		30-39 years	0	
<p>comnts Fmd : Section 31.</p>														
329	S6	S1	7	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
<p>comnts Fmd : Section 31.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
330	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
331	D 0	D 0	2			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
332	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
333	D 0	D 0	3			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 19 and 24.														
334	D 0	D 0	2			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 24.														
335	R 9	S 1	3	81	14	100	48	red pine	mature	N		not scheduled	0	
comnts Fmd : Very remote location. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 27.														
336	R 9	S 1	1	81	14	100	48	red pine	mature	N		not scheduled	0	
comnts Fmd : Very remote location. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 27.														
337	J 5	J 1	7	34	5	60	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 23.														
338	Q 6	S 1	33	79	9	100	36	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of South Branch of Two Hearted River. Sections 33 and 34.														
339	D 0	D 2	443		3	0	20	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Stand has tamarck/black spruce. Trees are small and suppressed. Leatherleaf, labordor tea understory. Sections 23,26 and 27.														
340	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
341	L 0	L 0	1			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Section 11. West Branch of Two Hearted River forms west boundary of stand. HCVA = Two Hearted River Zone.														
342	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Acres	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
343	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
344	Q 5	E 2	6	79	10	60	40	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. West Branch of Two hearted River forms west boundary of stand. Heavier cedar stocking to West. Stand below bluff to east, in floodplain. Yellow birch present in overstory. Section 36, T49N,R11W.														
345	Q 5	F 1	1	79	7	60	40	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand borders West Branch of Two hearted River. Tamarack, white pine and red maple are overstory associates. Section 36, T49N,R11W.														
346	N 0	N 0	32			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Johns Creek flows through north portion of stand. Section 12.														
347	W 9	F 1	2	92	14	90	61	white pine	immature	N		not scheduled	0	
comnts Fmd : Very remote stand. Section 12.														
348	W 9	F 1	10	92	14	90	61	white pine	immature	N		10-19 years	0	
comnts Fmd : Section 12. Feeder stream to Johns creek flows through stand.														
349	J 5	J 1	1	34	5	50	50	jack pine	nonstocked	N		not scheduled	0	
comnts Fmd : Section 12.														
350	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
351	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 12.														
352	J 5	J 2	1	34	4	40	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Section 7.														
353	J 5	J 1	1	34	6	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 18.														
354	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
355	R6	S1	8	103	11	130	56	red pine	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : This stand goes along with stand 23. See POG comments for stand 23. White pine sawtimber present. Mixed hardwood pulp class comprised of red maple and white birch. Ridges and hills. Aspen and white birch ready to be harvested. Steep, longer slope at far west terminus of ridge. Red pine sawlog component has average Dbh of 16 inches. Section 18.</p>														
356	S5	S1	4	77	7	60	51	black spruce-swamp	immature	N		40-49 years	0	
comnts Fmd : Section 18.														
357	D0	D0	3					treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
358	D0	D0	550					treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 7,12,13,18,19 and 24..														
359	D0	D0	1					treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														
360	D0	D0	181					treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 12.														
361	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
362	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
363	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
364	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
365	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 12.														
366	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 12.														
367	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
368	J5	J1	6	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
369	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
370	J5	J1	5	34	5	60	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
371	J5	J1	1	34	5	60	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
372	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
373	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
374	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
375	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
376	D0	D0	16			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 13.														
377	J5	J1	4	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : SECTION 13.														
378	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 13.														
379	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
380	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
381	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
382	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
383	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
384	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
385	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
386	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
387	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
388	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
389	J6	J1	16	34	5	80	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 14 and 23.														
390	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 14 and 23.														
391	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 14 and 23.														
392	J5	J1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 14 and 15.														
393	J5	J1	5	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 14.														
394	J5	J1	2	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sections 14 and 15.														
395	S5	S1	1		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
396	S 5	S 1	1		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
397	S 5	S 1	11		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
398	S 5	S 1	49		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
399	S 5	S 1	3		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
401	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Lichens, moss and St. Johns Wort are dominant vegetation - no real forage value for wildlife. Patches of bare stand. Sparse serviceberry and cherry brush. Stand 99% openland. Section 20.														
500	S 5	S 1	2		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														
501	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Infrequent small tamarack and spruce poles. Average Dbh = 3". Section 14.														
502	S 5	S 1	3		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15.														
503	S 5	S 1	3		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15.														
504	S 5	S 1	1		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 15.														
505	S 5	S 1	1		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 15.														
506	W 9	F 1	7	101	20	90	45	white pine	mature	N		10-19 years	0	
comnts Fmd : Very isolated stand due to expansive marsh. Black spruce poles present. Section 15.														
507	S 5	S 1	1		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 15.														
508	S 5	S 1	5		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 14 and 15.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
509	S5	S1	1	6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 15.													
510	S5	S1	1	6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 15.													
511	S5	S1	1	6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.													
512	S5	S1	2	6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 15.													
513	W9	Q1	8	93	14	70	50	white pine	old growth (potential or actual)	N	not scheduled	0	
comnts Fmd : HCVA = Two Hearted Two Hearted River - Natural River Zone. Stand near South Branch of Big Two Hearted River and small creek off Hodge Lake. Section 16.													
514	D0	D0	2		0			treed bog	nonstocked	N	not scheduled	0	
comnts Fmd : Section 22.													
515	R9	S1	6	81	14	100	55	red pine	mature	N	10-19 years	0	
comnts Fmd : Pine ridges with nested wet swales. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 22.													
516	S5	S2	1	85	6	40	40	black spruce-swamp	immature	N	30-39 years	0	
comnts Fmd : Remote marsh "island". Section 22.													
517	S5	S2	1	85	6	40	40	black spruce-swamp	immature	N	not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.													
518	S5	S2	2	85	6	40	40	black spruce-swamp	immature	N	not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.													
519	S5	S2	1	85	6	40	40	black spruce-swamp	immature	N	not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.													
520	R9	S1	8	81	14	100	55	red pine	mature	N	not scheduled	0	
comnts Fmd : Remote stand. Pine ridges with nested wet swales. Some aspen scattered throughout stand. Understory consists of spruce, white pine, and balsam fir. Section 22.													
521	D0	D0	1		0			treed bog	nonstocked	N	not scheduled	0	
comnts Fmd : Section 22.													

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
522	S 5	S 2	1	85	6	40	40	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.														
523	S 5	S 2	1	85	6	40	40	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.														
524	S 5	S 2	2	85	6	60	40	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 22.														
525	J 5	J 1	2	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
526	J 5	J 1	1	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
527	J 5	J 1	1	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
528	J 5	J 1	1	34	5	50	50	jack pine	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 23.														
529	W 9	F 2	2	92	14	70	55	white pine	immature	N		20-29 years	0	
comnts Fmd : Section 11.														
530	D 0	D 0	2			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within South Branch of Two Hearted River influence zone. Section 33 and 34.														
531	W 6	S 2	1	83	10	100	41	white pine	immature	N		not scheduled	0	
comnts Fmd : Section 15.														
532	D 0	D 0	2			0		treed bog	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within Dawson creek influence zone. Section 24.														
533	J 5	J 1	1	34	5	50	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Section 14.														
534	S 5	S 1	1		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
comnts Fmd : Section 14.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
535	S6	S1	1	77	8	100	51	black spruce-swamp	old growth (potential or actual)	N		20-29 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson Creek. True spectrum of spruce size/age classes. Section 30.														
536	N0	N0	3			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson Creek. Section 30.														
537	S6	S1	1	77	8	100	51	black spruce-swamp	old growth (potential or actual)	N		20-29 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson Creek. Section 30.														
538	S6	S1	1	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
comnts Fmd : Remote marsh "island". Section 30.														
539	S6	S1	1	77	8	100	51	black spruce-swamp	old growth (potential or actual)	N		20-29 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson Creek. Section 30.														
540	W6	S2	3	92	11	140	48	white pine	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Little Dawson Creek adjacent to west side of stand. Hemlock is overstory associate. Stand within influence zones of Dawson creek and Little Dawson creek. Sections 19 and 30.														
541	S6	S1	1	83	7	80	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
542	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 31.														
543	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 31.														
544	S5	S2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 31.														
545	D0	D0	2			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 30.														
546	W6	S2	4	82	9	70	56	white pine	immature	N		20-29 years	0	
comnts Fmd : Sections 30 and 31.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
547	S6	S1	1	77	8	100	51	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Marsh "island". Sections 30 and 31.														
548	S6	S1	1	77	8	100	51	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Marsh "island". Sections 30 and 31.														
549	S6	S1	2	77	8	100	51	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Marsh "island". Section 31.														
550	S6	S1	6	77	8	100	51	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Section 31.														
551	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
552	W6	S2	6	82	9	100	56	white pine	immature	N		20-29 years	0	
comnts Fmd : Section 31.														
553	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
554	D0	D0	4			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
555	N0	N0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
556	D0	D0	1			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
557	S6	S1	10	77	8	100	51	black spruce-swamp	nonstocked	N		20-29 years	0	
comnts Fmd : Aspen and white birch overstory associates. Small inclusions of white birch/aspen type. True spectrum of spruce size/age classes. Section 31.														
558	R6	S1	6	39	7	130	50	red pine	nonstocked	N		30-39 years	0	
comnts Fmd : White birch is overstory associate. Submerchantable jack pine stems. Patches of pure J6. Section 18.														
559	S5	S2	3	85	6	50	40	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Section 31.														
560	D0	D0	13			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 18.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
561	S 5	S 2	18	59	5	50	30	black spruce-swamp	nonstocked	N		40-49 years	0	
comnts Fmd : Section 18.														
562	D 0	D 0	3			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Section 13.														
563	N 0	N 0	198			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Sections 15 and 22.														
564	W 6	F 2	25	118	9	90	50	white pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
State law or policy (identify in comments)														
Road needed (resources not presently available)														
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Dawson creek. Nice cedar and white pine saplings. Bigtooth aspen is overstory associate. Section 24.														
565	S 5	S 2	1	85	6	50	40	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Section 31.														
566	N 0	N 0	7			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Section 31.														
567	S 5	S 2	1	85	6	50	40	black spruce-swamp	immature	N		30-39 years	0	
comnts Fmd : Section 31.														
568	S 5	S 2	1	83	5	40	41	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : Remote marsh "island". Section 30.														
569	N 0	N 0	2			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of Little Dawson creek. Sections 19 and 20.														
570	L 0	L 0	48			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Riparian zone along Dawson creek and Little Dawson creek. Sections 19 and 30.														
571	W 6	S 2	9	92	10	90	48	white pine	nonstocked	N		not scheduled	0	
comnts Fmd : Tamarack poles present. Sections 19 and 30.														
572	S 4	S 2	1	83	5	30	41	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : HCVA = Two Hearted River - Natural River Zone. Stand near Dawson creek. Section 19.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
573	A2	F 1	5	19	2	0	38	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Site transitions to wetland to south. Section 19.														
574	W4	A 1	1	92	10	40	51	white pine	immature	N		40-49 years	0	
comnts Fmd : "Island". Section 14.														
700	Q6	Q 2	1	111	10	70	36	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments)														
comnts Fmd : Luce County Lease. Section 11. HCVA = Two Hearted River - Natural River Zone. West Branch of Two Hearted River forms west boundary. Stand transitions into a lowland type next to river.														
701	W6	S 2	1	83	10	100	41	white pine	immature	N		not scheduled	0	
comnts Fmd : Luce County Lease. Small marsh "island". Section 15.														
702	N0	N 0	4			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Section 15.														
703	S4	S 1	20	111	6	20	35	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Luce County Lease. Small "Island" inclusions of S5/S6 within stand. Sections 14,15,22 and 23.														
704	W4	A 2	38	92	10	40	51	white pine	immature	N		40-49 years	0	
comnts Fmd : Luce County Lease. CCI Road/snowmobile trail run along NW edge of stand. Trembling aspen, red maple, hemlock, white birch, fir and red pine are overstory associates. A2 is 2" Dbh. Sections 10,11 and 15.														
705	S5	S 2	4	85	6	40	35	black spruce-swamp	immature	N		20-29 years	0	
comnts Fmd : Luce County Lease. Section 15.														
707	M5	M 2	25		8	60	46	northern hardwood	nonstocked	N		30-39 years	0	
comnts Fmd : Luce County Lease. CCI Road/snowmobile trail runs through stand. Stand has a fair amount of scattered hemlock groves. White birch, yellow birch, fir and sugar birch are overstory associates. Sections 10 and 11.														
708	W9	A 2	18	111	14	70	35	white pine	old growth (potential or actual)	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Easement/lease/long-term agreement (non-military)														
comnts Fmd : Luce County Lease. HCVA = Two Hearted River - Natural River Zone. Stand within influence zone of West Branch of Two Hearted River. Areas within stand recently cut by county. Black spruce and cedar are overstory associates. Section 11.														
709	Q6	H 2	4	85	10	120	41	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Luce County Lease. HCVA = Two Hearted River - Natural River Zone. Stand near West Branch of Two Hearted River. Section 11.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Cr es	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
710	D 0	D 0	3			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Section 11.														
711	M 5	M 2	60		8	60	46	northern hardwood	nonstocked	N		30-39 years	0	
comnts Fmd : Luce County Lease. CCI Road/snowmobile trail pass through stand in two places. Stand has a fair amount of scattered hemlock groves. White birch, yellow birch, fir and sugar birch are overstory associates. Section 11.														
712	N 0	N 0	4			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Section 11.														
713	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Section 11.														
714	N 0	N 0	26			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Area adjacent to Johns Lake. Section 11.														
715	Z 0	Z 0	22			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Johns Lake. Section 11.														
716	W 9	F 2	19	92	14	70	55	white pine	immature	N		10-19 years	0	
comnts Fmd : Luce County Lease. Stand was thinned approximately 30 years ago. Section 11.														
717	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Area adjacent to Johns Lake. Section 11.														
718	N 0	N 0	5			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Section 11.														
719	W 6	F 1	18	92	11	100	47	white pine	immature	N		10-19 years	0	
comnts Fmd : Luce County Lease. Sections 11 and 12. Stand thinned approximately 30 years ago. Johns Lake along east side of stand.														
720	W 9	F 1	16	92	14	90	61	white pine	immature	N		not scheduled	0	
comnts Fmd : Luce County Lease. Stand very inaccessible as it lies between forks of Johns Creek.														
721	M 5	M 2	2		8	60	46	northern hardwood	nonstocked	N		30-39 years	0	
comnts Fmd : Luce County Lease. Stand has a fair amount of scattered hemlock groves. White birch, yellow birch, fir and sugar birch are overstory associates. Section 12.														
722	L 0	L 0	3			0	0	25	lowland brush	nonstocked	N		not scheduled	0
comnts Fmd : Luce County Lease. Branch of Johns creek flows through stand. Section 12.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
723	W9	F 2	6	110	18	80	55	white pine	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Scenic values/visual values</p> <p>comnts Fmd : Luce County Lease. Burma Road/snowmobile trail along south boundary of this stand. Cedar, fir, hemlock, black spruce and white birch are overstory associates. Cedar, hemlock and white pine saplings present. Dense midstory (12ft to 30ft tall) of soft maple, beech, white birch and black spruce. Section 15.</p>														
724	R9	F 2	7	110	18	170	55	red pine	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values Inadequate volume due to small acreage</p> <p>comnts Fmd : Luce County Lease. Black spruce, hemlock and cedar are overstory components. The Burma road (CCI road)/snowmobile trail extends along north boundary of this stand. Conduct overstory treatment when stand 164 is treated. Section 15.</p>														
725	W4	A 2	2	92	10	40	51	white pine	immature	N		40-49 years	0	
<p>comnts Fmd : Luce County Lease. Section 15. "Island".</p>														
726	S5	S 1	3		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Luce County Lease. Sections 10 and 11.</p>														
727	H6	M 1	16		8	90	50	hemlock	immature	N		30-39 years	0	
<p>comnts Fmd : Luce County Lease. CCI Road/snowmobile trail pass through stand. Section 10.</p>														
728	S5	S 1	5		6	50	35	black spruce-swamp	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Luce County Lease. Section 11.</p>														
729	D0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Luce County Lease. Section 11.</p>														
730	M5	M 2	10		8	60	46	northern hardwood	nonstocked	N		30-39 years	0	
<p>comnts Fmd : Luce County Lease. CCI Road/snowmobile extend through stand. Stand has a fair amount of scattered hemlock groves. White birch, yellow birch, fir and sugar birch are overstory associates. Section 11.</p>														
731	W9	F 2	4	92	14	70	55	white pine	immature	N		10-19 years	0	
<p>comnts Fmd : Luce County Lease. Section 11.</p>														
732	W9	F 2	1	92	14	70	55	white pine	immature	N		not scheduled	0	
<p>comnts Fmd : Luce County Lease. "Island". Section 11. Stand borders Johns Lake to south.</p>														
733	N0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Luce County Lease. Section 11.</p>														
734	N0	N 0	5			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Luce County Lease. Johns Lake along west edge of stand. Section 12.</p>														

NEWBERRY FOREST MGT UNIT

Stand Level Information

Compartment: 22

Entry Year: 2011

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
735	M 6	M 2	30		7	70	46	northern hardwood	nonstocked	N		30-39 years	0	
comnts Fmd : Luce County Lease. CCI Road/snowmobile trail pass through stand. Fir, hemlock, white birch and yellow birch overstory associates. CCI Road/snowmobile trail bisect stand. Sections 10 and 15.														
736	N 0	N 0	5					marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Luce County Lease. Johns Creek flows through stand. Johns Lake adjacent to stand. Section 12.														
737	W 9	F 1	3	92	14	90	61	white pine	immature	N		not scheduled	0	
comnts Fmd : Luce County Lease. Johns Creek and Johns Lake adjacent to stand. Very remote stand. Section 12.														
739	W 9	F 1	14	92	14	90	61	white pine	immature	N		20-29 years	0	
comnts Fmd : Luce County Lease. Stand was thinned approximately 30 years ago. A lot of logging damage to the residual trees, especially on the south end of stand. Johns Creek along east edge of stand. Section 12.														
740	H 6	H 1	26		10	140	46	hemlock	nonstocked	N		30-39 years	0	
comnts Fmd : Luce County Lease. CCI Road/snowmobile extend through stand. Beech is overstory associate. Areas with M2 regeneration. Section 11.														
741	W 9	F 1	1	92	14	90	61	white pine	immature	N		not scheduled	0	
comnts Fmd : Luce County Lease. "Island". Stand adjacent to Johns creek. Section 12.														
760	W 4	A 1	1	92	10	40	51	white pine	immature	N		40-49 years	0	
comnts Fmd : Luce County Lease lands. "Island". Section 14.														
Total Acres.....			8426											