

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 61

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
2	A 6	M 1	4	47		90	50	aspen (upland)	immature	N		10-19 years	0	
3	C 6	F 2	8	71	7	90	40	cedar	immature	N		30-39 years	0	
4	O 9	W 1	5	76	12	80	50	oak	mature	N		20-29 years	0	
5	F 4	F 1	6	51	5	30	35	spruce-fir (uplands-including upland black spruce)	high risk	N		50-59 years	0	
6	A 6	W 1	7	47	8	80	50	aspen (upland)	immature	N		10-19 years	0	
7	J 6	W 1	43	49	7	80	48	jack pine	immature	N		10-19 years	0	
8	L 0	L 0	17			0		lowland brush	nonstocked	N		not scheduled	0	
9	R 7	W 2	21	74	12	30	50	red pine	two aged	N		50-59 years	0	
10	J 6	O 1	17	49	8	70	45	jack pine	immature	N		10-19 years	0	
11	J 6	O 1	44	49	8	70	45	jack pine	immature	N		10-19 years	0	
12	L 0	L 0	4			0		lowland brush	nonstocked	N		not scheduled	0	
13	J 6	O 1	49	77	8	110	45	jack pine	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Leave Oak. Although jack pine is the objective, any mix of pine, red maple and aspen will be acceptable.														
14	L 0	L 0	23			0	0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : GOOD LOCATION FOR WOOD DUCK BOXES														

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 61

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	Q 5	F 1	4	64	6	60	45	mixed swamp conifer	low quality	N		30-39 years	0	
16	J 5	W 1	28	42	7	60	50	jack pine	immature	N		20-29 years	0	
17	Q 5	F 2	15	71	8	60	50	mixed swamp conifer	immature	N		30-39 years	0	
18	J 4	W 1	40	56	7	40	40	jack pine	immature	N		20-29 years	0	
19	S 5	F 2	37	56	6	40	40	black spruce-swamp	immature	N		40-49 years	0	
comnts Fmd : GOOD LOCATION FOR WOOD DUCK BOXES														
20	Q 6	F 2	11	76	8	80	45	mixed swamp conifer	immature	N		not scheduled	0	
21	L 0	L 0	12			0		lowland brush	nonstocked	N		not scheduled	0	
22	R 9	M 2	18	69	14	120	55	red pine	mature	N	seed tree	within 0-9 years	1	
comnts Fmd : Mark some Oak. Although red pine is the objective, any mix of pine, red maple and aspen will be acceptable.														
23	A 3	A 3	39	17	2	20	55	aspen (upland)	immature	N		30-39 years	0	
24	A 5	M 1	20	32	7	50	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : ORV trail runs through stand.														
25	Q 6	F 1	3	66	8	70	50	mixed swamp conifer	immature	N		20-29 years	0	
26	R 8	A 2	23	71	16	40	55	red pine	two aged	N		20-29 years	0	
27	U 0	U 0	1			0	55	upland brush	nonstocked	N		not scheduled	0	
28	S 6	F 1	17	70	8	90	50	black spruce-swamp	high risk	N		20-29 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
29	J 4	F 1	4	49	7	30	50	jack pine	immature	N		40-49 years	0	
30	R 9	S 1	2	71	16	140	55	red pine	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
31	L 0	L 0	12			0	50	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Flooded part of stand 28 with lots of dead timber.														
32	Z 0	Z 0	2			0		water	nonstocked	N		not scheduled	0	
33	S 6	F 1	50	70	8	90	50	black spruce-swamp	high risk	N		20-29 years	0	
34	R 9	O 1	75	49	12	100	55	red pine	immature	N		10-19 years	0	
35	J 5	O 1	79	56	8	50	40	jack pine	immature	N		20-29 years	0	
36	R 9	O 1	7	69	14	130	55	red pine	mature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Regeneration consisting of mixed pine, aspen and red maple would be satisfactory, but red pine would be preferred. Scarification of the soil should encourage the jack and red pine.														
37	R 6	O 1	24	69	9	100	50	red pine	mature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : See remarks from stand 36.														
38	J 6	O 1	14	49	7	90	48	jack pine	mature	N		10-19 years	0	
39	A 6	M 1	36	55	9	120	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave Oak														
40	R 6	X 0	29	40	6	130	45	red pine	immature	N		10-19 years	0	
41	A 3	A 3	16	13	2	0	55	aspen (upland)	immature	N		40-49 years	0	

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 61

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
42	J 6	M 2	4	49	8	100	55	jack pine	mature	N	final harvest	within 0-9 years	1	
43	W 6	M 1	14	29	7	90	45	white pine	immature	N		30-39 years	0	
44	R 9	O 1	81	69	14	110	55	red pine	mature	N	seed tree	within 0-9 years	1	
comnts Fmd : Scarification during normal logging operations should encourage red pine regeneration, but a mix of pine, aspen and hardwood would be satisfactory.														
45	R 8	A 2	36	69	14	60	55	red pine	two aged	N	seed tree	within 0-9 years	1	
comnts Fmd : Stand had aspen and hardwood cut in 1998. South half is heavy to pine and is really an extension of stand 44, so will cut with std. 44. See also stand 44 comments.														
46	S 6	F 1	67	74	8	100	50	black spruce-swamp	immature	N		20-29 years	0	
47	J 4	A 1	15	29	6	30	45	jack pine	sparse	N		30-39 years	0	
48	A 2	A 2	32	29	3	0	55	aspen (upland)	immature	N		30-39 years	0	
49	J 5	F 1	16	49	8	60	50	jack pine	immature	N		10-19 years	0	
50	S 6	F 1	12	74	8	90	50	black spruce-swamp	immature	N		20-29 years	0	
51	A 6	M 1	54	63	8	110	49	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
52	A 3	A 3	31	13	2	0	55	aspen (upland)	immature	N		40-49 years	0	
53	A 3	A 3	41	8		0	55	aspen (upland)	immature	N		50-59 years	0	
54	O 8	O 1	10	71	14	40	50	oak	mature	N		not scheduled	0	
55	A 6	M 1	42	63	8	110	49	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	

comnts Fmd : Leave Oak

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 61

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
56	O 8	A 2	36	17	12	60	55	oak	two aged	N		40-49 years	0	
57	A 3	A 3	20	8		20	55	aspen (upland)	immature	N		30-39 years	0	
58	O 6	M 1	29	63	9	100	52	oak	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Remove Oak from heavier Aspen areas and thin some Oak from the heavier Oak areas.														
59	R 8	A 2	6	71	12	40	55	red pine	immature	N		40-49 years	0	
comnts Fmd : Part of a sale with stands 39 & 60 cut in 1993 that had heavier pine residual.														
60	J 2	J 2	4	13		0	50	jack pine	immature	N		50-59 years	0	
61	A 3	A 3	43	13		10	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Oak and some Pine residual left from last cut.														
62	A 6	M 1	44	71	9	130	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Do not cut Oak.														
63	J 6	O 1	93	49	6	90	50	jack pine	immature	N		10-19 years	0	
64	A 6	M 2	40	74	9	70	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
65	L 0	L 0	61			0		lowland brush	nonstocked	N		not scheduled	0	
66	J 5	J 1	142	40	6	60	50	jack pine	immature	N		10-19 years	0	
67	W 9	M 1	17	78	16	120	60	white pine	mature	N		10-19 years	0	
comnts Fmd : CLEAR CUT IN 2003 LEAVE OAK														
68	Q 6	F 1	33	65	8	100	50	mixed swamp conifer	immature	N		30-39 years	0	
69	A 3	A 3	40	27	2	0	60	aspen (upland)	immature	N		30-39 years	0	

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 61

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
70	O 8	A 1	15	77	12	50	50	oak	two aged	N		40-49 years	0	
71	J 4	J 1	59	27	6	10	45	jack pine	immature	N		50-59 years	0	
comnts Fmd : Scattered Jack Pine with Cherry														
72	J 6	O 1	24	56	8	90	50	jack pine	immature	N		10-19 years	0	
73	R 9	O 2	53	69	14	160	60	red pine	mature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Although red pine is the objective, any mix of pine, red maple and aspen will be acceptable.														
74	J 5	O 2	25	71	9	60	50	jack pine	high risk	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave Oak Although jack pine is the objective, any mix of pine, red maple and aspen will be acceptable.														
75	L 0	L 0	7				0	lowland brush	nonstocked	N		not scheduled	0	
76	J 5	W 1	14	49	8	60	45	jack pine	immature	N		10-19 years	0	
comnts Fmd : Narrow strip of pine along creek bottom. Good wildlife cover.														
77	A 6	M 1	76	63	9	110	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave Oak. Submit to Advisory Council for input.														
78	O 6	M 1	35	63	9	90	50	oak	immature	N		20-29 years	0	
79	A 6	M 1	34	63	8	100	55	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
400	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Old oil well site														
401	G 0	G 0	3		0	0		grass	nonstocked	N		not scheduled	0	
402	G 0	G 0	4		0	0		grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	2		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Old oil well site.														

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 61

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
404	G 0	G 0	2		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Old oil well site.														
405	G 0	G 0	2		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Old oil well site.														
406	G 0	G 0	11		0	0		grass	nonstocked	N		not scheduled	0	
407	G 0	G 0	12		0	0		grass	nonstocked	N		not scheduled	0	
408	G 0	G 0	5		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : W 1/2 is natural opening. E 1/2 is an old oil well site.														
409	G 0	G 0	6		0	0		grass	nonstocked	N		not scheduled	0	
410	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Old oil well site.														
411	G 0	G 0	5		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife created this opening in late 60's or early 70's.														
412	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Old oil well site.														
413	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 2334