

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|------|-----|-----------|---------------------|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | D | B | | | | | | | | |
| 1 | B 6 | F 2 | 7 | 67 | 9 | 100 | 50 | paper birch | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments) comnts Fmd : Adjacent to deer yard and heavily used as a wildlife travel corridor. | | | | | | | | | | | | | | |
| 2 | C 6 | X 0 | 17 | 87 | 8 | 110 | 45 | cedar | immature | N | | 10-19 years | 0 | |
| 3 | B 3 | B 3 | 4 | 15 | | 0 | 50 | paper birch | immature | N | | 60-69 years | 0 | |
| 4 | B 6 | F 2 | 8 | 67 | 9 | 100 | 50 | paper birch | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments) comnts Fmd : Adjacent to deer yard and heavily used as wildlife travel corridor. | | | | | | | | | | | | | | |
| 5 | A 3 | A 3 | 24 | 18 | 0 | 0 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Some scattered Oak | | | | | | | | | | | | | | |
| 6 | N 0 | N 0 | 1 | | | 0 | | marsh | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Small seasonal pond | | | | | | | | | | | | | | |
| 7 | A 5 | W 1 | 85 | 30 | 7 | 40 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 8 | B 6 | F 1 | 4 | 72 | 9 | 70 | 50 | paper birch | mature | Y | | 20-29 years | 0 | |
| <u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| 9 | Q 5 | F 1 | 12 | 91 | 7 | 60 | 50 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Water quality/bmps | | | | | | | | | | | | | | |
| 10 | A 6 | W 1 | 15 | 42 | 9 | 90 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| 11 | C 6 | X 0 | 3 | 87 | 8 | 180 | 45 | cedar | immature | N | | not scheduled | 0 | |
| 12 | A 6 | W 1 | 16 | 42 | 8 | 80 | 55 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| 13 | R 9 | F 1 | 1 | 89 | 16 | 170 | 55 | red pine | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|----------|---------|-----------|---|------------|---------------------|------------|---------------|------------------|---------------|
| 14 | C 6 | F 1 | 2 | 87 | 8 | 250 | 45 | cedar | immature | N | | 10-19 years | 0 | |
| 15 | A 3 | A 3 | 26 | 13 | | 0 | 55 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| 16 | J 6 | M 1 | 3 | 47 | 8 | 70 | 50 | jack pine | immature | N | | not scheduled | 0 | |
| comnts Fmd : Narrow stand along lake edge left as buffer | | | | | | | | | | | | | | |
| 17 | Z 0 | Z 0 | 4 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 18 | A 6 | W 1 | 10 | 48 | 9 | 90 | 60 | aspen (upland) | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity | | | | | | | | | | | | | | |
| comnts Fmd : Stand extends into Comp 61. Delay treatment to treat with the rest of the stand. | | | | | | | | | | | | | | |
| 19 | X 0 | X 0 | 10 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Oil pumping facility | | | | | | | | | | | | | | |
| 20 | A 3 | A 3 | 58 | 8 | | 30 | 55 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Pine and Oak are residuals left from cutting | | | | | | | | | | | | | | |
| 21 | X 0 | X 0 | 2 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Active oil well site | | | | | | | | | | | | | | |
| 22 | J 9 | M 2 | 11 | 89 | 14 | 70 | 50 | jack pine | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Inferior quality Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| 23 | N 0 | N 0 | 1 | | | 0 | | marsh | nonstocked | N | | not scheduled | 0 | |
| 24 | N 0 | N 0 | 2 | | | 0 | | marsh | nonstocked | N | | not scheduled | 0 | |
| 25 | A 4 | A 2 | 6 | 30 | 5 | 30 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 26 | C 6 | F 1 | 3 | 67 | 8 | 80 | 45 | cedar | immature | N | | not scheduled | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|-------|---------|-----------|--------------------|------------|---------------------|------------------|------------------|------------------|---------------|
| | | | | | D B H | Tot. BA | | | | | | | | |
| 27 | R 9 | W 1 | 46 | 89 | 15 | 120 | 55 | red pine | mature | Y | shelterwood-seed | within 0-9 years | 1 | |
| 28 | R 7 | A 2 | 12 | 8 | 12 | 30 | 60 | red pine | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Stand was cut in 1999 with Pine residual | | | | | | | | | | | | | | |
| 29 | C 6 | F 1 | 4 | 67 | 8 | 110 | 45 | cedar | immature | N | | 20-29 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 30 | A 3 | A 3 | 6 | 9 | | 0 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| 31 | O 9 | W 1 | 56 | 72 | 14 | 90 | 55 | oak | mature | N | | 10-19 years | 0 | |
| 32 | A 3 | A 3 | 33 | 13 | | 0 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| 33 | A 6 | M 1 | 6 | 65 | 9 | 170 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Leave only Oak. | | | | | | | | | | | | | | |
| 34 | S 2 | S 2 | 9 | 22 | 3 | 0 | 50 | black spruce-swamp | immature | N | | 60-69 years | 0 | |
| 35 | U 0 | U 0 | 1 | | | 0 | 50 | upland brush | nonstocked | N | | not scheduled | 0 | |
| 36 | O 9 | M 2 | 36 | 72 | 14 | 70 | 60 | oak | two aged | N | | 10-19 years | 0 | |
| comnts Fmd : Stand was cut in 1994 and had everything but Oak cut | | | | | | | | | | | | | | |
| 37 | A 6 | F 2 | 15 | 65 | 8 | 120 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Clearcut with reserves. Leave Oak | | | | | | | | | | | | | | |
| 38 | A 5 | A 2 | 87 | 42 | 7 | 40 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 39 | J 5 | J 1 | 14 | 42 | 7 | 50 | 45 | jack pine | immature | N | | 20-29 years | 0 | |
| 40 | C 6 | Q 2 | 111 | 72 | 7 | 100 | 40 | cedar | immature | N | | 20-29 years | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|-----------|-----|------|---------|-----------|---|------------|---------------------|------------------|------------------|------------------|---------------|
| | | | | | D B | Tot. BA | | | | | | | | |
| 41 | A 5 | M 1 | 10 | 42 | 7 | 40 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 42 | J 5 | W 1 | 17 | 42 | 7 | 60 | 50 | jack pine | immature | N | | 20-29 years | 0 | |
| 43 | X 0 | X 0 | 1 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : New Antrim gas well site | | | | | | | | | | | | | | |
| 44 | Q 6 | S 1 | 30 | 79 | 7 | 90 | 45 | mixed swamp conifer | immature | Y | | 20-29 years | 0 | |
| Treatment Limiting Factors: Inferior quality | | | | | | | | | | | | | | |
| comnts Fmd : Poor quality swamp | | | | | | | | | | | | | | |
| 45 | A 6 | W 1 | 37 | 42 | 7 | 70 | 55 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| 46 | R 6 | X 0 | 8 | 46 | 9 | 170 | 50 | red pine | immature | N | thinning | within 0-9 years | 1 | |
| 47 | R 9 | F 1 | 26 | 87 | 17 | 150 | 60 | red pine | mature | Y | shelterwood-seed | within 0-9 years | 1 | |
| 48 | R 3 | R 3 | 2 | 13 | | 0 | 65 | red pine | immature | N | | 60-69 years | 0 | |
| 49 | N 0 | N 0 | 1 | | | 0 | | marsh | nonstocked | N | | not scheduled | 0 | |
| 50 | A 6 | W 1 | 34 | 67 | 10 | 90 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Clearcut with reserves. Leave Oak and mark some Pine in the heavy pockets for visual consideration. | | | | | | | | | | | | | | |
| 51 | R 6 | X 0 | 2 | 46 | 8 | 170 | 60 | red pine | immature | N | thinning | within 0-9 years | 1 | |
| comnts Fmd : Third row thinning | | | | | | | | | | | | | | |
| 52 | A 3 | A 3 | 6 | 7 | | 0 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 53 | A 3 | A 3 | 49 | 26 | 3 | 0 | 65 | aspen (upland) | immature | N | | 30-39 years | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|----------|---------|-----------|---|-------------|---------------------|---------------|------------------|------------------|---------------|
| 54 | C 5 | E 1 | 4 | 72 | 7 | 60 | 40 | cedar | low quality | N | | not scheduled | 0 | |
| comnts Fmd : Stand was thinned in 1999 | | | | | | | | | | | | | | |
| 56 | A 3 | A 3 | 35 | 5 | | 0 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Some Oak residual left after cut. | | | | | | | | | | | | | | |
| 57 | R 6 | U 0 | 3 | 40 | 9 | 110 | 60 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Stand was thinned in 1999. | | | | | | | | | | | | | | |
| 58 | R 6 | M 1 | 60 | 46 | 8 | 180 | 50 | red pine | immature | Y | thinning | within 0-9 years | 1 | |
| 59 | A 6 | W 1 | 28 | 42 | 7 | 80 | 55 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| 60 | A 3 | A 3 | 10 | 18 | | 20 | 55 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 61 | A 5 | M 1 | 9 | 33 | 7 | 50 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 62 | A 3 | A 3 | 30 | 19 | | 20 | 55 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| 63 | X 0 | X 0 | 2 | | 0 | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Active oil well site | | | | | | | | | | | | | | |
| 64 | M 6 | M 1 | 46 | | 10 | 120 | 60 | northern hardwood | unevenaged | Y | selection | within 0-9 years | 1 | |
| 65 | A 9 | W 1 | 25 | 64 | 12 | 130 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Clearcut with reserves. Leave Oak and large Pine and some uncut islands for visual consideration. | | | | | | | | | | | | | | |
| 66 | A 6 | W 1 | 20 | 47 | 8 | 80 | 65 | aspen (upland) | mature | N | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Other special wildlife habitat consideration (desc. In comments) | | | | | | | | | | | | | | |
| comnts Fmd : To get under the 40 acre limit, I broke this stand away form stand 67 | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|--------|---------|-----------|---|------------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 67 | A 6 | M 1 | 28 | 47 | 9 | 70 | 60 | aspen (upland) | mature | N | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Clearcut with reserves | | | | | | | | | | | | | | |
| 68 | A 2 | A 2 | 18 | 17 | 0 | 0 | 65 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| 69 | A 3 | A 3 | 13 | 17 | 0 | 0 | 65 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| 70 | A 3 | A 3 | 31 | 26 | | 0 | 65 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| 71 | U 0 | U 0 | 21 | | 0 | 0 | 60 | upland brush | nonstocked | N | | not scheduled | 0 | |
| 72 | A 6 | W 1 | 8 | 47 | 9 | 130 | 60 | aspen (upland) | mature | N | final harvest | within 0-9 years | 1 | |
| 73 | A 3 | A 3 | 5 | 6 | 0 | 0 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 74 | R 6 | A 2 | 128 | 70 | 10 | 70 | 55 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Stand had all but Red Pine and Oak cut in 2000-01. | | | | | | | | | | | | | | |
| 75 | A 3 | A 3 | 5 | 29 | 4 | 30 | 65 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 76 | X 0 | X 0 | 2 | | 0 | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Active oil well site. | | | | | | | | | | | | | | |
| 77 | A 3 | A 3 | 11 | 6 | 0 | 20 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 78 | X 0 | X 0 | 1 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Active well site | | | | | | | | | | | | | | |
| 79 | O 6 | W 1 | 5 | 72 | 9 | 90 | 60 | oak | immature | N | | not scheduled | 0 | |
| comnts Fmd : Bood mix representative species. Leave for retention | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|--------|---------|-----------|----------------|------------|---------------------|------------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 80 | A 3 | A 3 | 3 | 6 | | 10 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 81 | O 9 | M 2 | 45 | 72 | 12 | 70 | 57 | oak | two aged | N | | 30-39 years | 0 | |
| comnts Fmd : Stand had all but Oak cut in 1990. | | | | | | | | | | | | | | |
| 82 | A 3 | A 3 | 35 | 25 | 3 | 0 | 65 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 83 | U 0 | U 0 | 14 | | | 0 | 60 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Some scattered Oak | | | | | | | | | | | | | | |
| 84 | O 8 | A 2 | 47 | 72 | 12 | 50 | 60 | oak | two aged | N | | 30-39 years | 0 | |
| 85 | R 9 | M 1 | 20 | 72 | 16 | 110 | 60 | red pine | mature | N | shelterwood-seed | within 0-9 years | 1 | |
| 86 | A 6 | W 1 | 35 | | 8 | 80 | 50 | aspen (upland) | unevenaged | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Leave 10 sq. ft. of pine retention. | | | | | | | | | | | | | | |
| 87 | J 6 | M 2 | 5 | 52 | 8 | 80 | 50 | jack pine | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Other special wildlife habitat consideration (desc. In comments) | | | | | | | | | | | | | | |
| comnts Fmd : Small isolated pocket of Jack Pine. Leave for retention. | | | | | | | | | | | | | | |
| 88 | R 9 | M 2 | 3 | 127 | 18 | 90 | 52 | red pine | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Other special wildlife habitat consideration (desc. In comments) | | | | | | | | | | | | | | |
| comnts Fmd : Small pocket of Red Pine. Leave for retention. | | | | | | | | | | | | | | |
| 89 | A 3 | A 3 | 27 | 25 | 3 | 0 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 90 | O 5 | W 1 | 27 | 72 | 10 | 60 | 60 | oak | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Cut in 1990. Left all the Oak and Pine. Regeneration has been heavily browsed. | | | | | | | | | | | | | | |
| 91 | R 9 | M 1 | 27 | 70 | 14 | 110 | 55 | red pine | mature | N | shelterwood-seed | within 0-9 years | 1 | |
| comnts Fmd : Hit upper arm harder to encourage mix stand. Take BA to 30 sq. Ft. | | | | | | | | | | | | | | |
| 92 | A 4 | A 2 | 7 | 35 | 6 | 30 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acres | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|-------|-----|----------|---------|-----------|----------------|------------|---------------------|------------|------------------|------------------|---------------|
| 93 | J 5 | M 1 | 3 | 41 | 8 | 40 | 45 | jack pine | immature | N | | 20-29 years | 0 | |
| 94 | A 3 | A 3 | 48 | 25 | 3 | 0 | 64 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| 95 | R 8 | W 1 | 8 | | 12 | 60 | 60 | red pine | unevenaged | N | | 10-19 years | 0 | |
| 96 | J 6 | O 1 | 33 | 55 | 8 | 90 | 45 | jack pine | immature | N | | 10-19 years | 0 | |
| 97 | J 5 | W 2 | 41 | | 10 | 60 | 50 | jack pine | unevenaged | N | | 20-29 years | 0 | |
| 98 | A 3 | A 3 | 16 | 7 | | 10 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 99 | A 5 | A 2 | 12 | 37 | 6 | 50 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| 100 | C 6 | Q 2 | 11 | 97 | 7 | 130 | 35 | cedar | mature | N | | not scheduled | 0 | |
| comnts Fmd : Narrow swamp with creek flowing through. | | | | | | | | | | | | | | |
| 400 | G 0 | G 0 | 3 | | | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | planting |
| comnts Fmd : Old oil well site. Restoration to reforested state. | | | | | | | | | | | | | | |
| 401 | G 0 | G 0 | 2 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Old oil well site with part of the pipeling running through it. | | | | | | | | | | | | | | |
| 402 | G 0 | G 0 | 4 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| 403 | G 0 | G 0 | 2 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Old oil well site filling in around the edges with thick pine regeneration. | | | | | | | | | | | | | | |
| 404 | G 0 | G 0 | 3 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Natural opening | | | | | | | | | | | | | | |
| 405 | G 0 | G 0 | 2 | | | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | planting |
| comnts Fmd : Old oil facility. Restoration to reforested state. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-------|-----|----------|---------|-----------|---------|------------|---------------------|------------|------------------|------------------|---------------|
| 406 | G 0 | G 0 | 2 | | | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | planting |
| comnts Fmd : Old oil well site. Restoration to reforested state. | | | | | | | | | | | | | | |
| 407 | G 0 | G 0 | 8 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Open area just north of oil pumping facility with pipeline running under it. | | | | | | | | | | | | | | |
| 408 | G 0 | G 0 | 2 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Open area south of facility | | | | | | | | | | | | | | |
| 409 | G 0 | G 0 | 6 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Antrim gas well in the north end of the opening. | | | | | | | | | | | | | | |
| 410 | G 0 | G 0 | 3 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Old oil well site | | | | | | | | | | | | | | |
| 411 | G 0 | G 0 | 2 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Natural opening | | | | | | | | | | | | | | |
| 412 | G 0 | G 0 | 12 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Natural opening filling in with trees. | | | | | | | | | | | | | | |
| 413 | G 0 | G 0 | 5 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Natural opening | | | | | | | | | | | | | | |
| Total Acres..... 2069 | | | | | | | | | | | | | | |