

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	M 2	G 0	5	16	0	0	60	northern hardwood	immature	N		40-49 years	0	
comnts Fmd : 2007 THIS STAND HAS BEEN BROWSED. IT VARIES FROM PATCHES OF A3 TO U TPYE. SOME RED MAPLE TOO														
2	R 8	M 1	1	81	11	70	60	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
3	R 8	M 1	12	81	11	70	60	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments)														
comnts Fmd : 2007 THIS STAND IS IN THE INFLUENCE ZONE OF THE LITTLE PIGEON RIVER PART OF THE NATURAL RIVER SYSTEM.														
4	R 8	M 1	2	81	12	50	60	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
5	M 2	G 0	5	16	0	0	60	northern hardwood	immature	N		40-49 years	0	
comnts Fmd : 2007 THIS STAND HAS BEEN BROWSED. IT VARIES FROM PATCHES OF A3 TO U TPYE. SOME RED MAPLE TOO														
6	L 0	N 0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	
7	J 5	G 0	72	63	9	60	45	jack pine	sparse	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 THIS IS A VARIABLE STAND WITH A LOT OF POCKETS OF U. PROTECT HAWTHORN. LEAVE RED PINE AND ANY OAK FOR RETENTION. WOULD EXPECT JACK, RED, AND WHITE PINE AS WELL AS RED MAPLE, OAK AND ASPEN TO REGENERATE.														
8	W 8	W 2	5	129	10	50	65	white pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> State law or policy (identify in comments)														
comnts Fmd : 2007 THIS STAND BORDERS THE LITTLE PIGEON DO NOT CUT.														
9	A 2	U 0	12	16	2	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1997 STAND HAS WIDELY SCATTERED RESIDUAL OAK THROUGHOUT. 2007STAND HAS PATCHES OF A3THAT ARE COMING ALONG WELL, THERE ARE ALSO PATCHES OF U, A1, M1, A2, W1, R1 AND J1.														
10	A 6	M 1	11	31	7	80	60	aspen (upland)	immature	N		20-29 years	0	
11	O 9	U 1	5	96	14	80	50	oak	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : 2007 APPEARS NOT TO HAVE BEEN TREATED PREVIOUSLY. DO NOT TREAT														
12	A 2	U 0	23	31	2	20	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 1997 STAND HAS NEARLY 20 SQ. FT. OF RESIDUAL OAK. 2007 CALLED THIS STAND AN A2 STAND COULD CALL IT A M2 TOO, THERE IS LOTS OF VARIABLITY. OAK HAS PROBABLY SUPRESSED THE REGEN IN PLACES														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA	Site Indx							
13	A 5	M 1	79	31	5	50	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 1997 STAND HAS ABOUT 20 SQ. FT. OF RESIDUAL OAK. 2007 THE RED MAPLE UNDERSTORY HAS BEEN HEAVILY BROWSED.														
14	M 5	M 1	45	78	9	50	60	northern hardwood	low quality	N		not scheduled	0	
15	A 4	M 1	2	31	3	20	60	aspen (upland)	immature	N		30-39 years	0	
16	U 0	G 0	5		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2007 U TYPE WITHH J1, M1, AND SCATTERED RED MAPLE AND PINE.														
17	U 0	M 1	2		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2007 SOME J1 PRESENT														
18	J 5	M 1	8	72	9	50	55	jack pine	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 USED OLD DATA														
19	U 0	G 0	3	22	0	0	55	upland brush	immature	N		50-59 years	0	
comnts Fmd : 2007 STAND IS A U WITH J1 AND SOME OAK SAWLOGS IN IT.														
20	U 0	G 0	5		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2007 U TYPE WITH J1 AND M1 WITH A FEW OAK TREES.														
21	J 5	O 2	2	72	8	40	55	jack pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : 2007 THIS STAND HAS A LOT OF OAK SAPLINGS IN IT LET THE JACK PINE DIE OUT GRADUALLY.														
22	A 2	M 1	62	32	2	20	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 1997 STAND HAS OVER 20 SQ. FT. OF RESIDUAL OAK AND PINE. 2007 THE RED MAPLE IN THE STAND HAS BEEN HEAVILY BROWSED.														
23	J 5	M 2	2	72	8	50	55	jack pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : 2007 JACK PINE IS DYING. THERE ARE SOME OAK STEMS IN THE UNDERSTORY AS WELL														
24	J 4	M 2	11	72	9	30	55	jack pine	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 SOME OAK LESS THAN 10 BA. STAND IS VARIABLE, POCKETS OF M1 AND J1. LEAVE OAK AND ANY RED OR WHITE PINE FOR RETENTION. JACK, RED AND WHITE PINE AS WELL AS RED MAPLE ASPEN AND OAK WILL BE ACCEPTABLE AS REPRODUCTION FOR THIS STAND.														
25	U 0	G 0	3		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2007 There is a lot of small diameter cherry in his stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
26	O 8	M 1	19	96	14	50	50	oak	two aged	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity</p> <p>comnts Fmd : 1997 STAND WAS CUT IN 1975 LEAVING A HIGH RESIDUAL BA OF OAK OVERSTORY. 2007 the Red Maple understory is being heavily browsed.</p>														
27	A 6	M 1	13	32	5	90	60	aspen (upland)	immature	N		20-29 years	0	
28	J 4	G 0	32	32	5	20	55	jack pine	immature	N		40-49 years	0	
29	R 8	M 2	4	72	14	60	60	red pine	mature	N	seed tree	within 0-9 years	3	
<p>comnts Fmd : 2007 DO NOT CUT ANY OAK OR ASPEN IN THE STAND. RED, WHITE AND JACK PINE AS WELL AS ASPEN RED MAPLE AND OAK WOULD BE ACCEPTABLE FOR REPRODUCTION.</p>														
30	A 6	M 1	20	32	7	70	60	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : 2007 THERE ARE OCCASSIONAL OAK AND RED PINE SAWLOG TREES IN THE STAND.</p>														
31	A 6	A 1	4	32	4	70	60	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : 2007 STAND HAS WIDELY SCATTERED RESIDUAL PINE THROUGHOUT.</p>														
32	A 4	M 1	18	32	5	40	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : 1997 STAND HAS OVER 30 SQ. FT. OF RESIDUAL OAK AND RED PINE. 2007 There is also some red maple and jack pine in the stand.</p>														
33	O 7	M 1	6	32	12	40	60	oak	immature	N		30-39 years	0	
<p>comnts Fmd : STAND HAS OVER 20 SQ. FT. OF RESIDUAL OAK AND PINE.</p>														
34	J 4	U 1	11	32	3	10	50	jack pine	sparse	N		not scheduled	0	
<p>comnts Fmd : 2007 TYPED THIS STAND AS A J4 COULD BE TYPED AN U WITH PATCHES OF J4. THERE IS SOME CHERRY, BLUEBERRIES SWEET FERN AND BRACKEN AS WELL AS GRASS.</p>														
35	R 9	M 2	27	72	12	80	60	red pine	immature	N		not scheduled	0	
36	Z 0	Z 0	3		0	0		water	nonstocked	N		not scheduled	0	
37	W 7	W 1	2	129	14	40	65	white pine	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : 2007 A LOT OF BLOWDOWN OCCURRED IN THE STAND WHICH WAS SALVAGED. HORSE CAMP #9 IS IN THIS STAND.</p>														
38	W 4	W 1	2	129	9	30	65	white pine	mature	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
39	N 0	N 0	3		0	0		marsh	nonstocked	N		not scheduled	0	
40	A 3	A 1	2	10		0	46	aspen (upland)	immature	N		40-49 years	0	
41	A 5	A 1	11	32	6	40	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 2007 THERE ARE SCATTERED OAK AND RED PINE SCATTERED THRU OUT THE STAND.														
42	A 5	A 1	56	32	6	40	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 2007 THERE ARE SCATTERED OAK AND RED PINE SCATTERED THRU OUT THE STAND.														
43	O 6	W 1	22	97	9	80	50	oak	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007. LEAVE ANY WHITE PINE SAWLOG TREES. A MIXTURE OF SPECIES WILL BE ACCEPTABLE FOR REPRODUCING THE STAND, SUCH AS OAK, RED MAPLE, ASPEN, AND RED WHITE AND JACK PINE. THIS WILL BE A CLEARCUT WITH RESERVES. CUT ABOUT HALF OF THE OAK IN THIS STAND.														
44	A 5	A 1	30	38	8	60	60	aspen (upland)	two aged	N		30-39 years	0	
comnts Fmd : STAND WAS CUT IN 1969 LEAVING A HIGH RESIDUAL PINE OVERSTORY.														
45	A 5	W 1	16	97	8	60	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 LEAVE RED PINE AND ABOUT 10 TO 15 BA OF OAK FOR RETENTION AND VISUAL														
46	W 6	W 1	35	88	9	70	65	white pine	immature	N		not scheduled	0	
comnts Fmd : 1997 PICKEREL LAKE STATE FOREST CAMPGROUND. 2007 This stand consists of Pickerel Lake Campground and a buffer area around it.														
47	J 4	M 1	44	83	8	30	55	jack pine	two aged	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
48	A 4	M 1	28	26	4	20	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
49	J 5	J 1	7	85	8	40	55	jack pine	low quality	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 It was agreed to at the Pre-review that there would be no retention or residual for this stand.														
50	A 3	G 0	10	6	0	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : 2001 THIS STAND WAS CUT DURING THE WINTER OF 2000-2001 BY A HAND CREW. LEFT A LOT OF SMALL DIAMETER RESIDUAL. 2007 stand looks good but elk still actively browsing.														
51	Q 6	L 0	17	88	9	80	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : 2007 USED OLD DATA														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
52	R 9	W 1	7	88	14	70	65	red pine	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones Recreational site</p> <p>comnts Fmd : 2007 THE PICKEREL LAKE HIKING TRAIL GOES THRU THIS STAND.</p>														
53	J 2	U 0	28	26	0	0	55	jack pine	immature	N		40-49 years	0	
<p>comnts Fmd : 2007 THE BOUNDARIES OF THIS STAND MAY BE MORE EVIDENT DURING THE NEXT STAND EXAMINATION. THERE IS SOME A1 OR 2 MIXED IN.</p>														
54	A 4	A 3	19	26	3	20	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : 2007 THIS STAND IS MOVING INTO A POLE STAND.</p>														
55	J 5	O 2	13	85	9	50	55	jack pine	mature	Y		50-59 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : 2007 THERE IS VERY GOOD OAK SAPLING REPRODUCTION IN THIS STAND. SOME OF IT IS OVER 1 INCH IN DIA. AND 10 TO 15 FEET TALL. SHOULD LET THE JACK PINE CONTINUE TO DIE ON ITS OWN AND NOT DISTURB THE OAK REPRODUCTION.</p>														
56	O 9	M 1	6	96	12	80	50	oak	low quality	Y	selection	within 0-9 years	3	
<p>comnts Fmd : 2007 THERE ARE SOME SPOTS WITH PRETTY GOOD OAK SAPS THAT MIGHT BE ABLE TO BE RELEASED BY THINNING. LEAVE THE ASPEN IN THE STAND FOR WILDLIFE. THE QUALITY OF THE OAK IS NOT VERY GOOD.</p>														
57	J 2	U 0	4	26	0	0	55	jack pine	immature	N		40-49 years	0	
<p>comnts Fmd : 2007 THE BOUNDARIES OF THIS STAND MAY BE MORE EVIDENT DURING THE NEXT STAND EXAMINATION. THERE IS SOME A1 OR 2 MIXED IN.</p>														
58	A 2	M 1	25	15	2	10	60	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : 1997 STAND HAS 10 SQ. FT. OF SCATTERED RESIDUAL OAK. 2007 The Red Maple has and is being heavily browsed. The Aspen was probably hit pretty hard in the past.</p>														
59	A 3	M 1	1	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
<hr/>														
60	A 3	M 1	26	26	3	30	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : 2007 THIS STAND IS MOVING INTO A POLE STAND. THERE IS A PATCH OF SOLID J3 IN IT. (COULD HAVE BEEN A LANDING?)</p>														
61	A 2	G 0	32	15	0	0	60	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : 1997 STAND HAS OVER 20 SQ. FT. OF RESIDUAL RED PINE AND OAK. 2007 The hiking trail around Pickerel lake goes thru this stand.</p>														
62	N 0	N 0	14		0	0		marsh	nonstocked	N		not scheduled	0	
<hr/>														
63	W 6	W 1	6	96	9	70	50	white pine	mature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
64	O 6	W 1	12	96	10	70	50	oak	low quality	Y	thinning	within 0-9 years	3	
65	Q 6	L 0	14	88	9	130	65	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : 2007 USSED OLD DATA</p>														
66	J 4	W 1	6	85	9	40	55	jack pine	mature	Y	final harvest	within 0-9 years	3	
<p>comnts Fmd : 2007 LEAVE ANY OAK OR WHITE PINE THAT MIGHT BE IN THE STAND.</p>														
67	A 3	G 0	30	6	0	0	60	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : 2001 THIS STAND WAS CUT OVER TWO HARVEST PERIODS. THE EAST HALF WAS CUT IN THE WINTER OF 1999-2000 AND THE WEST HALF WAS FINISHED IN THE WINTER OF 2000-2001. THREE SMALL ISLANDS WERE MARKED TO LEAVE WITHIN THE SALE BOUNDARY. THE LARGEST OF THE ISLANDS WAS 8/10THS OF AN ACRE. NOT SURE IF THEY SHOULD BE TREATED AS SEPARATE STANDS NEXT TIME AROUND OR NOT.</p>														
68	A 6	W 1	12	73	9	120	65	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones Recreational site</p> <p>comnts Fmd : 2007 USED OLD DATA</p>														
69	Z 0	Z 0	45		0	0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : PICKEREL LAKE. THIS IS A DESIGNATED TROUT LAKE.</p>														
70	U 0	U 0	7		0	0		upland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : THIS IS THE SITE OF THE FORMER CCC CAMP VANDERBILT.</p>														
71	R 2	G 0	2	28	0	0	50	red pine	immature	N		not scheduled	0	
<p>comnts Fmd : THESE TREES WERE PLANTED FOR FUTURE USE IN CAMPGROUNDS.</p>														
72	A 6	W 1	14	73	10	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : 2007 APPEARS TO BE SOME KIND OF DRAINAGE IN STAND BY PICKEREL LAKE Rd. This would be a good place for retention. ITDOESN'T APPEAR TO BE AT ALL WET. LEAVE OAK.</p>														
73	W 9	W 1	25	73	10	70	50	white pine	two aged	N		20-29 years	0	
<p>comnts Fmd : 2007 A LOT OF JACK PINE HAS DIED.</p>														
74	O 8	O 1	5	97	12	60	50	oak	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
75	J 4	A 2	3	38	4	30	50	jack pine	immature	N		30-39 years	0	
<p>comnts Fmd : STAND HAS OVER 30 SQ. FT. OF RESIDUAL OAK AND JACK PINE.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
76	A 6	M 1	7	38	7	70	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : STAND HAS NEARLY 30 SQ. FT. OF RESIDUAL OAK.														
77	A 3	M 1	7	38	3	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : STAND HAS OVER 15 SQ. FT. OF RESIDUAL OAK AND PINE.														
78	A 6	W 1	48	68	10	80	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : 2007 LEAVE ISLANDS OF TREES OR GROUPS OF RED PINE AND OAK														
79	J 4	M 1	9	73	11	30	50	jack pine	mature	Y		not scheduled	0	
Treatment Limiting Factors: Scenic values/visual values														
80	M 2	U 1	14	16	1	30	60	northern hardwood	immature	N		50-59 years	0	
comnts Fmd : 1997 STAND HAS OVER 20 SQ. FT. OF RESIDUAL RED PINE AND OAK. 2007 Some A3 to A2 in the stand but mostly M1 or M2 that has been browsed some u type too.														
81	A 3	M 1	14	6	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : 2001 THIS STAND WAS CUT IN JANUARY AND FEBRUARY OF 2001. APPROXIMATELY 60 RED PINE AND OAK TREES WERE MARKED TO LEAVE.														
82	M 6	M 1	112	78	10	90	65	northern hardwood	immature	N		10-19 years	0	
83	A 4	A 1	154	34	5	30	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 1997 STAND HAS WIDELY SCATTERED RESIDUAL OAK. 2007 stand is moving from A3 to a pole sstand. There are pockets of G and U in the stand esp. to the North.														
84	R 9	W 1	4	73	12	70	55	red pine	mature	N		not scheduled	0	
comnts Fmd : 2007 THIS WOULD BE GOOD STAND TO NOT TREAT. SOME OLD RED AND WHITE PINE.														
85	A 2	M 1	42	16	1	30	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : 1997 STAND HAS OVER 20 SQ. FT. OF RESIDUAL RED PINE AND OAK. 2007 Oak is also present in the stand. Reproduction varies in the stand from M3 to A1. The most of the better aspen is North of the road.														
86	R 9	M 1	6	73	12	120	55	red pine	low quality	N		not scheduled	0	
comnts Fmd : 2007 MAY WANT TO TREAT THIS STAND THE SAME AS 84														
87	O 5	W 1	13	96	9	60	50	oak	mature	Y	shelterwood-seed	within 0-9 years	3	
comnts Fmd :														
88	O 7	A 2	50	95	12	20	50	oak	two aged	Y		30-39 years	0	
Treatment Limiting Factors: Delayed treatment for age/size class diversity														
comnts Fmd : STAND WAS CUT IN 1973 LEAVING A HIGH RESIDUAL BA OF OAK OVERSTORY. 2007 This stand has patches of A2 to A3, there are also patches of W2 to W3. In the areas where to oak residual is high the understory is M1 to M2 at best, if any understory at all.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
89	U 1	G 0	10	34	0	0	50	upland brush	sparse	N		within 0-9 years	0	opening maintenance
comnts Fmd : 2007 THERE ARE PATCHES OF J3 TO J4 THRU OUT THE STAND. WILDLIFE WOULD LIKE TO INCLUDE THIS STAND WITH TIMBER SALE IF POSSIBLE TO GET TREES CUT OR HARVESTED IN THIS U TYPE.														
90	N 0	N 0	6		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 2007 PARTS OF THIS STAND HAVE BEEN FLOODED OFF AND ON. THERE IS SOME L, N, AND Z IN THE STAND														
91	U 1	G 0	6	34	0	0	50	upland brush	sparse	N		not scheduled	0	
comnts Fmd : 2007 A LARGE PART OF THIS STAND IS ON A SIDE HILL. THERE IS CHERRY, RRED MAPLE, JACK PINE AND U IN THE STAND. THERE ARE A FEW OAKS AND LARGER RED MAPLES														
92	U 1	G 0	4	34	0	0	50	upland brush	sparse	N		within 0-9 years	0	opening maintenance
comnts Fmd : 2007 STAND HAS POCKETS OF J4, AND J1, AS WELL AS SOME CHERRY . WILDLIFE WOULD LIKE TO HAVE TREES CUTOR HARVESTEDIN THIS STAND AS PART OF A TIMBER SALE IF POSSIBLE.														
93	M 3	G 0	4	19	0	0	65	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : THIS IS THE SCENIC VISTA CLEARCUT.														
94	W 4	W 2	10	78	8	30	65	white pine	sparse	N		not scheduled	0	
comnts Fmd : 2007 used old data.														
95	O 9	W 1	21	78	10	80	55	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
96	M 2	U 0	13	16	1	30	55	northern hardwood	immature	N		50-59 years	0	
comnts Fmd : 1997 STAND HAS OVER 30 SQ. FT. OF RESIDUAL OAK AND RED PINE. 2007 There is a lot of Witch Hazel in this stand.														
97	J 5	M 1	26	72	9	50	50	jack pine	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 RED, WHITE AND JACK PINE AS WELL AS RED MAPLE ASPEN AND OAK ARE ACCEPTABLE SPECIES TO REPRODUCE THE STAND.														
98	A 3	M 1	8	6	0	0	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 2001 STAND WAS CUT IN FEBRUARY OF 2001 BY A HAND CREW. THE SOUTHERN PORTION OF THE STAND WAS BURNED IN A WILDFIRE IN THE SPRING OF 2001 PRIOR TO THE ONSET OF REGENERATION.														
99	J 6	M 1	42	72	9	70	50	jack pine	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2007 MUCH OF THE JACK PINE HAS DIED AND FALLEN DOWN. LEAVE ISLANDS OF RED PINE, AND ANY OAK OR WHITE PINE THAT MIGHT BE THERE. RED, WHITE AND JACK PINE AS WELL AS ASPEN, RED MAPLE AND OAK ARE ACCEPTABLE SPECIES TO REPRODUCE THE STAND. THIS HARVEST WILL BE A CLEARCUT WITH RESERVES. LEAVE A 30 TO 60 FOOT BUFFER WHERE NEEDED ALONG STAND 102.														
100	A 3	M 1	9	6	0	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : 2001 THIS STAND WAS CUT IN FEBRUARY OF 2001 WITH A SHORT WOOD CREW. 2007 It appears the elk may have killed some of the aspen reproduction..														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
101	M 5	O 1	13	72	8	70	55	northern hardwood	low quality	N		20-29 years	0	
comnts Fmd : 2007 THERE ARE PLACES WHERE THE UNDERSTORY IS O2.														
102	Q 6	L 0	26	88	9	110	50	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : 2007 USED OLD DATA														
103	O 9	W 1	17	78	10	80	55	oak	mature	Y	shelterwood-prep	within 0-9 years	3	
comnts Fmd : 2007 MAKE THIS STAND 20 ACRES MORE OR LESS. RED, WHITE AND JACK PINE AS WELL AS ASPEN, RED MAPLE AND OAK ARE ACCEPTABLE SPECIES TO REPRODUCE THE STAND.														
400	G 0	G 0	6		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : 1997 LAKEHEAD NATURAL GAS PIPELINE RIGHT OF WAY. 2007 Now Enbridge pipeline right of way.														
401	G 0	G 0	4		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
402	G 0	G 0	11		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
403	G 0	G 0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
404	G 0	G 0	5		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
405	G 0	G 0	2		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
406	G 0	G 0	1		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
407	G 0	G 0	2		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
408	G 0	G 0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 30

Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
409	G 0	G 0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING.														
410	G 0	G 0	4		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance

comnts Fmd : MANAGED WILDLIFE OPENING.

Total Acres..... 1922