

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	Q 6	F 1	2	142	9	130	30	mixed swamp conifer	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : 2007 THERE ARE SEVERAL SPRINGS ORIGINATING IN THIS STAND AND FLOWING TOWARD LITTLE MCMASTER CREEK.</p>														
2	Q 2	L 0	32	14	0	0	35	mixed swamp conifer	sparse	N		not scheduled	0	
<p>comnts Fmd : 1997 STAND HAS SCATTERED RESIDUAL HEMLOCK THROUGHOUT. 2007 Much of the aspen is gone from the stand. Some severe browsing has occurred. Scattered residual.</p>														
3	M 6	F 1	11	75	9	120	60	northern hardwood	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity</p> <p>comnts Fmd : 1997 ALSO TREAT STAND #92 IN COMPARTMENT #33 WHEN THIS STAND IS PREPARED. 2007 Predominately a Red Maple/ birch stand. Hold off treatment and then possibly clearcut. I'm afraid it would suffer same fate as stand 2.</p>														
4	Q 6	F 1	2	142	9	110	30	mixed swamp conifer	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p>														
5	F 5	F 2	20	32	7	50	50	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
<p>comnts Fmd : 1997 STAND HAS NEARLY 30 SQ. FT. OF RESIDUAL FIR AND HEMLOCK. 2007 Poorer soil than stands to the east. Aspen quality is poor. Spruce and fir salvaged in 74-75.</p>														
6	A 5	A 2	27	35	7	50	65	aspen (upland)	immature	N		10-19 years	0	
7	A 4	A 3	36	26	4	30	65	aspen (upland)	immature	N		20-29 years	0	
8	A 3	F 2	28	5	0	0	60	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : 2007 STAND SUFFERING SOME SIGNIFICANT ELK BROWSING THAT'S CAUSING QUITE A BIT OF DAMAGE.</p>														
9	Q 4	A 2	7	72	9	30	50	mixed swamp conifer	two aged	N		not scheduled	0	
<p>comnts Fmd : 2007 STRIP OF INFLUENCE ZONE THAT HAD ASPEN REMOVED. IT WAS PART OF SALE WITH STAND 8.</p>														
10	A 3	F 1	38	26	0	0	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : 2007 STAND QUALITY DETERIORATES AS YOU GO EAST WITH MUCH SANDIER SOILS. EAST 1/2 OF STAND HAS SCATTERED OPENING WITH FIR AND WHITE PINE AND POORER ASPEN.</p>														
11	Q 6	Q 2	44	75	9	90	55	mixed swamp conifer	immature	N		not scheduled	0	
<p>comnts Fmd : 2007 CREEK FLOWING THOUGH THE STAND. THE STAND IS QUITE WET.</p>														
12	N 0	N 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : 1997 BEAVER FLOODING. ALL TIMBER HAS BEEN KILLED.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
13	F 5	F 1	5	88	9	60	50	spruce-fir (uplands-including upland black spruce)	mature	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
14	A 2	A 2	45	20	0	0	55	aspen (upland)	low quality	N		40-49 years	0	
comnts Fmd : 1997 STAND HAS BEEN HEAVILY BROWSED BY ELK. 2007Scattered maple and fir. There has been heavy elk browse damage.														
15	E 6	F 1	6	75	9	70	55	swamp hardwoods	immature	N		not scheduled	0	
16	E 6	F 1	8	75	9	70	55	swamp hardwoods	immature	N		not scheduled	0	
17	A 4	M 1	38	20	5	20	50	aspen (upland)	low quality	N		30-39 years	0	
comnts Fmd : 1997 STAND HAS BEEN HEAVILY BROWSED BY ELK. 2007 aspen is widely scattered, with some clones. Scattered red Maple and White Pine as well.														
18	W 6	W 1	9	81	10	90	60	white pine	immature	N		not scheduled	0	
19	M 5	F 1	16	69	8	40	60	northern hardwood	mature	N		not scheduled	0	
20	Q 5	Q 2	107	142	9	60	30	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : 2007 A WET STAND. STAND HAS TWO STREAMS FLOWING OUT OF IT. USED OLD DATA.														
21	E 6	F 1	60	75	9	130	55	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : 2007 SEE ATTACHED NOTE TO GREEN SHEET.														
22	M 6	F 1	18	75	9	90	55	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : STAND WAS PARTIAL CUT IN 1992. 2007 USED OLD DATA														
23	Q 4	F 2	20	25	4	10	60	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : 2007 PATCHES OF FIR, WHITE PINE, RED MAPLE AND PATCHES OF BRACKEN FERN.														
24	A 4	F 1	4	25	4	30	60	aspen (upland)	immature	N		30-39 years	0	
25	Q 5	L 0	4	135	7	40	20	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : 1997 LOW LYING POOR TIMBER.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
26	U 1	U 1	5	7	0	0	60	upland brush	immature	N		40-49 years	0	
comnts Fmd : 2007 THIS STAND WAS PART OF STAND 27. THIS STAND HAS BEEN HEAVILY BROWSED AND IS MOSTLY BROWSED RED MAPLE AND CHERRY BRUSH.														
27	A 3	F 1	19	7	0	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 2007 STAND IS BEING BROWSED. QUITE A BIT OF L TYPE TOWARD THE CREEK.														
28	A 2	F 1	1	18	0	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : STAND HAS OVER 30 SQ. FT. OF RESIDUAL BA. 2007 There is a Q residual some cedar,white pine and spruce.														
29	E 4	L 1	8	135	8	40	20	swamp hardwoods	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
comnts Fmd : 2007 A CREEK RUNS THOUGH THE MIDDLE OF THE STAND.														
30	N 0	N 0	6		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 1997 ACTIVE BEAVER FLOODING THAT HAS KILLED ALL TIMBER. 2007 NO LONGER ACTIVE .														
31	A 4	W 1	2	25	8	20	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 2007 THIS STAND WAS PART OF STAND 32, BELIEVE BEAVER HARVESTED MOST OF THE ASPEN. SCATTERED OAK AND PINE AND SOME FIR														
32	A 5	W 1	15	25	4	40	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : STAND HAS SCATTERED RESIDUAL OAK AND PINE.														
33	M 2	G 0	3	25	0	0	50	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : 2007 SCATTERED CLUMPS OF RED MAPLE SPROUT AND SCATTERED RED AND WHITE OAK.														
34	O 5	W 1	16	92	8	70	50	oak	immature	Y	thinning	within 0-9 years	3	
comnts Fmd : 2007 WHITE PINE UNDERSTORY GETS VERY THICK AS YOU GO WEST IN THE STAND.														
35	W 9	F 1	5	87	12	100	60	white pine	immature	N		not scheduled	0	
comnts Fmd : 2007 A NICE NATURAL PINE STAND NEXT TO AN N TYPE.														
36	M 5	A 2	6	25	9	60	55	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : STAND WAS PARTIAL CUT IN 1982.														
37	E 6	F 2	2	75	9	100	60	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : 2007 NARROW LITTLE STAND WITH A LOT OF OAK.														
38	L 0	L 0	10			0		lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B								
39	W 9	F 1	2	87	12	110	60	white pine	immature	N		not scheduled	0	
comnts Fmd : 2007 USED OLD DATA.														
40	M 5	F 1	16	75	7	60	55	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : STAND WAS PARTIAL CUT IN 1992.														
41	E 5	F 1	29	75	9	60	60	swamp hardwoods	immature	N		not scheduled	0	
42	S 5	Q 2	7	88	9	60	50	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
43	A 5	F 2	26	41	5	50	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 1997 STAND HAS NEARLY 30 SQ. FT. OF RESIDUAL FIR OVERSTORY. 2007 Mixed stand of conifer and aspen. There is more conifer as you go south in the stand.														
44	Q 5	Q 3	37	142	8	60	30	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : 2007 There are places where the fir is almost too thick to walk though. Used old data.														
45	R 1	G 0	3	19	0	0	60	red pine	sparse	N		not scheduled	0	
comnts Fmd : 2007 NOT VERY WELL STOCKED R1 TO R2 AT BEST IN PLACES.														
46	O 8	W 1	43	92	10	70	50	oak	immature	Y	shelterwood-prep	within 0-9 years	1	planting
comnts Fmd : 2007 LEAVE 30-40 BA. LEAVE ALL WHITE OAK AND OTHER SP. OF OAK AND ANY WHITE PINE. OPEN SOME SPOTS UP TO PLANT JACK PINE. TRENCH AND SEED/PLANT WITH WHITE PINE AND JACK PINE. SEED JACK PINE IN PATCHES IN OPEN AREAS.														
47	R 4	M 1	9	22	3	10	60	red pine	immature	N		not scheduled	0	
comnts Fmd : 2007 RED PINE IS PRETTY SCATTERED AND PATCHY. SOME RED MAPLE STUMP SPOUTS TOO. NOT VERY GOOD.														
48	O 6	W 1	15	81	9	80	50	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : 2007 PARTS OF THE STAND HAVE BEEN UNDER PLANTED WITH WHITE PINE. THE WHITE PINE LOOKS PRETTY GOOD. ALLOW THE WHITE TO ESTABLISH ITSELF.														
49	R 2	G 0	12	22	0	0	60	red pine	immature	N		50-59 years	0	
comnts Fmd : 2007 STAND WAS CLEARCUT AND PLANTED WITH RED PINE. RED PINE IS AT BEST R2. A FEW PATCHES OF R3 BUT VERY PATCHY.														
50	O 6	W 1	11	81	10	90	50	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : 2007 OAK SEEMS A LITTLE BETTER THAN SURROUNDING STANDS. WHITE PINE HAS BEEN UNDERPLANTED IN SPOTS AND LOOKS PRETTY GOOD. ALLOW THE WHITE PINE TO ESTABLISH ITSELF														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
51	R 2	G 0	14	22	0	0	60	red pine	immature	N		not scheduled	0	
comnts Fmd : 2007 THIS STAND IS THE SAME AS STAND 49, EXCEPT THERE IS JACK PINE PLANTED IN THE SOUTH END OF THE STAND.														
52	O 5	W 1	34	81	11	50	50	oak	immature	Y	selection	within 0-9 years	3	
comnts Fmd : 2007 THERE ARE SOME PATCHES OF WHITE PINE UNDERPLANTED IN THIS STAND ESP. TO THE SW. A GOOD PORTION OF THIS STAND IS ON A HILL SIDE. LEAVE 30-40 BA. LEAVE ALL WHITE OAK AND OTHER SP. OF OAK AND ANY WHITE PINE. OPEN SOME SPOTS UP TO PLANT JACK PINE. TRENCH AND SEED/PLANT WITH WHITE PINE AND JACK PINE. SEED JACK PINE IN PATCHES IN OPEN AREAS. TO NOT TRENCH AREAS ALREADY UNDERPLANTED														
53	R 3	G 0	9	22	0	0	60	red pine	sparse	N		not scheduled	0	
comnts Fmd : 2007 RED PINE PLANTED NEXT TO THE SWAMP FOR THE MOST PART.														
54	M 2	U 0	6	49	2	0	50	northern hardwood	sparse	N		not scheduled	0	
comnts Fmd : 2007 THIS STAND IS BASICALLY AN U TYPE WITH SOME SMALL CHERRY AND A FEW 4 TO 8 INCH CHERRY SCATTERED AROUND IN THE STAND.														
55	R 2	G 0	2	19	0	0	60	red pine	immature	N		not scheduled	0	
comnts Fmd : 2007 PLANTED RRED PINE. THE NORTH PART OF THE STAND MIGHT BE R1 AT BEST. THE SOUTHERN PART HAS MORE RED PINE.														
56	O 5	W 1	20	81	10	60	50	oak	immature	Y	selection	within 0-9 years	3	
comnts Fmd : 2007 THERE IS SOME WHITE PINE IN THE UNDERSTORY WHICH LOOKS TO BE NATURAL. LEAVE 30-40 BA. LEAVE ALL WHITE OAK AND OTHER SP. OF OAK AND ANY WHITE PINE. OPEN SOME SPOTS UP TO PLANT JACK PINE. TRENCH AND SEED/PLANT WITH WHITE PINE AND JACK PINE. SEED JACK PINE IN PATCHES IN OPEN AREAS. DO NOT TRENCH AREAS ALREADY PLANTED.														
57	R 2	G 0	1	19	0	0	60	red pine	immature	N		not scheduled	0	
58	R 3	G 0	2	19	0	0	60	red pine	immature	N		not scheduled	0	
59	M 4	U 0	9	17	5	10	60	northern hardwood	sparse	N		not scheduled	0	
60	U 0	U 0	8	49		0	50	upland brush	sparse	N		not scheduled	0	
61	O 8	M 2	18	81	11	60	50	oak	mature	Y		10-19 years	0	
Treatment Limiting Factors: Delayed treatment for age/size class diversity														
comnts Fmd : 2007 THIS IS QUITE A BIT OF WHITE PINE IN THE UNDERSTORY														
62	W 9	M 1	2	86	14	90	60	white pine	immature	N		10-19 years	0	
comnts Fmd : 2007 THE RED MAPLE UNDERSTORY HAS BEEN HEAVILY BROWSED.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
63	W 9	A 1	7	86	14	90	60	white pine	immature	N		10-19 years	0	
comnts Fmd : STAND HAS OVER 20 SQ. FT. OF RESIDUAL PINE AND OAK BA.														
64	A 5	W 1	12	36	4	60	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : STAND HAS OVER 20 SQ. FT. OF RESIDUAL PINE AND OAK BA.														
65	Q 6	Q 2	31	87	8	80	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
66	R 9	W 1	3	88	12	90	70	red pine	immature	Y	shelterwood-prep	within 0-9 years	3	
comnts Fmd : 2007 THIS STAND IS MUCH LARGER IN THE COMPARTMENT TO THE SOUTH C-59. TREAT WHEN THE STAND TO THE SOUTH IS TREATED.														
67	O 6	W 1	6	91	11	100	50	oak	immature	Y	shelterwood-prep	within 0-9 years	3	
comnts Fmd : 2007 TREAT THIS STAND WITH C-59 MOST OF THE STAND IS IN C-59.														
68	U 0	U 0	7		0	0		upland brush	nonstocked	N		not scheduled	0	
69	N 0	N 0	8		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER FLOODING. TIMBER HAS ALL BEEN KILLED.														
70	J 5	W 1	8	72	9	40	50	jack pine	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : 2007 RED, WHITE AND JACK PINE AS WELL AS ASPEN, RED MAPLE AND OAK WOULD BE ACCEPTABLE SPECIES FOR REPRODUCTION.														
71	A 5	F 1	15	80	8	70	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : 2007 DO NOT CUT OAK. THIS STAND MAY OVERLAP INTO C-59 IF IT DOES HARVEST THIS PART TOO. RED, WHITE AND JACK PINE AS WELL AS ASPEN, RED MAPLE AND OAK WOULD BE ACCEPTABLE SPECIES FOR REPRODUCTION.														
72	Q 6	Q 2	5	87	8	80	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
73	M 4	U 0	5	80	9	30	50	northern hardwood	sparse	N	final harvest	within 0-9 years	3	
comnts Fmd : 2007 Expand stand into stand 74, if possible. RED, WHITE AND JACK PINE AS WELL AS ASPEN, RED MAPLE AND OAK AS WELL AS OTHER SPECIES WOULD BE ACCEPTABLE SPECIES FOR REPRODUCTION.														
74	Q 6	Q 2	65	87	8	80	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
75	W 4	W 2	1	37	3	20	65	white pine	immature	N		30-39 years	0	
comnts Fmd : 2007 SITE INDEX IS AN ESTIMATE.														

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
76	A 5	W 1	11	80	9	40	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : 2007 DO NOT CUT OAK OR WHITE PINE. THERE IS QUITE A BIT OF JACK PINE ON THE NORTH EDGE OF THE STAND. RED, WHITE AND JACK PINE AS WELL AS ASPEN, RED MAPLE AND OAK WOULD BE ACCEPTABLE SPECIES FOR REPRODUCTION.														
77	U 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : OLD WELL SITE. 2007 A LOT OF SWEET FERN														
78	A 1	G 0	12	25	0	0	50	aspen (upland)	low quality	N		60-69 years	0	
comnts Fmd : STAND HAS SCATTERED RESIDUAL MAPLE AND OAK. VERY HEAVY ELK BROWSING.														
79	N 0	N 0	23		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 1997 ACTIVE BEAVER FLOODING THAT HAS KILLED ALL TIMBER. 2007 NO LONGER ACTIVE .														
400	G 0	G 0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
401	G 0	G 0	5		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : 2007 CREATED WILDLIFE OPENING.														
Total Acres.....			1249											