

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	T 5	L 0	1	73	9	60	58	tamarack	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : SMALL TAMARACK STAND ON CREEK FLAT														
2	L 0	L 0	34		0	0		lowland brush	nonstocked	N		not scheduled	0	
3	C 6	F 2	18	97	8	160	35	cedar	immature	N		10-19 years	0	
4	A 3	A 3	10	17		0	58	aspen (upland)	immature	N		30-39 years	0	
5	R 6	W 1	21	69	9	70	66	red pine	immature	N		10-19 years	0	
comnts Fmd : NARROW STRIP OF PINE ALONG LAKESHORE AND CREEK ON THE NORTH END														
6	Z 0	Z 0	31		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : OSMUN LAKE														
7	A 3	A 3	67	30	0	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : SCATTERED RESIDUAL OF BIRCH, RED MAPLE, OAK AND PINE														
8	A 3	A 3	16	17	1	10	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : OAK WAS LEFT AFTER LAST CUT														
9	U 0	U 0	3	30		0	65	upland brush	nonstocked	N		within 0-9 years	0	pruning
comnts Fmd : EXISTING APPLE ORCHARD THAT NEEDS ATTENTION - SUMAC & BLACKBERRY														
10	R 9	O 1	2	60	12	110	60	red pine	immature	N		20-29 years	0	
comnts Fmd : STAND IS VERY SMALL AND SITS ON TOP OF A HILL WITH DIFFICULT ACCESS														
11	R 5	A 3	4	30	9	60	65	red pine	two aged	N		20-29 years	0	
comnts Fmd : BASAL AREA IS RESIDUAL FROM ASPEN CUT - ASPEN SHOULD REMAIN OBJECTIVE														
12	R 5	A 3	12	30	9	60	60	red pine	two aged	N		20-29 years	0	
comnts Fmd : SEE STAND 11 COMMENTS														
13	A 5	A 3	63	47	7	60	65	aspen (upland)	immature	N		10-19 years	0	
14	Z 0	Z 0	1		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : MAN-MADE POND BY PREVIOUS PRIVATE LANDOWNERS														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
15	C 0	X 0	5			0	39	cedar	nonstocked	N		not scheduled	0	
comnts Fmd : DEAD TIMBER DUE TO BEAVER FLOODING														
16	R 6	X 0	4	39	8	180	65	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Bridge needed (portable bridge not available or inadequate)														
comnts Fmd : ACCESS WILL BE A PROBLEM BECAUSE OF THE CREEK/BEAVER POND														
17	A 5	A 2	12	46	6	70	70	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Proposal by wildlife biologist to cut non-commercially over the next 10 years.														
18	L 0	L 0	5		0	0		lowland brush	nonstocked	N		not scheduled	0	
19	Z 0	Z 0	5		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER FLOODING ON LEWIS- ADAIR CREEK														
20	R 6	F 1	9	39	8	130	65	red pine	immature	N		10-19 years	0	
21	Q 5	L 0	6	90	7	40	37	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inferior quality														
22	A 3	A 3	16	17	0	0	60	aspen (upland)	immature	N		within 0-9 years	0	other - specify in remarks
comnts Fmd : Proposal by Wildlife Biologist to rejuvenate spotty regeneration by non-commercially cutting the present regeneration.														
23	R 9	F 1	5	90	14	120	63	red pine	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Use seed trees for retention purposes.														
24	A 3	A 3	37	28	0	0	60	aspen (upland)	immature	N		20-29 years	0	
25	R 8	M 2	13	90	14	50	63	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand was cut last entry														
26	L 0	L 0	28		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : LOWLAND AREA ALONG LEWIS-ADAIR CREEK														
27	Z 0	Z 0	1		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : MAN-MADE POND DUG BY PREVIOUS PRIVATE LANDOWNERS														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
28	R 9	F 1	6	72	12	120	60	red pine	immature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Use seed trees for retention purposes.The ground just north of this stand in stand 30 is lower with some sizeable Red Pine that can be left as retention also.														
29	R 9	W 1	34		12	130	63	red pine	unevenaged	N	shelterwood-seed	within 0-9 years	6	
comnts Fmd : This stand was marked and under contract before retention guidelines came into being, so no retention was applied. However, there will be approx. 40 sq. ft. residual left in this stand.														
30	R 5	A 3	42	30	9	60	65	red pine	two aged	N		20-29 years	0	
comnts Fmd : RESIDUAL FROM LAST CUT - PINE, OAK, RED MAPLE. ASPEN IS LONG TERM OBJECTIVE.														
31	R 5	J 1	2	52	10	50	60	red pine	immature	N		40-49 years	0	
comnts Fmd : STAND WAS CUT IN 1997 AS PART OF LARGER SALE TO THE WEST														
32	A 3	A 3	16	30	4	20	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : SOME RESIDUAL OF OAK AND RED PINE														
33	S 6	L 0	12	76	7	110	46	black spruce-swamp	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Clearcut with reserves. Mark a few individual trees to leave, as well as, a couple small uncut islands.														
34	J 5	F 1	15	81	8	60	60	jack pine	immature	Y	seed tree	within 0-9 years	1	
35	A 3	A 3	11	27		0	60	aspen (upland)	immature	N		20-29 years	0	
36	Q 6	Q 2	99	128	8	90	43	mixed swamp conifer	immature	Y		10-19 years	0	
Treatment Limiting Factors: Too wet														
37	Q 2	Q 2	9	18		0	43	mixed swamp conifer	immature	N		50-59 years	0	
38	U 0	U 0	2		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : ISLAND IN MIDDLE OF SWAMP MAINLY OPEN WITH SOME SCATTERED PINE														
39	U 0	U 0	1		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : ISLAND IN MIDDLE OF SWAMP														
40	R 9	F 2	6	60	11	70	65	red pine	immature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
41	F 6	F 2	11	63	8	70	55	spruce-fir (uplands-including upland black spruce)	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inferior quality</p> <p>comnts Fmd : Aspen is rapidly dying out and Fir is taking over</p>														
42	A 3	A 3	18	28		0	64	aspen (upland)	immature	N		20-29 years	0	
43	R 5	A 3	8	28	10	40	64	red pine	two aged	N		30-39 years	0	
<p>comnts Fmd : PINE RESIDUAL LEFT AFTER ASPEN WAS CUT IN 1980. Aspen will remain long term objective.</p>														
44	P 5	F 1	41	58	8	50	60	balsam poplar & swamp aspen and swamp white birch	immature	Y	final harvest	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Wet stand with a bit of Spruce/Fir blowdown. Wildlife Biologist recommended this stand to be cut during pre-review.</p>														
45	Q 2	Q 2	2	18	0	0	37	mixed swamp conifer	immature	N		50-59 years	0	
46	R 6	F 1	30	71	10	110	62	red pine	mature	N	shelterwood-seed	within 0-9 years	1	
<p>comnts Fmd : Mark some individual representative species throughout the sale and also leave 3 - 5 small uncut island for retention.</p>														
47	J 3	J 3	32	26	3	30	58	jack pine	immature	N		30-39 years	0	
<p>comnts Fmd : Old seed tree cut with the regeneration now being the featured stand.</p>														
48	R 5	A 2	78		9	50	42	red pine	unevenaged	N		30-39 years	0	
<p>comnts Fmd : ASPEN, JACK PINE REMOVED IN 1990</p>														
49	A 3	A 3	5	34	0	50	56	aspen (upland)	immature	N		20-29 years	0	
50	R 5	R 1	45		9	50	50	red pine	unevenaged	N		40-49 years	0	
<p>comnts Fmd : Stand was cut in 2003. Red Pine and some Oak were left, but some Red Pine sawlogs were marked to cut in the thicker areas.</p>														
51	Z 0	Z 0	7			0		water	immature	N		not scheduled	0	
<p>comnts Fmd : BEAVER POND ALONG LEWIS- ADAIR CREEK</p>														
52	Q 5	Q 1	16	63	7	40	44	mixed swamp conifer	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
53	Q 0	Q 1	16			0	45	mixed swamp conifer	nonstocked	N		not scheduled	0	
54	R 8	A 2	8	81	16	50	50	red pine	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : This stand was cut in 1998 as part of a larger sale to the west.</p>														
55	A 2	A 2	10	20		0	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : THIS PORTION OF STAND 56 WAS BURNED IN 1988, REGENERATION IS HEAVILY BROWSED</p>														
56	A 5	A 1	23	38	6	50	60	aspen (upland)	immature	N		10-19 years	0	
57	C 0	C 0	5			0	39	cedar	nonstocked	N		not scheduled	0	
<p>comnts Fmd : BEAVER DAMS AND RESULTING HIGH WATER HAVE KILLED THIS STAND</p>														
58	Q 5	Q 1	62	135	7	70	35	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
59	W 9	F 2	2	133	16	100	50	white pine	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments)</p> <p>comnts Fmd : SWAMP ISLAND</p>														
60	R 9	R 1	3	112	16	110	48	red pine	mature	Y	seed tree	within 0-9 years	1	
<p>comnts Fmd : Seed trees will be left for retention purposes.</p>														
61	J 6	F 1	11	61	8	80	45	jack pine	immature	Y	final harvest	within 0-9 years	1	
<p>comnts Fmd : Mark a few individual Jack Pine for retention, as well as, two small uncut islands.</p>														
62	A 6	R 2	15	61	9	100	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<p>comnts Fmd : Mark a few individual representative species, as well as, 2 - 3 uncut islands for retention.</p>														
63	A 3	A 3	2	17		0	56	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : STAND IS PART OF A LARGER STAND TO THE EAST CUT IN 1991</p>														
64	J 4	G 0	4	30	6	20	51	jack pine	immature	N		30-39 years	0	
<p>comnts Fmd : PINE IS ENCROACHING ON GRASS OPENING</p>														
65	U 0	U 0	2			0	0	upland brush	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
66	L 0	L 0	60		0	0		lowland brush	nonstocked	N		not scheduled	0	
67	J 2	J 2	14	7		20	55	jack pine	immature	N		40-49 years	0	
comnts Fmd : Stand cut in 2001. Some Red Pine residual left.														
68	Q 6	Q 2	8	69	6	90	36	mixed swamp conifer	immature	N		10-19 years	0	
69	Q 2	Q 2	15	68		30	40	mixed swamp conifer	immature	N		50-59 years	0	
70	L 0	L 0	2	22		0	36	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BLOWDOWN PORTION OF STAND 69														
71	Q 6	Q 2	20	79	9	70	40	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
72	R 9	F 1	3	82	16	80	65	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand was selectively thinned in 2001.														
73	A 3	A 3	11	15		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A good percentage of JP regeneration coming with the Aspen														
74	A 5	A 2	5	42		50	50	aspen (upland)	immature	N		20-29 years	0	
75	J 2	J 2	6	7	0	0	50	jack pine	immature	N		50-59 years	0	
76	O 5	R 1	66	73	9	70	50	oak	immature	N		10-19 years	0	
77	R 5	A 1	5	47	9	60	50	red pine	immature	N		10-19 years	0	
78	A 5	A 2	73	38	6	50	55	aspen (upland)	immature	N		20-29 years	0	
79	Q 4	Q 2	59	68	6	30	40	mixed swamp conifer	low quality	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
80	J 5	J 3	2	42	6	50	50	jack pine	immature	N		20-29 years	0	
comnts Fmd : Stand was selectively harvested in 2001.														
81	A 5	A 2	37	38	6	50	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Scattered Oak throughout stand														
82	A 2	A 2	10	15	0	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Part of larger stand to the east. It has suffered some browse damage.														
83	J 5	J 2	85	26	6	40	50	jack pine	immature	N		20-29 years	0	
84	J 3	J 3	37	26	2	0	58	jack pine	immature	N		20-29 years	0	
comnts Fmd : Old seed tree cut with the regeneration being featured.														
85	A 5	A 1	25	33	5	40	55	aspen (upland)	immature	N		20-29 years	0	
86	J 3	J 3	9	26	2	30	55	jack pine	immature	N		20-29 years	0	
comnts Fmd : STAND IS VERY WET, COULD ALMOST BE CONSIDERED A TREED BOG														
87	J 4	J 2	42	26	8	30	58	jack pine	sparse	N		30-39 years	0	
88	A 2	A 2	12	15		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Some browse damage has occurred.														
89	J 5	R 1	7		10	50	58	jack pine	unevenaged	N		10-19 years	0	
90	A 5	A 2	22	33	6	60	55	aspen (upland)	immature	N		10-19 years	0	
91	V 0	V 0	16		0	0	50	bog or muskeg	nonstocked	N		not scheduled	0	
92	U 0	U 0	2			0		upland brush	nonstocked	N		not scheduled	0	
400	G 0	G 0	1			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
401	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
402	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	1			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
404	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
405	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
406	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
407	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
408	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
409	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
410	G 0	G 0	2			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
411	G 0	G 0	8			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : PART OF THIS STAND HAS SIBERIAN CRAB AND Highbush CRANBERRY PLANTED IN IT														
412	G 0	G 0	5			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : WILDLIFE PLANTED Highbush CRANBERRY AND SIBERIAN CRAB														
413	G 0	G 0	6			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Edges of opening filling with Red Pine.														
Total Acres.....													1824	