

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A 6	F 1	38	45	7	70	63	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : YOUNG POLE STAND														
2	A 3	A 3	10	16		0	66	aspen (upland)	immature	N		30-39 years	0	
3	A 3	A 3	34	16		0	66	aspen (upland)	nonstocked	N		30-39 years	0	
4	Q 6	L 0	10	80	8	140	30	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Deer yards														
5	L 0	L 0	20	23	0	0	60	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : NORTHERN PORTION OF D-7 SITE - VERY LITTLE ASPEN REGENERATION														
6	S 4	L 0	6	69	7	30	45	black spruce-swamp	immature	N		50-59 years	0	
7	C 6	X 0	15	155	9	140	30	cedar	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Deer yards														
8	E 6	E 1	13	56	6	70	60	swamp hardwoods	immature	N		20-29 years	0	
9	A 3	A 3	41	22		0	52	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : South portion of D7 site, Aspen regenerating well.														
10	L 0	L 0	45			0		lowland brush	low quality	N		not scheduled	0	
comnts Fmd : River floodplain														
11	A 4	F 1	5	73	9	30	55	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Quiet area/natural area/wilderness														
comnts Fmd : Lies within Pigeon River Natural River corridor.														
12	P 5	P 2	29	84	10	50	60	balsam poplar & swamp aspen and swamp white birch	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Quiet area/natural area/wilderness														
comnts Fmd : River floodplain within the Pigeon River Natural River corridor.														
13	C 6	L 0	9	90	8	110	30	cedar	low quality	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
14	A 3	A 3	19	17		0	64	aspen (upland)	immature	N		30-39 years	0	
15	A 3	A 3	56	25		0	65	aspen (upland)	immature	N		20-29 years	0	
16	A 3	A 3	12	25		0	65	aspen (upland)	immature	N		30-39 years	0	
17	E 5	L 0	63		7	50	45	swamp hardwoods	unevenaged	N		not scheduled	0	
18	A 3	A 3	12	25	0	0	70	aspen (upland)	immature	N		20-29 years	0	
19	A 3	A 3	35	17		0	65	aspen (upland)	immature	N		30-39 years	0	
20	A 3	A 3	6	25	3	0	65	aspen (upland)	immature	N		20-29 years	0	
21	A 6	M 2	10	74	9	110	62	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Narrow strip of Aspen. Leave a few individual trees. Preferrably, those should be cavity trees.														
22	M 6	M 1	17		7	120	60	northern hardwood	unevenaged	Y	thinning	within 0-9 years	2	
comnts Fmd : Retain any and all cavity trees within the stand.														
23	U 0	U 0	14	25		0	60	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Portion of old Aspen cut that has since converted to U type due to effects from over-browsing and other factors.														
24	A 3	A 3	11	25	0	0	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Portion of same Aspen sale as stand 23 that has maintained its Aspen regeneration and is doing well.														
25	S 6	L 0	6	71	9	70	48	black spruce-swamp	immature	N		not scheduled	0	
26	A 2	A 2	26	17		0	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
27	E 5	L 0	24	83	7	60	50	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Quiet area/natural area/wilderness														
comnts Fmd : River floodplain within the Pigeon River Natural River Corridor														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
28	C 6	F 2	13	119	9	80	30	cedar	mature	N		not scheduled	0	
comnts Fmd : This stand lies within the Pigeon River Natural River corridor and also has Cornwall Creek flowing through it.														
29	S 6	L 0	9	74	6	150	40	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : This stand lies within the Pigeon River Natural River corridor.														
30	L 0	L 0	50			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Part Pigeon River and Bird Tally Creek floodplain with frequent beaver activity.														
31	P 2	T 1	21	25	0	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Regeneration is patchy due to wet ground, primarily. Quite a bit of Tag Alder throughout, but Spruce and Tamarack are starting to come on.														
32	S 5	L 0	5	74	9	60	45	black spruce-swamp	immature	N		not scheduled	0	
33	A 4	W 1	4	43	6	40	50	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd :														
34	R 8	J 1	19	71	14	60	52	upland brush	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Leave a few trees for retention, but not many. The MO is upland brush.														
35	A 5	M 2	46	70	8	60	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Scattered clones of Aspen with marginal hardwood interspersed with openings. Leave a few individual representative species, as well as, 3 - 5 clones of Aspen for retention.														
36	A 2	A 2	37	17		0	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
37	A 2	A 2	13	25		0	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
38	U 0	U 0	8	25		0	60	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
39	A 2	A 2	32	25		0	65	aspen (upland)	immature	N		40-49 years	0	
40	A 3	A 3	19	17		0	65	aspen (upland)	immature	N		30-39 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
41	P 4	L 0	17	73	9	30	55	balsam poplar & swamp aspen and swamp white birch	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps</p> <p>comnts Fmd : STREAM VALLEY FREQUENTLY FLOODED BY BEAVERS</p>														
42	A 3	A 3	33	27		0	65	aspen (upland)	immature	N		20-29 years	0	
43	M 6	M 2	15		10	80	60	northern hardwood	unevenaged	N		20-29 years	0	
44	M 8	U 0	16		9	60	65	northern hardwood	unevenaged	N		20-29 years	0	
45	A 3	A 3	18	27	2	0	65	aspen (upland)	immature	N		30-39 years	0	
46	A 3	A 3	12	14		0	65	aspen (upland)	immature	N		40-49 years	0	
47	M 2	M 2	8			0	55	northern hardwood	immature	N		not scheduled	0	
<p>comnts Fmd : Low drainage area through hardwood stands</p>														
48	M 6	M 2	151		9	90	60	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Stand was thinned in 2002/03.</p>														
49	M 5	A 2	19		8	60	60	northern hardwood	unevenaged	N		30-39 years	0	
<p>comnts Fmd : Stand had Aspen removed in 2003.</p>														
50	M 6	M 2	8		10	100	60	northern hardwood	unevenaged	N		not scheduled	0	
<p>comnts Fmd : Hillside with wet springs that flow along Tin Bridge Road.</p>														
51	Q 5	L 0	26		8	50	30	mixed swamp conifer	unevenaged	N		not scheduled	0	
<p>comnts Fmd : Narrow swamp that follows creek along Tin Bridge Road.</p>														
52	A 3	A 3	10	14		0	65	aspen (upland)	immature	N		40-49 years	0	
53	A 3	A 3	54	27		0	65	aspen (upland)	immature	N		20-29 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
54	A 3	A 3	47	14		0	65	aspen (upland)	immature	N		40-49 years	0	
55	Q 6	L 0	4	79	8	80	45	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Quiet area/natural area/wilderness														
comnts Fmd : Stand lies within the Pigeon River Natural River corridor														
56	P 5	L 0	83	74	8	40	55	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Quiet area/natural area/wilderness														
comnts Fmd : River floodplain along Pigeon River Natural River corridor														
57	A 3	A 3	37	26	3	0	65	aspen (upland)	immature	N		20-29 years	0	
58	M 6	M 2	11		7	70	58	northern hardwood	unevenaged	N		20-29 years	0	
59	W 8	A 2	5	84	14	60	65	white pine	mature	N		30-39 years	0	
60	Q 5	P 1	3	79	8	40	50	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Quiet area/natural area/wilderness														
comnts Fmd : Stand lies within the Pigeon River Natural River corridor														
61	A 3	A 3	4	5	0	0	60	aspen (upland)	immature	N		50-59 years	0	
62	A 3	A 3	9	26		0	60	aspen (upland)	immature	N		20-29 years	0	
63	A 3	A 3	15	6		0	65	aspen (upland)	immature	N		50-59 years	0	
64	A 2	A 2	39	14		0	65	aspen (upland)	immature	N		40-49 years	0	
65	M 6	M 1	17		9	90	60	northern hardwood	unevenaged	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
66	A 3	A 3	4	14		0	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Preserve natural cavity trees and also leave pockets of Hemlock and hardwood within those pockets for retention purposes.														
67	M 6	M 1	168		9	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : Biologists recommends cutting this to encourage new Aspen growth. Will cut with hardwood stand.														
68	A 7	U 0	11	61	9	30	62	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Biologists recommends cutting this to encourage new Aspen growth. Will cut with hardwood stand.														
69	M 6	M 2	8		9	100	68	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : High Country Pathway goes through stand.														
70	E 6	L 0	11	69	8	90	53	swamp hardwoods	mature	N		not scheduled	0	
comnts Fmd : Stand lies within Pigeon River Natural River corridor.														
71	Q 6	F 1	10	104	8	140	41	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Quiet area/natural area/wilderness														
comnts Fmd : Stand lies within Pigeon River Natural River corridor.														
72	A 6	W 1	28	86	8	80	58	aspen (upland)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Quiet area/natural area/wilderness														
comnts Fmd : Stand lies within Pigeon River Natural River corridor.														
73	M 6	M 2	85		10	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : Preserve the natural cavity trees and leave the pockets of Hemlock and hardwood within the pockets for retention purposes.														
74	W 5	A 2	5	86	10	60	58	white pine	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Stand was cut in 2002. Thinned the pine and removed aspen and hardwood.														
400	G 0	G 0	2		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Old landing site														
401	G 0	G 0	1		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Old landing site														
402	G 0	G 0	5		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MANAGED WILDLIFE OPENING														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
403	G 0	G 0	16			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Managed wildlife opening														
404	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
405	G 0	G 0	2			0		grass	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : Managed wildlife opening. Will need access with the road going through this opening when we harvest stands 21, 22, 34 and 35.														
406	G 0	G 0	2			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : We will need access through this opening to harvest timber beyond this point.														
407	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
408	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	
409	G 0	G 0	3			0		grass	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : MANAGED WILDLIFE OPENING														
410	G 0	G 0	2			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
411	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Opening near Tin Bridge, popular camping spot.														
412	G 0	G 0	3			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Managed wildlife opening														
413	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
414	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
415	G 0	G 0	4			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd :														
<b>Total Acres..... 1909</b>														