

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
1	O 6	M 1	8	91	10	80	55	oak	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Leave about 30 sq. ft. of Oak for retention.														
2	A 5	W 1	21	61	8	50	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leaving Oak, Pine and a few Aspen for retention. Also, 2-3 uncut islands will be left.														
3	R 6	X 0	12	47	8	160	55	red pine	immature	N		10-19 years	0	
comnts Fmd : Stand had 1/3 row thinning last entry period.														
4	A 6	M 2	12	48	9	110	65	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Mark a few representative species for retention purposes.														
5	M 5	M 3	19	48	8	60	55	northern hardwood	immature	N		20-29 years	0	
6	R 6	X 0	13	47	8	150	65	red pine	immature	N		10-19 years	0	
comnts Fmd : Stand thinned in 2002.														
7	A 6	M 2	23	48	8	110	65	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Mark a few representative species and 2 uncut islands for retention.														
8	M 6	M 2	32		9	100	65	northern hardwood	unevenaged	N		10-19 years	0	
9	A 6	F 1	45	42	8	90	55	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand was added after discussion at pre-review.														
10	M 5	F 3	5	53	9	60	60	northern hardwood	immature	N		not scheduled	0	
Treatment Limiting Factors: Inadequate volume due to small acreage														
comnts Fmd : BALSAM FIR UNDERSTORY MAY NOT BE ABLE TO ACHIEVE DESIRED (M) TYPE, PLUS ACCESS CAN ONLY BE DONE THROUGH PRIVATE LAND														
11	A 3	A 3	18	16		0	65	aspen (upland)	immature	N		30-39 years	0	
12	Q 6	F 1	36	100	8	80	43	mixed swamp conifer	immature	Y		20-29 years	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : SI VARIES DEPENDING ON DRAINAGE, NORTH END IS MUCH MORE WET.														
13	W 9	F 2	5	92	16	70	63	white pine	immature	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
14	A 6	W 1	47	43	8	70	50	aspen (upland)	immature	N		10-19 years	0	
15	A 3	A 3	20	25		0	60	aspen (upland)	immature	N		20-29 years	0	
16	R 8	R 1	14	96	16	60	65	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Due to the low BA of this stand, it would better to wait until stand 14 is ready to harvest and combine the two.														
17	M 6	F 1	17		9	110	60	northern hardwood	unevenaged	N		10-19 years	0	
18	A 3	A 3	25	25	2	20	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : SCATTERED OAK LEFT AFTER LAST HARVEST														
19	A 3	A 3	6	13		20	60	aspen (upland)	immature	N		40-49 years	0	
20	C 6	F 1	38	105	8	180	35	cedar	immature	N		10-19 years	0	
21	B 4	M 1	2	72	8	30	52	paper birch	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : SMALL FINGER RIDGE RUNNING THU SWAMP														
22	W 5	A 2	17	70	8	40	60	white pine	immature	N		50-59 years	0	
comnts Fmd : This stand had everything removed but the White Pine in 2002. Good Aspen reproduction.														
23	A 3	A 3	4	6		20	65	aspen (upland)	immature	N		50-59 years	0	
24	A 3	A 3	26	17		30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : BASAL AREA IS RESIDUAL FROM PREVIOUS CUT														
25	A 3	A 3	5	6		0	60	aspen (upland)	immature	N		40-49 years	0	
26	R 6	M 2	29	49	8	80	55	red pine	immature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2002.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
27	A 3	A 3	27	25	3	0	65	aspen (upland)	immature	N		20-29 years	0	
28	O 5	W 1	15	80	10	60	60	oak	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
29	A 3	A 3	30	25	3	0	65	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : SCATTERED OAK THROUGHOUT STAND</p>														
30	A 2	A 2	11	11		0	60	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : THIS STAND WAS PART OF A TIMBER SALE WITH AN ADJACENT STAND TO THE NORTH CUT IN 1997. IT HAS SUFFERED SOME BROWSE DAMAGE.</p>														
31	R 8	F 1	4	90	14	40	55	red pine	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p>														
<p>comnts Fmd : NARROW RIDGE WITHIN CEDAR SWAMP</p>														
32	F 3	F 3	9	28		0	50	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
33	N 0	N 0	11			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Old Beaver marsh. Water levels fluctuate with beaver activity, but has been inactive for some time now.</p>														
34	L 0	L 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : (L) TYPE NORTH OF OLD GRADE - PERIODICALLY USED BY BEAVER</p>														
35	F 3	L 0	16	28		0	55	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
<p>comnts Fmd : PORTION OF SWAMP KILLED BY INSECTS OR DISEASE - NOW REGENERATING</p>														
36	Q 5	F 3	81	125	7	60	44	mixed swamp conifer	low quality	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
<p>comnts Fmd : MUCH OF THE AREA HAS BLOWN DOWN - REMAINDER IS HI-RISK</p>														
37	R 8	A 3	4	102	16	60	60	red pine	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p>														
<p>comnts Fmd : STAND HAD ALL SPECIES BUT PINE REMOVED IN 1982.</p>														
38	A 3	A 3	27	26		0	60	aspen (upland)	immature	N		20-29 years	0	
39	Q 3	Q 3	33	16	0	0	45	mixed swamp conifer	immature	N		50-59 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
40	S 6	S 1	11	76	8	70	45	black spruce-swamp	immature	N		20-29 years	0	
41	A 6	W 1	44	52	9	110	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Clearcut with reserves. Leave Oak and some Pine and also 3 - 5 uncut islands of Aspen for retention.														
42	A 3	A 3	18	16		0	65	aspen (upland)	immature	N		40-49 years	0	
43	J 5	J 1	6	58	8	70	55	jack pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Small Jack Pine strip along swamp. Because of it's size, it makes sense to leave it one more rotation and cut it with stands 44 and 46.														
44	R 6	S 1	3	88	8	100	47	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
45	S 5	L 0	1	79	6	50	40	black spruce-swamp	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : SMALL PORTION OF MUCH LARGER SWAMP														
46	A 6	M 1	54	44	8	80	60	aspen (upland)	immature	N		10-19 years	0	
47	A 3	A 3	12	15		0	65	aspen (upland)	immature	N		40-49 years	0	
48	J 3	J 3	15	15	0	0	50	jack pine	immature	N		40-49 years	0	
49	J 6	R 1	9	48	8	90	60	jack pine	immature	N		10-19 years	0	
50	A 2	A 2	29	16		0	60	aspen (upland)	immature	N		40-49 years	0	
51	A 5	A 2	14	42	7	50	55	aspen (upland)	immature	N		20-29 years	0	
52	J 4	A 1	3	42		20	45	jack pine	immature	N		30-39 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
53	Q 6	F 1	3	70	8	70	40	mixed swamp conifer	immature	N		20-29 years	0	
comnts Fmd : SMALL RIDGES ROUNDED BY FLOODED OR WET GROUND														
54	R 6	F 1	5	68	9	70	60	red pine	immature	N		20-29 years	0	
55	P 5	L 0	22	69	8	60	60	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Complex stand of small ridges and wet swales.														
56	N 0	N 0	2					marsh	nonstocked	N		not scheduled	0	
57	W 4	F 1	3	48	10	30	45	white pine	sparse	N		not scheduled	0	
comnts Fmd : Small ridge surrounded by flooded or wet ground.														
58	Z 0	Z 0	9					water	nonstocked	N		not scheduled	0	
59	A 2	A 2	21	16			0	65 aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Not good regeneration due to wet ground.														
60	Q 3	Q 3	28	18			0	35 mixed swamp conifer	immature	N		50-59 years	0	
61	L 0	L 0	7				0	lowland brush	nonstocked	N		not scheduled	0	
62	L 0	L 0	1				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
63	Z 0	Z 0	25				0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Mclavey Lake														
64	B 6	A 2	5	43	6	70	55	paper birch	immature	N		10-19 years	0	
comnts Fmd : Spur to HCP runs thru stand														
65	M 6	M 1	7	48	8	110	65	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : North edge of larger stand to the south that is scheduled for next entry period.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
66	M 4	M 1	8	48	9	30	60	northern hardwood	low quality	N		20-29 years	0	
comnts Fmd : McLavey Lake spur of HCP runs through stand														
67	F 5	F 2	4	43	6	50	50	spruce-fir (uplands-including upland black spruce)	immature	N		10-19 years	0	
68	A 6	F 2	7	78	9	100	60	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Part of larger stand to the south in Comp. 21. That stand is scheduled for treatment next entry period.														
69	N 0	N 0	5			0		marsh	nonstocked	N		not scheduled	0	
70	C 6	F 2	327	95	7	110	35	cedar	immature	N		20-29 years	0	
comnts Fmd : Site quality is quite variable depending upon drainage														
71	W 9	F 1	32	122	15	70	55	white pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : Complex stand of narrow pine ridges and conifer swales														
72	A 3	A 3	44	4		0	65	aspen (upland)	immature	N		50-59 years	0	
73	M 6	F 2	3	78		80	60	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : Good retention stand because of its isolation														
74	C 6	Q 2	7	76	7	120	35	cedar	immature	N		10-19 years	0	
75	A 5	A 3	23	25	6	40	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Emerging pole stand														
76	A 3	A 3	20	25		0	65	aspen (upland)	immature	N		20-29 years	0	
77	C 6	F 2	35	95	7	130	37	cedar	immature	N		10-19 years	0	
comnts Fmd : Wet stand														
78	C 6	Q 2	24	76	7	120	35	cedar	immature	N		10-19 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
79	A 3	A 3	10	16		0	65	aspen (upland)	immature	N		30-39 years	0	
80	A 5	A 2	36	41	7	40	55	aspen (upland)	immature	N		10-19 years	0	
81	M 6	M 2	14	75	7	90	60	northern hardwood	immature	N		10-19 years	0	
82	A 3	A 3	14	25	0	0	65	aspen (upland)	immature	N		20-29 years	0	
83	Q 5	L 0	25	73	7	60	50	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd :														
84	A 3	A 3	24	16	0	0	60	aspen (upland)	immature	N		30-39 years	0	
85	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
86	Q 3	Q 3	51	19		0	30	mixed swamp conifer	immature	N		50-59 years	0	
400	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING														
401	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING														
402	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING														
403	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING														
404	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING														
405	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
406	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING														
407	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 1859