

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	C 6	Q 1	16	115	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : 2008 NO PLOTS TAKEN.														
2	A 5	G 0	4	38	6	50	60	aspen (upland)	immature	N		20-29 years	0	
3	M 4	G 0	4	73	9	30	50	northern hardwood	sparse	N		not scheduled	0	
comnts Fmd : 2008 USED OLD DATA.														
4	M 4	G 0	5	73	9	30	50	northern hardwood	sparse	N		not scheduled	0	
comnts Fmd : 2008 USED OLD DATA.														
5	A 5	E 1	24	38	9	60	60	aspen (upland)	immature	N		20-29 years	0	
6	X 0	X 0	7		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Johnson's Crossing oil production facility.														
7	C 6	Q 1	419	115	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : 2008 NO PLOTS TAKEN.														
8	C 6	Q 1	1	115	8	140	30	cedar	mature	N		not scheduled	0	
9	P 2	Q 2	15	23	3	0	30	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT DBH IS AN ESTIMATE.														
10	Q 1	G 0	2	14	1	0	30	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT. DBH IS AN ESTIMATE														
11	Q 2	P 1	2	30	3	0	30	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT DBH IS AN ESTIMATE														
12	Q 1	G 0	2	14	1	0	30	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT DBH IS AN ESTIMATE.														
13	P 4	Q 1	1	30	4	30	65	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT DBH AND BA ARE ESTIMATES.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
14	P 4	Q 1	1	31	4	30	65	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT. DBH AND BA ARE ESTIMATES.														
15	L 0	L 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
16	A 3	A 3	5	5	1	0	65	aspen (upland)	immature	N		50-59 years	0	
17	A 6	M 1	11	73	9	100	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Aspen, red maple, and other hardwoods as well as soft wood species would be expected to reproduce in this stand														
18	X 0	X 0	4			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : A combined antrim gas well and oil well site.														
19	M 6	M 1	2	73	8	90	60	northern hardwood	immature	N		not scheduled	0	
20	A 3	A 3	9	5	1	0	65	aspen (upland)	immature	N		50-59 years	0	
21	P 4	Q 1	1	30	4	30	65	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT. DBH AND BA ARE ESTIMATES.														
22	A 4	F 2	4	28	4	30	55	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT. DBH AND BA ARE ESTIMATES														
23	E 6	F 1	2	94	8	80	50	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : 2008 DID NOT VISIT														
24	F 4	A 1	3	28	4	30	50	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT. DBH AND BA ARE ESTIMATES.														
25	C 6	Q 1	2	115	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : 2008 NO PLOTS TAKEN. APPEARS TO BE OR HAVE BEEN FLOODED FROM IMAGERY														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
26	F 2	A 1	4	28	3	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : 1998 Regeneration has suffered from beaver activity. 2008 DID NOT VISIT. DBH IS AN ESTIMATE														
27	N 0	N 0	7			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 DID NOT VISIT THE STAND. USED 1979 COMPARTMENT INFO AND IMAGERY														
28	A 3	E 1	35	21	3	20	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 2008 MOVING INTO A POLE STAND														
29	A 3	M 1	48	15	2	0	70	aspen (upland)	immature	N		40-49 years	0	
30	A 6	U 0	2	74	9	70	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 2008 THERE WILL NO RETENTION IS BECAUSE OF THE SMALL ACREAGE Aspen, red maple, and other hardwoods species would be expected to reproduce in this stand														
31	M 5	M 1	5	60	8	60	60	northern hardwood	immature	N	final harvest	within 0-9 years	3	
comnts Fmd : 2008 NO RETENTION TOO SMALL. Aspen, red maple, and other hardwoods would be expected to reproduce in this stand														
32	R 6	M 1	3	45	9	120	60	red pine	immature	N		10-19 years	0	
33	A 5	U 0	1	74	9	60	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 2008 NO RETENTION TOO SMALL Aspen, red maple, and other hardwoods as well as soft wood species would be expected to reproduce in this stand														
34	M 2	U 2	1	74	2	10	60	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 SITE INDEX IS AN ESTIMATE														
35	M 2	U 2	5	74	2	10	60	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 SITE INDEX IS AN ESTIMATE														
36	R 6	M 1	7	45	9	120	60	red pine	immature	N		10-19 years	0	
37	M 5	M 2	2	74	9	50	60	northern hardwood	low quality	N		20-29 years	0	
38	M 5	M 1	18	60	8	60	60	northern hardwood	immature	N		20-29 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
39	A 6	F 1	9	60	9	110	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 2008 THERE ARE A COUPLE OF POCKETS OF E THAT ARE FAIRLY WET IN THE STAND. USE THESE AREAS FOR RETENTION. ALSO LEAVE ANY CEDAR AND HEMLOCK. Aspen, red maple, and other hardwoods as well as soft wood species would be expected to reproduce in this stand														
40	P 3	F 1	8	5		0	65	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : 2008 THE ASPEN IS DOING WELL. RED MAPLE , U AND L ARE BEING HEAVILY BROWSED														
41	P 4	F 1	1	31	4	30	65	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : 2008 STAND IS MOVING INTO A POLE STAND														
42	P 4	F 1	1	29	4	30	65	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : 2008 STAND IS MOVING INTO A POLE STAND														
43	C 6	Q 1	3	115	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : 2008 NO PLOTS TAKEN.														
44	A 3	M 1	9	20	3	0	65	aspen (upland)	immature	N		50-59 years	0	
45	A 6	F 1	3	60	9	110	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 2008 THERE ARE A COUPLE OF POCKETS OF E THAT ARE FAIRLY WET IN THE STAND. USE THESE AREAS FOR RETENTION. ALSO LEAVE ANY CEDAR AND HEMLOCK. Aspen, red maple, and other hardwoods as well as soft wood species would be expected to reproduce in this stand														
46	R 6	U 0	4	45	9	110	60	northern hardwood	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Aspen, red maple, u and other hardwoods as well as soft wood species would be expected to reproduce in this stand														
47	R 6	X 0	11	45	9	180	60	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 2008 ROW THIN AND MARK TREES TO CUT IN THE OTHER ROWS.														
48	P 3	L 1	21	19	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
49	Q 4	L 0	2	115	8	30	30	mixed swamp conifer	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
50	C 6	Q 1	1	115	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : 2008 NO PLOTS TAKEN														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
51	C 6	Q 1	3	115	8	140	30	cedar	mature	N		not scheduled	0	
52	A 3	M 1	6	26	3	0	65	aspen (upland)	immature	N		40-49 years	0	
53	M 5	M 1	165	77	9	50	60	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : 1997 Stand has FDF management potential.														
54	X 0	X 0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : A combined antrim gas well and oil well site.														
55	M 6	M 1	19	77	10	110	60	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Stand has FDF management potential.														
56	X 0	X 0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : An oil and gas production site.														
57	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	high risk	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
58	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 THIS IS A NEW OIL WELL SITE. NOT SURE IF IT IS IN THE RIGHT SPOT ON THE MAP.														
59	A 3	M 1	19	17	2	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : 2008 PATCHES OF M1 U TYPE IN THE STAND ESP RIDGE TOPS.														
60	A 3	M 1	32	26	3	10	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 2008 STAND IS JUST MOVING INTO A POLE STAND.														
61	A 4	M 1	3	27	3	20	65	aspen (upland)	immature	N		30-39 years	0	
62	M 3	U 0	3	27	2	0	60	northern hardwood	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 M2 TO M3 WITH OPEN AREAS OF U AND GRASS. SITE INDEX IS AN ESTIMATE														
63	R 6	M 1	7	45	10	100	60	red pine	immature	N		10-19 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
64	R 6	M 1	4	45	8	90	60	red pine	immature	N		10-19 years	0	
65	A 3	M 1	16	6	1	0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1998 If available, leave patches of red pine where it is concentrated enough to form distinct stands. 2008 THERE ARE TWO PATCHES OF RED PINE LEFT IN THIS STAND.														
66	R 6	M 1	1	45	8	90	60	red pine	immature	N		10-19 years	0	
67	X 0	X 0	2				0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : A combined antrim gas well and oil well site.														
68	C 6	Q 1	53	115	8	140	30	cedar	mature	N		not scheduled	0	
comnts Fmd : 2008 DID NOT TAKE PLOTS USED KEN'S DATA														
69	A 5	M 1	9	26	4	60	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 2008 STAND MOVING INTO A POLE STAND.														
70	A 5	M 1	2	26	4	60	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 2008 STAND MOVING INTO A POLE STAND.														
71	R 6	M 1	1	45	10	120	60	red pine	immature	N	thinning	within 0-9 years	1	
72	A 5	M 1	12	36	6	60	55	aspen (upland)	immature	N	final harvest	within 0-9 years	3	
comnts Fmd : Stand has approximately 20 sq. ft. of merchantable basal area scattered throughout. Aspen, red maple, and other hardwoods as well as soft wood species would be expected to reproduce in this stand														
73	M 6	M 1	21	73	10	80	65	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Stand has FDF management potential.														
74	P 2	Q 1	2	16	1	0	30	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : 2008 stand looks pretty good. Has lots of species so far. E1, bam., fir , white birch, quaking aspen and red maple.														
75	L 0	L 0	3				0	lowland brush	nonstocked	N		not scheduled	0	
400	G 0	G 0	3				0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 gas and oil pipeline corridor														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
401	G 0	X 0	4			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
402	G 0	X 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
403	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : gas and oil pipelines														
404	G 0	X 0	6			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
405	G 0	X 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
406	G 0	X 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : antrim gas well site														
407	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : 2008 GAS AND OIL PIPE LINE CORRIDOR														
408	G 0	X 0	16			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
409	G 0	X 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
410	G 0	X 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
411	G 0	X 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim gas well site.														
<b>Total Acres..... 1185</b>														