

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	M 6	M 2	176		9	120	58	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : HIGH COUNTRY PATHWAY														
2	A 3	A 3	49	21	2	0	70	aspen (upland)	immature	N		20-29 years	0	
3	A 3	A 3	2	11	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Small portion of larger stand in Comp. 3														
4	E 6	L 0	21	91	8	100	61	swamp hardwoods	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : THIS LOW WET STAND HAS FLOWING WATER AND SPECIES HAVE NO MARKET														
5	A 6	E 1	6	79	9	80	60	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inferior quality														
comnts Fmd : THIS IS A PORTION OF A PREVIOUS SALE WHICH WAS NOT COMPLETED. ACCESS IS DIFFICULT AND MAY HAVE TO WAIT FOR ANOTHER STAND IN COMPARTMENT TO WEST TO BE CUT.														
6	A 3	A 3	20	21	2	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : CENTER PORTION OF STAND HAS SUFFERED SEVERE BROWSE DAMAGE.														
7	A 6	W 2	5	76	9	70	60	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : PART OF LARGER STAND TO THE WEST. THIS STAND WAS LEFT UNCUT WHEN STAND 6 WAS CUT. It may be cut with stand to the west in Comp. 8, but access is difficult.														
8	C 6	F 1	2	114	8	90	40	cedar	mature	N		not scheduled	0	
comnts Fmd : Stand is part of a larger swamp that lies mostly on private land to the west.														
9	A 3	A 3	28	17		0	65	aspen (upland)	immature	N		40-49 years	0	
10	C 9	M 1	22	154	14	170	45	cedar	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Deer yards														
11	C 9	M 2	7	114	12	80	45	cedar	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
12	M 6	M 2	183		10	90	70	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Stand was thinned in 2001														
13	M 3	M 3	37	41	3	0	70	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : NARROW STRIP LEFT BETWEEN TWO CUTTINGS FOR WILDLIFE COVER														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	F 5	M 2	5	60	8	60	57	spruce-fir (uplands-including upland black spruce)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
15	A 3	A 3	13	22		0	65	aspen (upland)	immature	N		30-39 years	0	
16	C 6	F 1	20	114	10	240	40	cedar	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
17	F 6	F 2	8	70	8	80	57	spruce-fir (uplands-including upland black spruce)	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
18	W 9	F 1	30	111	16	140	60	white pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd :														
19	P 5	L 0	7	80	8	50	55	balsam poplar & swamp aspen and swamp white birch	low quality	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
20	E 6	E 2	18	122	8	100	45	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Hold another 10 years if at all possible.														
21	A 3	A 3	14	6		0	60	aspen (upland)	immature	N		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
22	C 6	Q 3	13	132	9	90	37	cedar	mature	N		10-19 years	0	
23	A 3	A 3	67	24		0	65	aspen (upland)	immature	N		30-39 years	0	
24	M 6	M 1	165		8	130	70	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
25	A 6	A 2	4	40	6	70	65	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd :														
26	M 6	M 2	222		9	120	70	northern hardwood	unevenaged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
27	M 6	M 2	110		10	100	70	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Thinned in 2004														
28	A 3	A 3	10	8		0	65	aspen (upland)	immature	N		50-59 years	0	
29	A 5	A 2	5	37	5	60	65	aspen (upland)	immature	N		10-19 years	0	
30	A 3	A 3	26	15		0	65	aspen (upland)	immature	N		40-49 years	0	
31	C 6	F 1	7	118	9	80	40	cedar	mature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2003-04														
32	A 3	A 3	37	24		0	60	aspen (upland)	immature	N		30-39 years	0	
33	A 3	A 3	7	24	0	0	65	aspen (upland)	immature	N		30-39 years	0	
34	A 3	A 3	25	15	1	0	60	aspen (upland)	immature	N		40-49 years	0	
35	Q 6	L 0	14	74	8	70	50	mixed swamp conifer	immature	N		20-29 years	0	
36	A 3	A 3	41	24		0	65	aspen (upland)	immature	N		30-39 years	0	
37	A 6	F 1	22	79	9	130	55	aspen (upland)	mature	Y		20-29 years	0	
Treatment Limiting Factors: Other special wildlife habitat consideration (desc. In comments)														
comnts Fmd : Complex stand of Hemlock, Cedar, hardwoods. Important Deer yarding area. Large raptor nest, as well as, wet springs with feeder creek.														
38	M 6	M 1	87		9	90	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Stand was thinned in 2001-02														
39	A 3	A 3	31	24		0	65	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
40	A 6	L 0	10	79	9	70	55	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
41	W 9	U 0	1	119	20	110	60	white pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
42	A 3	A 3	23	24		0	60	aspen (upland)	immature	N		20-29 years	0	
43	W 9	M 1	1	119	20	70	65	white pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity comnts Fmd : These small pockets of mature pine have important aesthetic value, as well as, serving as retention areas.														
44	A 6	W 1	6	61	8	140	60	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage comnts Fmd : Combine with Aspen to the south in Comp. 16 when that is prescribed.														
45	A 3	A 3	34	15		0	55	aspen (upland)	immature	N		30-39 years	0	
46	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
47	W 6	W 1	3		8	120	60	white pine	unevenaged	N		20-29 years	0	
48	W 6	W 1	5		8	120	60	white pine	unevenaged	N		20-29 years	0	
49	A 3	A 3	26	24	2	0	60	aspen (upland)	immature	N		20-29 years	0	
50	W 5	W 1	94		8	60	55	white pine	immature	N		50-59 years	0	
51	J 5	W 2	15	17	8	40	55	jack pine	two aged	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
52	A 3	A 3	8	24	0	0	65	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
53	A 6	W 2	12	61	8	90	50	white pine	immature	Y		70-79 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Ridgetop with hiking trail</p>														
54	P 5	L 0	21	78	9	40	55	balsam poplar & swamp aspen and swamp white birch	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps</p> <p>comnts Fmd : River Floodplain</p>														
55	R 6	W 2	11		9	70	60	red pine	unevenaged	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Recreational site</p> <p>comnts Fmd : This stand surrounds Pine Grove Campground.</p>														
56	C 6	F 2	13	149	9	110	35	cedar	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps Too wet</p> <p>comnts Fmd : Swamp along Pigeon River with creek running through it.</p>														
57	C 6	L 0	4	92	9	110	35	cedar	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones</p> <p>comnts Fmd : River Floodplain for Pigeon River</p>														
400	G 0	G 0	4			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
401	G 0	G 0	5			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
402	G 0	G 0	5		0	0		grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Opening along Webb Rd and Campsite Rd. Seasonal camping use.</p>														
403	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Small opening in the hardwoods</p>														
404	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
405	G 0	G 0	17		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
<p>comnts Fmd : This opening is filling in with brush and saplings. Quite a bit of autumn olive planted in this opening. Wildlife recommends mechanical and chemical treatment of autumn olive.</p>														
<p>Total Acres..... 1896</p>														