

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	M 5	M 2	4		8	50	55	northern hardwood	unevenaged	N		30-39 years	0	
2	R 8	M 3	42	79	18	50	65	red pine	two aged	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Red Pine is nursing along advanced hardwood regeneration. Allow hardwood to take over. Attempting to remove pine would result in the hardwood destruction.														
3	U 0	U 0	1			0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : site of old offsite horse camp #10. Still a popular camping spot.														
4	A 4	A 2	3	32	6	30	65	aspen (upland)	immature	N		20-29 years	0	
5	Q 6	L 0	10	89	8	70	30	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
6	A 5	A 2	2	32	6	40	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd :														
7	A 3	M 3	8	31	2	0	70	aspen (upland)	immature	N		30-39 years	0	
8	M 6	M 2	59		9	80	65	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Stand was selectively cut in 2002-03.														
9	M 3	M 3	4	31	3	0	60	northern hardwood	immature	N		30-39 years	0	
10	U 0	U 0	10	24	0	0	65	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Severely browsed with lots of Blackberry and raspberry briars. There is some aspen and hardwood reproduction emerging.														
11	R 9	M 2	4	77	18	140	70	red pine	mature	N		10-19 years	0	
comnts Fmd : Isolated pocket of mature Red Pine too small to be managed alone. So, it can be managed with stand 13 or left for retention purposes.														
12	M 6	M 1	65		8	90	52	northern hardwood	unevenaged	N		10-19 years	0	
13	R 9	M 2	83	75	16	70	70	red pine	mature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	M 9	M 2	82		11	100	65	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Stand was selectively cut in 2002-04.														
15	A 6	M 2	4	44	8	80	70	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Wait for hardwood to be cut next time.														
16	A 3	A 3	4	27	3	0	65	aspen (upland)	immature	N		20-29 years	0	
17	U 0	U 0	13			0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : North end of CCC opening which contains planted Autumn Olive and Sumac.														
18	J 4	J 1	21	29	6	30	50	jack pine	immature	N		not scheduled	0	
19	M 5	M 1	84	48	7	60	55	northern hardwood	immature	N		20-29 years	0	
20	W 9	F 1	3	144	18	130	55	white pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Small pocket of White Pine and Hemlock.														
21	Q 6	L 0	14	84	8	100	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
22	E 4	L 0	6	69	7	30	40	swamp hardwoods	low quality	N		not scheduled	0	
23	A 6	F 1	5	37	8	80	65	aspen (upland)	immature	N		10-19 years	0	
24	R 9	M 1	1	78	14	130	55	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Part of a larger stand to the west in Comp. 16.														
25	A 3	A 3	51	26	3	0	70	aspen (upland)	immature	N		20-29 years	0	
26	R 7	M 2	12	78	16	30	62	red pine	mature	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : CCC pine burn control plot. Many trees have died out and fallen over. Hardwood and Aspen mix coming in underneath.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
27	R 8	M 2	47	78	18	60	60	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
28	A 2	A 2	75	17	0	0	62	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Part of old CCC burn area. Quite a bit of Siberian Crab filling in the understory.														
29	A 2	A 2	29	17		0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Part of the old CCC burn area.														
30	R 9	F 1	9	78	14	180	62	red pine	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Part of larger stand in Compartment 16 that goes right to the shoreline of Cornwall flooding.														
31	Q 5	L 0	5	82	7	50	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
32	R 9	R 1	8	78	16	120	62	red pine	mature	Y	shelterwood-seed	within 0-9 years	1	
33	A 3	A 3	36	27		0	62	aspen (upland)	immature	N		20-29 years	0	
34	C 6	L 0	5	99	8	70	35	cedar	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Stand contains live springs.														
35	Z 0	Z 0	54			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Cornwall Flooding														
36	C 6	Q 1	4	99	7	80	32	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
37	A 6	U 0	3	44	7	70	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Small acreage on steep hillside														
38	16	X 0	3	64	7	70	40	local use	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> No market for species/product														
comnts Fmd : Black Locust grove near Inspiration Point. Year of Origin is an estimate.														
39	J 4	L 0	2	39	6	30	45	jack pine	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
40	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Drainage that feeds Cornwall Pond														
41	Z 0	Z 0	6			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Cornwall Lake														
42	L 0	L 0	3			0		lowland brush	nonstocked	N		not scheduled	0	
43	A 6	F 1	6	69	10	80	60	aspen (upland)	mature	Y		not scheduled	0	
Treatment Limiting Factors: Water quality/bmps														
44	W 4	L 0	1	41	8	30	50	white pine	immature	N		not scheduled	0	
45	E 4	L 0	5	69	5	30	32	swamp hardwoods	sparse	N		not scheduled	0	
46	R 8	M 2	3	76	16	60	65	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was selectively cut in 2003														
47	A 3	A 3	4	6		0	65	aspen (upland)	immature	N		50-59 years	0	
48	M 6	M 2	13		9	90	58	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Part of larger stand to the east in Compartment 18 that was selectively in 2007.														
49	R 9	M 2	5	76	18	70	65	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was selectively cut in 2003														
50	L 0	L 0	15			0		lowland brush	nonstocked	N		not scheduled	0	
51	R 9	M 1	20	77	18	80	65	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was selectively cut in 2003														
52	R 9	M 1	53	78	18	80	60	red pine	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Stand selectively harvested in 2003.														
53	A 3	A 3	27	8		0	60	aspen (upland)	immature	N		40-49 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
54	F 5	F 1	16	71	8	50	50	spruce-fir (uplands-including upland black spruce)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
55	R 9	M 1	1	77	15	90	66	red pine	mature	N		20-29 years	0	
comnts Fmd : Stand was selectively harvested in 2003.														
56	A 5	U 0	2	47	8	60	60	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd : Shoreline stand being impacted by beavers.														
57	M 6	M 1	58		8	140	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	6	
comnts Fmd : Under contract with stand to the west in Comp. 16														
58	J 5	M 2	4	41	9	60	45	jack pine	immature	N		10-19 years	0	
59	U 0	U 0	4			0	65	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Portion of stand 60 that was browsed real heavily														
60	A 3	A 3	34	25		0	65	aspen (upland)	immature	N		20-29 years	0	
61	R 9	F 1	20	76	16	70	65	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was selectively cut in 2003														
62	A 6	F 1	26	41	8	90	60	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
63	P 5	F 1	4	49	7	60	55	balsam poplar & swamp aspen and swamp white birch	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Wet Aspen stand bordering Cornwall Creek marsh														
64	A 4	A 2	4	37	5	30	50	aspen (upland)	immature	N		20-29 years	0	
65	N 0	N 0	24			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Cornwall Creek marsh														
66	A 5	A 2	30	37	5	70	65	aspen (upland)	immature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
67	Q 6	L 0	25	96	7	80	35	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
68	A 5	F 1	35	37	6	50	55	aspen (upland)	immature	N		20-29 years	0	
69	C 5	Q 2	21	109	6	60	30	cedar	immature	N		20-29 years	0	
70	A 3	A 3	12	27		0	65	aspen (upland)	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
71	L 0	L 0	6		0	0		lowland brush	nonstocked	N		not scheduled	0	
72	H 6	M 1	4	169	10	70	50	hemlock	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
73	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
74	C 6	L 0	5	159	9	100	30	cedar	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
75	U 0	U 0	7	25		0	60	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Part of stand 70 that never regenerated well after it was cut														
76	Z 0	Z 0	4			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Hemlock Lake														
77	H 6	M 1	22	86	9	100	50	hemlock	mature	N		not scheduled	0	
78	M 6	M 1	53		9	130	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
79	A 6	F 1	8	42	8	100	60	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
80	R 9	A 1	65	81	16	100	65	red pine	mature	Y	seed tree	within 0-9 years	1	

comnts Fmd : Stand was selectively cut in 2004. This will be the final entry for pine. This stand was to be part of the RPP, but it was pulled.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	H								
81	A 3	A 3	10	27		0	65	aspen (upland)	immature	N		20-29 years	0	
82	C 6	L 0	26	89	8	70	30	cedar	immature	N		20-29 years	0	
83	L 0	L 0	15	24		0	30	lowland brush	nonstocked	N		within 0-9 years	0	other - specify in remarks
comnts Fmd : Portion cedar stand that had been cut for winter deer feed. Non-commercial strip cuts in the alder.														
84	A 6	M 1	16	41	7	80	65	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
85	C 6	L 0	4	89	8	80	30	cedar	immature	N		20-29 years	0	
86	M 6	M 1	54		9	120	64	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
87	M 6	M 1	8		8	130	64	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
400	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
401	G 0	G 0	2		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : MANAGED OPENING, FORMERLY PLANTED TO CLOVER.														
402	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Managed with 401														
403	G 0	G 0	72		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : CCC opening - Elk viewing area, recommend prescribed burning this opening.														
404	G 0	G 0	3		0	0		grass	nonstocked	N		not scheduled	0	
405	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
406	G 0	G 0	10		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance

comnts Fmd : This has been burned in the past and the recommendation is to burn it again.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
407	G 0	G 0	45		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Stand is heavily used by sightseers, scattered Siberian Crabs, trail and parking to Inspiration Point														
408	G 0	G 0	2		0	0		grass	nonstocked	N		not scheduled	0	
409	G 0	G 0	7		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Managed opening below Inspiration Point														
410	G 0	G 0	6			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Managed opening next to Cornwall Flooding														
411	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
412	G 0	G 0	6			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Popular camping spot near south access to Cornwall Flooding. Treat encroaching hardwood.														
413	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
414	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
415	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
416	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
417	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
418	G 0	G 0	4			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Treat encroaching hardwood.														
419	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
420	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
421	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 1839