

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	P 6	F 1	17	76	9	80	50	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Surrounded by river/creek floodplains - no access.														
2	A 6	F 2	29	76	9	80	55	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Bridge needed (portable bridge not available or inadequate)														
3	L 0	L 0	29		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : River floodplain along Canada Creek														
4	E 7	E 1	14	89	10	30	50	swamp hardwoods	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : River floodplain along Black River														
5	Q 6	F 1	10	82	9	80	40	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
6	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Small ponds that likely dry up for parts of the year														
7	R 6	W 1	12		10	130	55	red pine	unevenaged	N	selection	within 0-9 years	1	
8	J 6	W 1	4	52	8	80	55	jack pine	mature	N	seed tree	within 0-9 years	1	
comnts Fmd : Mark Red Pine seed trees														
9	Q 6	L 0	63	80	8	70	45	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : Wet stand subject to seasonal water levels														
10	L 0	L 0	11			0		lowland brush	nonstocked	N		not scheduled	0	
11	R 9	F 2	2	89	16	90	55	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Part of larger stand in Comp 26. Manage with that stand in it's YOE.														
12	A 6	F 2	8	64	9	90	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
13	A 5	F 1	182	42	7	60	55	aspen (upland)	immature	N		10-19 years	0	
14	M 6	M 2	90	79	8	80	60	northern hardwood	unevenaged	N		20-29 years	0	
15	A 3	A 3	44	19		0	55	aspen (upland)	immature	N		30-39 years	0	
16	P 5	M 1	1	49	8	50	55	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet comnts Fmd : Wet with springs. Open spring known as "the Crock" lies in this stand.</p>														
17	A 4	A 2	10	26	6	30	60	aspen (upland)	immature	N		20-29 years	0	
18	U 0	U 0	3			0	60	upland brush	nonstocked	N		not scheduled	0	
19	A 5	A 1	9		8	60	60	aspen (upland)	unevenaged	N		10-19 years	0	
20	A 1	A 1	2	19		0	50	aspen (upland)	low quality	N		not scheduled	0	
<p>comnts Fmd : Old gravel pit filling in with Aspen regeneration around the edges</p>														
21	M 5	W 1	14	50	8	60	58	northern hardwood	immature	N		20-29 years	0	
22	C 6	F 1	9	82	8	90	40	cedar	low quality	N		not scheduled	0	
23	C 6	Q 1	8	82	8	90	40	cedar	immature	N		not scheduled	0	
24	E 7	E 1	6	89	12	30	50	swamp hardwoods	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage comnts Fmd : Black River Floodplain</p>														
25	A 5	F 2	5	34	6	60	55	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
26	Q6	E 1	17	79	8	70	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
27	L0	L0	10			0	35	lowland brush	nonstocked	N		not scheduled	0	
28	F6	F1	27	52	8	80	50	spruce-fir (uplands-including upland black spruce)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
29	A3	A3	4	18		0	60	aspen (upland)	immature	N		30-39 years	0	
30	M6	M2	34		8	100	60	northern hardwood	unevenaged	N		10-19 years	0	
31	A6	L0	17	50	9	70	60	aspen (upland)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : Hillside and floodplain along Black River														
32	A6	F1	8	52	10	70	65	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : Stand borders river - no management														
33	A3	A3	42	26	3	0	65	aspen (upland)	immature	N		20-29 years	0	
34	M5	M3	13			60	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Stand was thinned in 1992														
35	A3	A3	17	18		0	60	aspen (upland)	immature	N		30-39 years	0	
36	M6	M2	22		8	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	6	
comnts Fmd : Presently under contract as part of the Crockett Rapids Hardwood sale with adjacent stand to the north														
37	A3	A3	10	26		0	70	aspen (upland)	immature	N		20-29 years	0	
38	A3	A3	8	4		0	60	aspen (upland)	immature	N		50-59 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
39	A 6	F 2	22	52	9	70	55	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Too steep comnts Fmd : Fairly steep embankment down to river - no management														
40	P 6	E 1	19	64	9	70	55	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
41	A 3	A 3	8	24		0	70	aspen (upland)	immature	N		20-29 years	0	
42	A 3	A 3	10	17		0	50	aspen (upland)	immature	N		30-39 years	0	
43	A 3	A 3	16	26		0	65	aspen (upland)	immature	N		30-39 years	0	
44	A 3	A 3	38	4		0	65	aspen (upland)	immature	N		40-49 years	0	
45	P 6	L 0	18	72	9	90	50	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps comnts Fmd : Wet drainage with intermittent creek flowing through it														
46	A 3	L 0	15	4	0	0	65	aspen (upland)	immature	N		40-49 years	0	
47	A 3	A 3	39	24		0	65	aspen (upland)	immature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
48	M 6	M 2	99		9	100	60	northern hardwood	unevenaged	N		10-19 years	0	
49	A 3	A 3	35	26		0	60	aspen (upland)	immature	N		20-29 years	0	
50	C 6	F 1	10	77	10	180	50	cedar	immature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
51	A 3	A 3	22	31		0	60	aspen (upland)	immature	N		20-29 years	0	
52	M 6	M 3	79		8	90	62	northern hardwood	unevenaged	N		20-29 years	0	
53	A 3	A 3	16	24		0	65	aspen (upland)	immature	N		30-39 years	0	
54	A 5	F 2	25	65	10	60	60	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too steep Water quality/bmps comnts Fmd : STEEP HILLSIDE ON EDGE OF BLACK RIVER FLOODPLAIN</p>														
55	P 8	F 2	28	65	12	50	60	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps</p>														
56	A 3	A 3	4	20		0	60	aspen (upland)	immature	N		30-39 years	0	
57	A 6	F 2	10	36	7	70	70	aspen (upland)	immature	N		10-19 years	0	
58	A 6	F 2	18	60	8	90	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
59	M 6	M 2	14		8	100	65	northern hardwood	unevenaged	N		10-19 years	0	
60	R 9	A 2	5	74	15	80	52	red pine	mature	N		10-19 years	0	
61	A 3	A 3	10	18		0	65	aspen (upland)	immature	N		30-39 years	0	
62	Q 6	Q 2	25	82	9	180	45	mixed swamp conifer	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments) comnts Fmd : Good winter deer cover</p>														
63	A 3	A 3	29	24	0	0	65	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
64	A 5	F 1	36	38	7	60	62	aspen (upland)	immature	N		10-19 years	0	
65	M 6	M 1	45		8	110	60	northern hardwood	unevenaged	N		10-19 years	0	
66	E 5	E 2	18		8	50	56	swamp hardwoods	unevenaged	N		not scheduled	0	
67	A 6	M 1	44	45	10	90	65	aspen (upland)	mature	N	final harvest	within 0-9 years	1	
68	R 6	M 3	3	43	8	90	70	red pine	immature	N		10-19 years	0	
comnts Fmd : Thinned in 1996														
69	M 6	M 2	20		9	110	70	northern hardwood	unevenaged	N		10-19 years	0	
400	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
401	G 0	G 0	2		0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
402	G 0	G 0	4		0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
403	G 0	G 0	2		0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
404	G 0	G 0	5		0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
405	G 0	G 0	3		0	0	50	grass	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : Tree planting to restore site to a forested state.														
406	G 0	G 0	3		0	0	50	grass	nonstocked	N		not scheduled	0	
407	G 0	G 0	4			0	50	grass	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
408	G 0	G 0	2			0	50	grass	nonstocked	N		not scheduled	0	
409	G 0	G 0	1			0	50	grass	nonstocked	N		not scheduled	0	
410	G 0	G 0	2			0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
411	G 0	G 0	1			0	50	grass	nonstocked	N		not scheduled	0	
412	G 0	G 0	4		0	0		grass	nonstocked	N		not scheduled	0	
413	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
414	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
415	G 0	G 0	8			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
416	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 1638