

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A 4	W 2	36	26	3	30	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1998 HEAVY ELK BROWSING HAS DESTROYED A LARGE PERCENTAGE OF THE BIGTOOTHED ASPEN REGENERATION IN THIS STAND. 2009 Agree with 1998 comment. This stand is moving into a pole stand, with a significant amount of u-type as welas patches of white pine.														
2	M 6	M 1	2	86	9	130	60	northern hardwood	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : 1998 LEAVE AS IS DUE TO IT'S UNIQUE CHARACTER IN RELATION TO THE SURROUNDING TIMBER TYPES. THIS IS PART OF A LARGER STAND THAT EXTENDS INTO COMPARTMENTS #42 AND #45. 2009 I agree with 1998 comment, but could harvested with stand in adjacent compartment 45.														
3	W 6	U 0	10	89	9	80	60	white pine	immature	N		20-29 years	0	
4	M 9	M 1	9	86	10	100	60	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : 1998 LEAVE AS IS DUE TO IT'S UNIQUE CHARACTER IN RELATION TO THE SURROUNDING TIMBER TYPES. 2009 At one time there was some Hemlock in the stand but it is all dead now.														
5	R 8	W 1	19	78	10	50	60	red pine	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : 2004 Stand was thinned in 2002. 2009 ASPEN AND RED MAPLE REGEN HAS BEEN BROWSED QUITE HEAVILY.														
6	J 3	G 0	1	27	0	0	45	jack pine	sparse	N		40-49 years	0	
7	A 2	J 1	3	17	2	20	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1998 STAND HAS ABOUT 30 SQ. FT. OF RESIDUAL PINE LOGS AND PULP. 2009 MOST OF THE BIG TOOTH ASPEN IS DEAD DUE TO BROWSING. THERE ARE PATCHES OF U AND PATCHES OF RED MAPLE THAT HAS BEEN HEAVILY BROWSED.														
8	R 9	U 0	8	78	10	110	60	red pine	immature	Y	shelterwood-seed	within 0-9 years	2	
comnts Fmd : 2009 Most of the Jack Pine is in the southern end of the stand. JACK , RED, AND WHITE PINE, , RED MAPLE AND ASPEN WOULD BE EXPECTED TO REGERATE THE STAND.														
9	R 8	W 1	17	7	10	50	55	red pine	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : 2004 Stand was thinned in 2002. 2009 This stand was broken out of stand 5. It is predominately J3 from what I can see.														
10	R 8	W 1	18	78	10	50	60	red pine	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : 2004 Stand was thinned in 2002. 2009 ASPEN AND RED MAPLE REGEN HAS BEEN BROWSED QUITE HEAVILY.														
11	W 8	W 3	9	92	12	60	50	white pine	two aged	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
12	J5	W 1	6	39	6	60	50	jack pine	immature	N		20-29 years	0	
comnts Fmd : 2009 COULD JUST DO NOTHING HERE, OR WAIT AND DO SOMETHING WHEN STAND 12 IS HARVESTED														
13	R9	W 1	2	86	14	150	60	red pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : 2009 COULD JUST DO NOTHING HERE, OR WAIT AND DO SOMETHING WHEN STAND 12 IS HARVESTED														
14	W8	W 1	34	86	14	50	60	white pine	two aged	N		50-59 years	0	
comnts Fmd : 2009 THE UNDERSTORY COULD BE FEATURED HERE BUT NOT SURE WHAT TO CALL IT. THERE IS SOME ASPEN BUT IT APPEARS TO BE GROWING UNDER THE BIG PINE. WHITE PINE AND JACK PINE SAPS ARE ALSO PRESENT IN PLACES, AS WELL AS BROWSED RED MAPLE.														
15	J5	W 1	41	39	5	60	50	jack pine	immature	N		20-29 years	0	
comnts Fmd :														
16	J6	F 1	4	70	8	90	55	jack pine	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 2009 Leave sawlog white pine over 12 dbh for retention. Do not leave anything else for retention due to small acreage. JACK AND WHITE PINE, SPRUCE, FIR, RED MAPLE AND ASPEN WOULD BE EXPECTED TO REGENERATE THE STAND.														
17	R9	F 1	3	86	15	110	60	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : 2009 RECOMMEND NOT TREATING THIS STAND. WILL BE TREATING OTHER STANDS AROUND THIS ONE.														
18	A5	F 1	28	70	8	60	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 2009 LEAVE TWO .5 TO 1 ACRE AREAS FOR RETENTION. THERE COULD VERY WELL BE A COUPLE AREAS THAT ARE TOO WET TO OPERATE IN TO LEAVE														
19	U0	G 0	17		0	0		upland brush	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : 2009 STAND IS FILLING IN FROM THE EDGES WITH JACK AND WHITE PINE. SMALL DIAMETER CHERRY IS THRU OUT THE STAND. THIS STAND HAS A ROAD GOING THOUGH THE MIDDLE OF IT FOR ITS ENTIRE LENGTH. WILDLIFE DIV. SCHEDULED THIS STAND FOR MECH. TREATMENT														
20	Q6	L 0	9	92	8	70	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
21	W9	F 1	2	92	14	80	55	white pine	mature	N		not scheduled	0	
comnts Fmd : 2009 THERE IS A CAMP SITE IN THE MIDDLE OF THIS STAND.														
22	W7	F 2	14	92	10	40	55	white pine	mature	N		not scheduled	0	
comnts Fmd : 2009 SI IS AN ESTIMATE														
23	C5	L 0	2	92		40	30	cedar	low quality	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
24	L 0	Q 1	10			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2009 PART OF OLD STAND 25 THAT THE BEAVER FLOODED.														
25	S 5	S 2	5	86	6	50	50	black spruce-swamp	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2009 LEAVE ONE CLUMP OF ABOUT .5 ACRES IN THE MIDDLE OF THE STAND FOR RETENTION														
26	F 6	F 1	7	92	9	80	45	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
27	C 4	L 1	70	92	6	30	30	cedar	nonstocked	N		not scheduled	0	
comnts Fmd : 2009 DID NOT TAKE ANY PLOTS, I USED KEN'S														
28	M 2	F 1	23	17	1	0	60	northern hardwood	immature	N		40-49 years	0	
comnts Fmd : 1998 REGEN IS COMING ALONG QUITE SLOW. DEER AND ELK ARE BROWSING QUITE HEAVILY. 2009 there is a little of everything coming back in the stand. Aspen, red maple , birch, fir and spruce														
29	F 5	F 2	4	70	8	50	45	spruce-fir (uplands-including upland black spruce)	mature	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
30	L 0	Q 1	13			0		lowland brush	nonstocked	N		not scheduled	0	
31	U 0	G 0	1		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 2009 FILLING IN														
32	A 2	A 1	2	7		0	60	aspen (upland)	immature	N		40-49 years	0	
33	A 1	U 1	1	7		0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : 2009 ASPEN AND RED MAPLE HAS BEEN HEAVILY BROWSED.														
34	A 3	M 1	27	17	0	0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1998 SOME ELK BROWSING ON THE BIGTOOTHED ASPEN BUT NOT TOO SEVERE YET. A FEW SCATTERED OAK WERE LEFT WITHIN THE HARVESTED AREA. 2009 THIS A3 STAND LOOKS BETTER THAN MOST IN THE AREA. THERE ARE PATCHES OF A1, U, W1. THERE IS ALSO SOME R2.														
35	R 9	W 1	1	79	10	140	60	red pine	immature	Y	shelterwood-seed	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : 1998 AND 2009 MANAGE WITH THE STAND ADJACENT TO THE EAST IN COMPARTMENT #45. COULD ALSO JUST LEAVE THIS STAND AS IS.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
36	R 6	W 1	10	78	9	80	60	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : 2009 STAND HAS AN A1 TO A2 COMPONENT IN PLACES														
37	R 9	A 1	11	79	14	120	60	red pine	immature	Y	shelterwood-seed	within 0-9 years	3	
comnts Fmd : 2009 RED AND WHITE PINE AS WELL AS ASPEN AND RED MAPLE WOULD BE EXPECTED TO REGENERATE THE STAND														
38	L 0	Q 1	6			0		lowland brush	nonstocked	N		not scheduled	0	
39	R 9	M 1	6	78	14	100	60	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : 2009 A GOOD PART OF THIS STAND IS ON A SLOPE LEADING DOWN TO THE SWAMP.														
40	Q 6	L 0	426	92	8	70	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
400	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 920