

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B								
1	M 6	M 1	5	87	9	150	65	northern hardwood	immature	Y	selection	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : 1999 AT THE REVIEW LAURIE DECIDED THIS STAND SHOULD BE PRESCRIBED SO THAT WE CAN TREAT IT IF AND WHEN WE GET ACCESS ACROSS PRIVATE PROPERTY TO CUT STAND #2. DUE TO THE OVERALL LOW VOLUME AND THE COMPLEXITIES OF OBTAINING PERMISSION AND ADMINISTERING THIS SALE, WE DECIDED NOT TO PURSUE MARKETING THIS STAND. 2009 THERE IS STILL NO ACCESS.</p>														
2	A 6	M 1	14	76	9	90	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : 1999 AT THE REVIEW WILDLIFE DIVISION DECIDED THAT THEY WANTED THIS STAND CUT. IF WE DO NOT GET ACCESS ACROSS PRIVATE PROPERTY, WILDLIFE WOULD LIKE TO TRY TO CUT IT NON-COMMERCIALY. DUE TO THE OVERALL LOW VOLUME AND THE COMPLEXITIES OF OBTAINING ACCESS AND ADMINISTERING THIS SALE, WE DECIDED NOT TO PURSUE MARKETING THIS STAND. 2009 STILL NO ACCESS. If this stand is cut aspen, spruce, fir and red maple would be expected regen. Leave no retention due to the small size of the stand.</p>														
3	A 6	L 0	4	71	8	70	60	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
4	Q 6	L 0	3	73	8	110	35	mixed swamp conifer	immature	N		not scheduled	0	
5	A 6	F 1	1	76	9	110	65	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : 2009 this stand would require access from west or south different than stand to the north because of drainage</p>														
6	A 3	L 0	4	19	0	0	60	aspen (upland)	immature	N		not scheduled	0	
7	C 6	L 0	6	105	8	120	30	cedar	immature	N		not scheduled	0	
8	L 0	L 0	14		0	0		lowland brush	nonstocked	N		not scheduled	0	
9	A 6	A 1	1	71	9	90	65	aspen (upland)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
10	Q 4	L 0	4	92	7	30	30	mixed swamp conifer	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet</p>														
11	A 6	A 2	9	38	6	70	65	aspen (upland)	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : 2009 would require private access for not a lot of product. If a producer is cutting on private directly south of stand it may be able to be harvested</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
12	Q4	L0	27	92	8	30	30	mixed swamp conifer	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet Inadequate volume due to low stocking/small diameter/etc.</p>														
13	C6	L0	10	95	8	110	30	cedar	immature	N		not scheduled	0	
14	F6	F2	9	70	9	110	60	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
15	M6	F1	4	72	9	110	60	northern hardwood	immature	N		not scheduled	0	
16	M4	U0	8	72	9	30	60	northern hardwood	sparse	N		not scheduled	0	
17	Q4	L0	3	92	8	30	30	mixed swamp conifer	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
18	C6	L0	136	95	8	110	30	cedar	immature	N		not scheduled	0	
19	L0	L0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	
20	A2	F1	26	25	0	0	50	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : 2009 THIS STAND HAS AREAS OF ASPEN, AND OTHER AREAS THAT ARE SPRUCE FIR, AND RED AND WHITE PINE WITH SOME RED MAPLE MIXED IN. MIGH BE ABLE TO BREAK OUT SOME DIFFERENT STANDS NEXT TIME.</p>														
21	W6	W1	19	80	9	80	60	white pine	immature	N		10-19 years	0	
22	A2	L0	11	25	0	0	50	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : 2009 STAND IS VERY SIMILAR TO STAND 20</p>														
23	C5	L0	23	71	7	60	30	cedar	immature	N		not scheduled	0	
24	L0	L0	51		0	0		lowland brush	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
25	C 5	L 0	8	71	7	60	30	cedar	immature	N		not scheduled	0	
26	M 6	F 1	2	88	9	70	60	northern hardwood	immature	N		not scheduled	0	
27	A 6	F 1	4	88	9	80	60	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
28	A 3	M 1	2	29	0	0	60	aspen (upland)	immature	N		not scheduled	0	
29	C 6	Q 2	49	124	8	120	30	cedar	mature	N		not scheduled	0	
30	Q 4	L 0	29	124	8	30	30	mixed swamp conifer	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
31	M 6	M 1	2	97	8	90	60	northern hardwood	mature	N		not scheduled	0	
32	L 0	L 0	10		0	0		lowland brush	nonstocked	N		not scheduled	0	
33	F 6	F 2	3	70	8	90	60	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 2009 ASPEN, SPRUCE, FIR PINE AND RED MAPLE WOULD BE ACCEPTABLE FOR REGENERATION. FISH DIVISION REQUESTED THAT THE TIMBER SALE STAY 300 FT. FROM THE RIVER. RETENTION WILL BE THE 300 FT FROM THE RIVER.														
34	A 6	M 1	43	46	8	90	65	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : 2009 ASPEN, SPRUCE, FIR PINE AND RED MAPLE WOULD BE ACCEPTABLE FOR REGENERATION. Leave a couple areas for retention FISH DIVISION REQUESTED THAT THE TIMBER SALE STAY 300 FT. FROM THE RIVER.														
35	L 0	L 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
36	A 5	W 3	33	40	5	50	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 2009 THERE ARE SCATTERED WHITE PINE AND OAK SALOG TREES. There is a heavy w3 understory for much of the stand.														
37	U 0	G 0	7	46	0	0	65	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 1999 THIS OPENING COMPLEX WAS CREATED BY WILDLIFE DIVISION IN 1983. IT IS SLOWLY REVERTING BACK TO ASPEN AND BRUSH. 2009 This stand is filling into a2 to a3. THERE ARE ALSO TWO OR THREE AREAS OF A6 IN THE STAND BOUNDARY														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
38	A 6	M 1	19	46	8	90	65	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 2009 may want to cut this stand in ten years														
39	R 9	F 1	7	80	12	130	60	red pine	immature	Y	shelterwood-seed	within 0-9 years	2	
comnts Fmd : 2009 RED AND WHITE PINE , ASPEN, RRED MAPLE AND SPRUCE AND FIR WOULD BE ACCEPTABLE REGENERATION.														
40	A 4	F 1	9	26	4	40	65	aspen (upland)	immature	N		30-39 years	0	
41	L 0	L 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
42	W 6	W 1	2	80	10	130	60	white pine	immature	N		not scheduled	0	
43	W 6	W 1	18	80	10	120	60	white pine	immature	N		10-19 years	0	
44	R 9	F 1	7	91	14	110	60	red pine	immature	Y	shelterwood-seed	within 0-9 years	2	
comnts Fmd : 2009 Nice red and white pine. Red, white and jack pine as well as fir, red maple and aspen would be expected to regenerate the stand														
45	V 0	V 0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
46	J 6	W 1	11	73	9	80	50	white pine	mature	Y	seed tree	within 0-9 years	2	
comnts Fmd : 2009 LEAVE ABOUT HALF THE WHITE PINE SAWLOG TREES FOR SEED AND RETENTION AS WELL AS RED PINE PULP AND SAWLOG TREES. JACK, RED AND WHITE PINE, SPRUCE AND FIR , AS WELL AS ASPEN AND RED MAPLE WOULD BE EXPECTED TO RERGENERATE THE STAND.														
47	A 3	M 1	8	26	3	10	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 2009 STAND JUST BEGINNING TO MOVE INTO A POLE STAND. THERE ARE A FEW OAK AND WHITE PINE TREES SCATTERED IN THE STAND.														
48	M 6	M 1	6	81	9	80	65	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : 2009 THERE ARE A COUPLE PATCHES OF 2 TO 4 INCH HEMLOCK IN THE STAND.														
49	A 3	G 0	18	8	0	0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1999 THIS STAND WAS HARVESTED IN APRIL AND MAY OF 2001 BY A CREW OF HAND FELLERS AND A IRON MULE FORWARDER.														
50	M 4	W 1	4	80	8	30	55	northern hardwood	two aged	N		50-59 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
51	W 9	A 1	23	80	10	70	60	white pine	two aged	N		40-49 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP. 2009 UNDERSTORY VARIES FROM A2 TO A1 TO W1 TO M1														
52	W 9	U 1	9	80	12	80	60	white pine	immature	N		20-29 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP.														
53	M 6	M 1	2	88	9	100	60	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP.														
54	L 0	L 0	6		0	0		lowland brush	nonstocked	N		not scheduled	0	
55	Q 6	Q 2	6	73	6	90	35	mixed swamp conifer	immature	N		not scheduled	0	
56	M 5	A 2	4	88	9	50	60	northern hardwood	two aged	N		50-59 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP.														
57	A 3	F 1	3	10	0	0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1999 STAND WAS CUT UNDER PREVIOUS OWNERSHIP. WIDELY SCATTERED WHITE PINE RESIDUAL IS FOUND THROUGHOUT THIS STAND.														
58	D 0	D 0	18		0	0		treed bog	nonstocked	N		not scheduled	0	
59	M 6	M 1	2	71	9	80	60	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : 1999 WINTER CUT ONLY IN TEN YEARS IN CONJUNCTION WITH STANDS 67 AND 69.														
60	M 5	F 1	11	72	9	60	60	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP. WINTER CUT ONLY IN TEN YEARS IN CONJUNCTION WITH STANDS 63 AND 69.														
61	Q 6	Q 2	4	73	8	70	35	mixed swamp conifer	immature	N		not scheduled	0	
62	C 6	Q 1	10	105	8	100	30	cedar	immature	N		not scheduled	0	
63	L 0	L 0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	

PIGEON RIVER COUNTRY MGT UNIT

Stand Level Information

Compartment: 50

Entry Year: 2011

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
64	A5	F1	6	76	9	60	65	mixed swamp conifer	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : 1999 WINTER CUT ONLY IN TEN YEARS IN CONJUCTION WITH STANDS 63 AND 67. 2009 DO NOT LEAVE ANY RETENTION DUE TO SMALL ACREAGE.														
65	M5	F1	12	72	8	50	60	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP.														
66	L0	L0	4		0	0		lowland brush	nonstocked	N		not scheduled	0	
67	Q6	Q2	3	73	8	70	35	mixed swamp conifer	immature	N		not scheduled	0	
68	M4	A2	5	72	9	30	60	aspen (upland)	two aged	N		50-59 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP. 2009 There is actually some aspen regen here. A1 to A3 with some fir.														
69	Q5	L0	10	71	8	50	30	mixed swamp conifer	immature	N		not scheduled	0	
70	V0	V0	1		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
71	A4	A2	8	19	3	10	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 1999 STAND WAS CUT UNDER PREVIOUS OWNERSHIP.														
72	A5	F1	14	80	8	60	65	aspen (upland)	two aged	Y	final harvest	within 0-9 years	2	
comnts Fmd : 1999 THIS STAND APPEARS TO HAVE BEEN "THINNED" UNDER PREVIOUS OWNERSHIP. 2009 leave no retention due to small acreage.														
73	M9	M1	6	87	11	90	65	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : 1999 STAND HAD ALL OF THE ASPEN REMOVED UNDER PREVIOUS OWNERSHIP.														
400	G0	G0	1		0	0		grass	nonstocked			not scheduled	0	
401	G0	G0	5		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : 1999 THIS OPENING WAS CREATED BY WILDLIFE IN 1983. IT HAS NOT BEEN MAINTAINED IN RECENT YEARS. WILDLIFE TREATMENTS MAY INCLUDE MECH. TREATMENT AS WELL AS PLANTING.														
402	G0	G0	1		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : 1999 PRESCRIBE BURN TO SET BACK THE ENCROACHING HARDWOODS AND PINE.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
403	G 0	G 0	1		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance

comnts Fmd : 1999 PRESCRIBE BURN TO SET BACK THE ENCROACHING ASPEN REGENERATION.

404	G 0	X 0	1		0	0		grass	nonstocked	N		not scheduled	0	
-----	-----	-----	---	--	---	---	--	-------	------------	---	--	---------------	---	--

comnts Fmd : THIS IS AN ACTIVE ANTRIM GAS WELL.

Total Acres..... 879