

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 14 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
2	Q6	X0	40	90	9	130	59	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Adjacent landowner denies access														
3	E6	E2	9	65	9	100	65	swamp hardwoods	mature	N		not scheduled	0	
4	J6	E3	6	81	9	70	60	oak	high risk	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Check limiting factors, no apparent access to stand														
5	L0	L0	4			0	65	lowland brush	nonstocked	N		not scheduled	0	
6	L0	L0	17			0	45	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : SW CORNER HAS NAT. GAS PIPELINE R.O.W.														
7	P4	X0	8	75	9	20	47	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Adjacent landowner denies access														
8	Q6	F1	3	85	9	70	55	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : WAS J9 LAST Y.O.E., MOST JACK PINE NOW GONE (DEAD STANDING OR BLOWNDOWN), HIGH WATER TABLE OR SPOTS WITH STANDING WATER, ALLOW TO CONVERT TO WP/OAK MIX OR "Q" TYPE														
9	X0	X0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : MUNICIPAL WELL SITE FOR VILLAGE OF ROSCOMMON														
10	T6	L0	6	85	7	70	45	tamarack	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
11	O9	N2	3	83	12	120	57	oak	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : SMALL O9 STAND WHICH IS HIGHLY VISIBLE, W2 U.S., ALLOW TO CONVERT TO WP/OAK MIX														
13	E6	E2	13	65	9	100	65	swamp hardwoods	mature	N		not scheduled	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 14 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
14	E3	L0	3	16	1	0	50	swamp hardwoods	immature	N		40-49 years	0	
15	Q6	X0	4	90	9	130	59	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
Too wet														
16	W5	M2	4	83	7	60	55	white pine	two aged	N		30-39 years	0	
comnts Fmd : O8 LAST Y.O.E., REMOVED EVERYTHING EXCEPT RM/WP/RP, NOW W5M4 WITH M2O1 U.S.														
18	Q4	L0	6	80	6	30	26	mixed swamp conifer	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : SCATTERED SUPER-CANOPY WHITE PINES														
19	A3	O2	17	8	1	0	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : DECENT A3 REGENERATION, SLIGHTLY HIGHER GROUND THAN STAND #22, SCATTERED SPOTS ARE O2														
20	W9	U1	11	100	13	120	55	white pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Scenic values/visual values														
21	A3	A3	35	17	3	0	70	aspen (upland)	immature	N		30-39 years	0	
22	A3	O1	14	8	2	0	60	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : DECENT A3 REGENERATION, SPOTS ARE "L" OR HEAVY TO RM REPROD., SCATTERED OAK REGENERATION THROUGHOUT														
23	J6	O1	29	68	8	100	54	red pine	mature	Y	final harvest	within 0-9 years	6	planting
comnts Fmd : STAND IS UNDER CONTRACT - T'SALE 371-019-04-01 (BLOCK 1166), SOME GREEN MARKED TREES TO LEAVE ALONG M-18														
25	O8	N3	13	80	12	60	55	oak	old growth (potential or actual)	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : OAK O/S WITH NICE WP/RP U.S., POTENTIAL OLD GROWTH, LEAVE AS BUFFER FOR ROBINSON CREEK														
26	E6	F2	8	70	7	80	55	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : DRY BUT ONLY A FEW FEET ABOVE ROBINSON CREEK (PARTIALLY IN FLOODPLAIN), IN PROCESS OF CONVERTING TO RM/FIR STAND, POTENTIAL OLD GROWTH, LEAVE AS BUFFER FOR ROBINSON CREEK														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 14 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stknng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
27	J6	O2	18	80	8	80	51	jack pine	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
Scenic values/visual values														
comnts Fmd : MULTIPLE AGES OF JP & OAK WITH O2 U.S. AND SCATTERED ASPEN CLONES (A6 AND A3), ALSO SCATTERED O/S/ RP & WP, O/J DOING OK AND SHOULD HOLD 10 YEARS, SCATTERED AREAS WITH R2 OR W2 U.S., FINAL HARVEST AND PLANT RED PINE IN 10 YEARS														
28	O8	M3	48	83	13	60	57	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : REMOVED ASPEN, MAPLE, JACK PINE IN 1997 Y.O.E. HOLD 10 YEARS AND THIN OR SHELTERWOOD.														
30	L0	L0	17			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : FLOODPLAIN OF ROBINSON CREEK, POTENTIAL OLD GROWTH														
31	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : BORROW PIT/SHOOTING RANGE														
32	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : BORROW PIT/OLD TRESPASS														
33	A3	O2	20	15	2	0	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A2O2, FAIRLY EQUAL MIX OF A/O, SCATTERED SL SIZE OAK LEFT - MOST OF WHICH HAVE DIED														
34	O2	U2	2	16	2	0	50	oak	immature	N		40-49 years	0	
comnts Fmd : FROST POCKET WHICH DID NOT REGENERATE WELL TO ASPEN - O2U2														
35	J6	O3	25	50	9	80	60	jack pine	immature	N		10-19 years	0	
comnts Fmd : JACK PINE WITH HEAVY OAK U.S. (3-12' TALL), JP GROWING WELL, HOLD 10 YEARS AND USE AS BUFFER FOR LARGE OAK CUT TO THE NORTHEAST OF THIS STAND														
36	O9	O2	60	78	14	100	50	oak	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : PIN OAK STAND WITH GOOD U.S. OF OAK/RM, HARVEST WITH 4" SPEC. TO PROTECT U.S., ROLLING TERRAIN WITH SOME FROST POCKETS, INTERPLANT RED PINE IF INSUFFICIENT REGENERATION OF OAK/ASPEN/RED MAPLE EXISTS IN SPOTS														
37	A3	A3	50	16	3	0	66	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : GOOD A3 REGENERATION														
38	O9	M3	14	78	13	90	65	oak	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : NORTH END OF STAND CUT 1989 LEAVING RESIDUAL OAK STAND & ASPEN/RM REGENERATION, SOUTH END IS MORE OPEN/LESSERQUALITY/MORE WHITE OAK, HOLD 10 YEARS AND USE AS BUFFER FOR LARGE OAK CUT TO THE EAST														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 14 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
41	O6	M1	2	83	10	110	57	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : MOSTLY HARDWOOD WITH POCKETS OF R/W PINE, FINAL HARVEST AND MANAGE FOR ASPEN/OAK, PAINT OUT SMALL POCKETS OF R/W PINE AND LEAVE THOSE AREAS FOR VISUAL, STAND #20 IN COMPARTMENT 13 TO THE EAST WILL MOST LIKELY BE CUT IN 2009														
42	J3	J3	53	12	2	0	51	jack pine	immature	N		30-39 years	0	
comnts Fmd : STAND CUT 1988 - PLANTED 1993, NICE JP REGENERATION														
43	A3	A3	10	17	2	0	66	aspen (upland)	immature	N		40-49 years	0	
44	O2	J1	2	17	1	0	51	oak	immature	N		30-39 years	0	
45	J6	O2	5	55	7	70	51	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : FINAL HARVEST AND SAVE OAK U.S., LEAVE ALL OAK BETWEEN POWERLINE R.O.W. AND ROBINSON LAKE ROAD FOR MAST/SEED/VISUAL, PLANT RED PINE OR JACK PINE IF OAK REGENERATION IS INADEQUATE														
46	O6	X0	11	80	9	70	55	oak	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : STRIP OF FORESTED LAND BETWEEN POWERLINE R.O.W. AND M-18														
48	J4	G0	5	50	6	20	60	jack pine	immature	N		10-19 years	0	
comnts Fmd : J4/G WITH SCATTERED HW SL, TREAT WITH STAND #35 IN 10 YEARS														
49	A3	O2	6	8	1	0	66	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : OAK IN MIDDLE, ASPEN CLONES ON N & S ENDS, A3O2														
50	O8	N3	18	83	12	60	50	oak	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : OLD PIN/WHITE OAK, CLOSE TO TOWN AND OTHER CUTTING, MANAGE FOR WHITE PINE U.S. IN 10 YEARS														
400	G0	G0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : OLD WELL SITE														
401	G0	G0	7			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE														
Total Acres..... 635														