

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
1	E5	P1	16	73	6	60	47	swamp hardwoods	immature	N		10-19 years	0	
comnts Fmd : Stand has ash within it. Wet and swampy, not operable commerically.														
2	M9	M1	29		11	100	62	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : THINNED IN 1989, Nice stand of northern hardwoods. Manage on uneven age basis														
3	A5	A1	5	72	9	60	58	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Long, narrow stand with soft soils, powerline in the middle of it. Too narrow for landing, save for wildlife coridor and visual magt as well.														
5	J5	J1	6	45	6	60	50	jack pine	immature	N		10-19 years	0	
comnts Fmd : Small Jack pine stand between powerline and rd.														
6	A5	A1	16	40	8	60	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : This appears to be one of those stands which was cut in the mid 1960's, taking what the logger needed, and leaving some residual. It has some larger sawtimber trees within it; however the best plan is to wait until next entry and possibly harvest the entire stand, regenerating to aspen at that time.														
7	B6	F2	6	80	10	90	58	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Scenic values/visual values Other special wildlife habitat consideration (desc. In comments)														
comnts Fmd : Balsam stand along the road, too narrow to put a landing in. Slope throughout the stand, deer are using it as a travel corridor.														
8	A5	A1	15	40	6	50	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Aspen stand on wet soils, slow growth.														
9	A3	A3	23	16	4	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : growing well.														
11	A6	O1	11	50	11	90	68	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Harvest and regenerate to aspen.														
12	J6	E1	2	50	9	80	62	jack pine	mature	N		10-19 years	0	
comnts Fmd : Small stand of jack pine in good shape which decreased in size due to flooding since last entry. Too small to set up a sale in, difficult access. Re-examine next entry.														
13	R9	E1	3	96	22	170	62	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to small acreage														
comnts Fmd : Very small stand of big, old red pine, on ridges and knolls at the edge of a swamp. Too small for a sale, too wet to cut. Defacto older age class.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	P5	Q1	8	85	7	50	48	balsam poplar & swamp aspen and swamp white birch	low quality	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps</p> <p>comnts Fmd : Wet bottom along the edge of the AuSable. Leave alone as BMP</p>														
16	L0	L0	2		0	0		lowland brush	nonstocked	N		not scheduled	0	
17	A3	A3	11	16	1	0	66	aspen (upland)	immature	N		50-59 years	0	
19	A6	F1	2	72	9	100	50	aspen (upland)	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : Another small stand which appears to have been partially harvested in the 1960's. Retain stand and harvest next entry when understory develops. Has two small vernal ponds with wet soils and black ash within stand.</p>														
20	V0	V0	1		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
21	A5	A1	22	40	6	60	60	aspen (upland)	immature	N		20-29 years	0	
22	A3	A1	21	39	4	60	52	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Slow growing on wet soils.</p>														
23	L0	L0	5		0	0		lowland brush	nonstocked	N		not scheduled	0	
24	E2	E1	10	16	3	0	67	swamp hardwoods	immature	N		50-59 years	0	
<p>comnts Fmd : Slow growth on wet soils</p>														
25	V0	V0	12		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
26	A3	E1	32	16	3	0	60	aspen (upland)	immature	N		50-59 years	0	
27	L0	L0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	
28	E1	E1	22	5	2	0	65	swamp hardwoods	immature	N		50-59 years	0	
<p>comnts Fmd : STAND CLEARCUT 9/2000 ; WAS MOSTLY RED MAPLE WITH SCATTERED ASPEN.</p>														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
30	A3	O3	2	34	4	30	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : OAK OVERSTORY														
31	Q5	S1	7	87	9	60	43	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Water quality/bmps														
32	E1	E1	11	5	3	0	54	swamp hardwoods	immature	N		50-59 years	0	
comnts Fmd : STAND WAS CUT IN 9/2000. STAND WAS SAWLOG RED MAPLE WITH ASPEN PULP.														
33	A2	A1	5	14	3	0	53	aspen (upland)	immature	N		50-59 years	0	
34	L0	L0	121		0	0		lowland brush	nonstocked	N		not scheduled	0	
37	C6	F1	23	80	8	120	30	cedar	mature	N		not scheduled	0	
38	E4	F1	23	41	7	30	55	swamp hardwoods	immature	N		20-29 years	0	
39	E4	E1	21	41	7	30	55	swamp hardwoods	immature	N		20-29 years	0	
40	A8	A1	25	50	11	50	58	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	
comnts Fmd : 50 year old aspen stand with some decline.														
41	E7	E1	5	82	10	40	56	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : Low wet stand with cradle knolls and beaver runs along south side of Pine Drive, right up against swamp. Too small for landing. If cut the stand will probably regenerate to brush, as it has a lot of alder understory around it already, and the deer and beaver will keep the regeneration nipped off. Leave alone for those reasons as well as BMP, Visual,														
45	Z0	Z0	5		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : SOUTH BRANCH AUSABLE														
46	E2	E1	12	14	3	0	53	swamp hardwoods	immature	N		50-59 years	0	
47	A9	E1	4	85	11	90	66	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Long, narrow strip from oil well to oil well. Harvest and regenerate to aspen.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
48	R9	E1	2	96	20	100	62	red pine	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Small strip of big red pine with aspen-oak understory. Oil lines runng through it, borders grassy field. The stand adjacent to it is being harvested, and if you cut this one too, you will have a long, wide open area exposing oil wells, lines, etc. Makes a good visual screen for now until the stand next to it gets going.</p>														
49	L0	L0	9		0	0		lowland brush	nonstocked	N		not scheduled	0	
50	A6	A2	7	40	8	70	55	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Trembling aspen along small, triangular shaped upland at the edge of the swamp. Just beginning to develop some poles.</p>														
51	V0	V0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
52	A5	A1	12	40	8	40	57	aspen (upland)	immature	N		20-29 years	0	
53	V0	V0	8		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
54	A2	A1	42	16	3	0	64	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : STAND IS SLOWLY REGENERATINGLOW , WET SOILS.</p>														
55	A5	A2	5	36	8	50	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : OPEN GROWING ASPEN CLONES, SOME OPENINGS. SCATTERED OLD PIN OAK</p>														
56	A4	A1	6	36	5	20	60	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Wet soils, slow growth</p>														
57	A5	A1	12	40	6	60	60	aspen (upland)	immature	N		30-39 years	0	
58	A2	A1	17	5	3	0	53	aspen (upland)	nonstocked	N		50-59 years	0	
<p>comnts Fmd : STAND CUT IN 9/2000.</p>														
59	V0	V0	5		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
131	X0	X0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
<p>comnts Fmd : OIL WELL Sand around it</p>														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
132	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL Sand around it													
133	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL, sand around it.													
134	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL, sand around it.													
135	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL sand around it													
136	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL sand around it													
137	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL, sands around it													
138	X0	X0	3	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OIL WELL, sands around it													
145	Z0	Z0	7	0	0		water	nonstocked	N	seed tree	within 0-9 years	2	
comnts Fmd : SOUTH BRANCH AUSABLE													
161	L0	L0	12	0	0		lowland brush	nonstocked	N		not scheduled	0	
201	V0	V0	4	0	0		bog or muskeg	nonstocked	N		not scheduled	0	
301	O8	A1	2	75	10	60	55	oak	mature	N	seed tree	within 0-9 years	2
341	L0	L0	43	0	0		lowland brush	nonstocked	N		not scheduled	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
342	L0	L0	11	0	0		lowland brush	nonstocked	N		not scheduled	0	
404	G0	G0	51	0	0		grass	nonstocked	N		not scheduled	0	
418	G0	G0	2	0	0		grass	nonstocked	N		not scheduled	0	
419	G0	G0	1	0	0		grass	nonstocked	N		not scheduled	0	
420	G0	G0	1	0	0		grass	nonstocked	N		not scheduled	0	
442	G0	G0	2	0	0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 820