

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA							
1	D0	D0	148	0	10	20	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Treed bog.													
2	A3	A3	137	38	4	0	50	aspen (upland)	immature	N	30-39 years	0	
comnts Fmd : INCLUSIONS OF SMALL POCKETS OF "L" THROUGH OUT STAND.													
3	L0	L0	8	0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER ACTIVITY													
4	E1	G0	8	5	0	0	50	jack pine	immature	N	within 0-9 years	0	direct seeding
comnts Fmd : VARIED SUCCESS WITH REGENERATION, SPARSE IN CENTER & N,S,E HAS DECENT A/RM REGENERATION, TRENCH AND SEED JACK PINE WHERE REGENERATION IS SPARSE, KOTAR TYPE IS ParVHa/ParVCo.													
5	A3	A3	21	16	4	10	55	aspen (upland)	immature	N	40-49 years	0	
comnts Fmd : A3 REGENERATION WITH RESIDUAL OAK OF 10 SQ. FT. BASAL AREA OF OAK SAWLOGS.													
6	A3	A3	14	5	0	0	50	aspen (upland)	immature	N	50-59 years	0	
comnts Fmd : HARVESTED 2000, DECENT A3 REGENERATION IN MOST SPOTS													
7	A9	F3	38	65	12	100	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2
comnts Fmd : CUT OR HOLD AS DESIRED, SAVE WHITE PINE AND OAK IF CUT, BUFFER I-75 AND MAINTAINED OPENINGS IF CUT													
8	W6	N2	5	65	9	130	70	white pine	immature	N	10-19 years	0	
comnts Fmd : HUMMOCK AND SEASONALLY WET													
9	Q6	F1	108	95	9	110	30	mixed swamp conifer	mature	Y		not scheduled	0
Treatment Limiting Factors: Too wet													
10	N0	N0	105	0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : E. PORTION OF BACKUS CREEK FLOODING													
12	R6	X0	36	45	8	170	65	red pine	immature	N	thinning	within 0-9 years	2
comnts Fmd : 3RD ROW THINNED LAST YOY, THIN FROM BELOW TO 120 SF, MANAGE FOR UTILITY POLES IN 10 YEARS, INCLUDE STAND 3, COMP'T 86 (2009 YOY) TO THE SOUTH WHEN T'SALE IS SET UP (SAME STAND).													
13	A3	A3	36	16	4	0	55	aspen (upland)	immature	N	30-39 years	0	
14	L0	L0	29	0	0		lowland brush	nonstocked	N		not scheduled	0	
15	A3	A3	60	16	3	0	55	aspen (upland)	immature	N	30-39 years	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
16	D0	D0	24		0	10	20	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Treed bog.														
17	E6	N1	24	80	9	110	50	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
comnts Fmd : POSSIBLY CUT WITH COMPARTMENT 86, STAND 15 TO THE SOUTH 2009 YOE														
18	M5	F2	3	39	7	60	55	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : MIX OF UPLAND RED MAPLE/OAK AND LOWLAND RED MAPLE/BALSAM FIR, SCATTERED OAK/ASPEN/WHITE BIRCH, NUMEROUS "L" POTHOLES AND DRAINAGES														
19	A3	A3	2	5	0	0	66	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT WITH COMPT 86 STAND #2 TO THE SOUTH IN 2000														
20	W8	N3	23	105	18	50	70	white pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
Delayed treatment for age/size class diversity														
Scenic values/visual values														
comnts Fmd : REGENERATING TO WHITE PINE ON ITS OWN, W3 ALMOST POLE SIZE, WHITE PINE GROWING WELL, SCATTERED OVERMATURE ASPEN														
21	L0	L0	8		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER ACTIVITY														
22	W6	N2	13	65	9	130	70	white pine	immature	N		10-19 years	0	
comnts Fmd : HUMMOCK AND SEASONALLY WET														
23	E1	E1	3	5	0	0	50	jack pine	sparse	N		within 0-9 years	0	direct seeding
comnts Fmd : SCATTERED/SPARSE ASPEN, RED MAPLE, AND OAK REGENERATION, SEVERAL LOW POTHOLES WHERE NO REGENERATION AT ALL EXISTS, TRENCH AND SEED JACK PINE IN AREAS WITH SPARSE REGENERATION.														
24	E5	F3	17	85	10	60	50	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : MIX OF LOWLAND "E" AND UPLAND ASPEN/RED MAPLE, VISUAL CONCERNS ON I-75 AND RUSSELL LAKE ROAD, STAND IS GROWING WELL AND REGENERATING ON ITS OWN, HOLD FOR VISUAL CONCERNS, ALREADY CONVERTING TO SAW LOG STAND														
25	E6	F1	4	85	9	70	50	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : SOUTH PART OF THIS STAND WAS CUT WITH COMPT 86 TO THE SOUTH AND IS NOW E2, STAND IS LOW AND WET														
27	A2	E2	43	5	0	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : AREAS OF GOOD A3/E3 REGENERATION WITH AREAS OF REGENERATION FAILURE PROBABLY DUE TO EXCESSIVE DEER BROWSING														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	C r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
28	Q6	F1	15	95	9	110	30	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
29	Q5	F1	8	95	7	50	30	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
30	A5	M2	5	55	6	60	50	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : MIX OF UPLAND ASPEN AND LOWLAND "E" TYPE, MIDDLE PART IS "G" WITH SCATTERED TREES, SCATTERED OAK/ASPEN/RED MAPLE REGENERATION, HOLD 10 YEARS FOR VISUALS ON HWY, ETC.														
31	W5	L2	3	55	9	60	53	white pine	immature	N		not scheduled	0	
comnts Fmd : THRIFTY WHITE PINE STAND WITH HIGH H20 TABLE, NO POSSIBILITY OF LOGGING, WET TERRAIN AND SURROUNDED BY WET STANDS, LEAVE FOR VISUAL														
33	E6	E2	12	80	9	90	50	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : CUT WITH COMPARTMENT 84, STAND 4 TO THE NORTH. COMP. 84 IS 2015 YOE.														
34	Z0	Z0	21		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : E. PART OF BACKUS CREEK FLOODING														
35	E2	E2	8	15	0	0	50	swamp hardwoods	immature	N		40-49 years	0	
comnts Fmd : THIS STAND WAS CUT IN 1990 WITH STAND #31-COMP'T 86 TO THE SOUTH														
36	A6	N2	4	39	8	80	55	aspen (upland)	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : A6 CINVERTING TO A9, OVERMATURE ASPEN WITH IMMATURE POLESIZE ASPEN, CUT OR HOLD AS DESIRED, LEAVE LARGER OAKS IF CUT AND EXPAND INTO SURROUNDING STANDS (#18 AND 20) WHERE POSSIBLE.														
37	E4	E2	15	85	6	30	50	swamp hardwoods	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
Inferior quality														
Too wet														
comnts Fmd : LOW, WET STAND - IMPACTED BY BEAVER??, SCATTERED WHITE BIRCH AND WHITE PINE ALSO														
38	L0	L0	4		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BURNED IN LAST TEN YEARS DURING PERIOD OF DROUGHT														
39	V0	V0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
40	N0	N0	20		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : E. PORTION OF BACKUS CREEK FLOODING														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
41	Q6	F1	51	95	9	110	30	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
42	D0	D0	59		0	0		treed bog	nonstocked	N		not scheduled	0	
43	E6	E2	21	80	9	90	50	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : CUT WITH COMPARTMENT 84, STAND 4 TO THE NORTH. COMP. 84 IS 2015 YOE.														
45	L0	L0	8		0	0		lowland brush	nonstocked	N		not scheduled	0	
400	G0	G0	7		0	0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING.														
401	G0	G0	8		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED OPENING														
402	G0	G0	3		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
403	G0	G0	7		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING														
404	G0	G0	13		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING														
405	G0	G0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING														
406	G0	G0	6		0	0	55	grass	nonstocked	N		not scheduled	0	

Total Acres..... 1221