

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 94

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
1	N0	N0	12		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver flooded area from old stand 72. Marsh grass with some standing snags.														
2	R8	A1	79	79	10	60	62	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : Stand was THINNED IN 1998.														
3	J2	J2	37	15	3	0	53	jack pine	immature	N		40-49 years	0	
4	O6	R1	39	69	9	90	48	oak	mature	N		10-19 years	0	
comnts Fmd : Oak with aspen, jack pine red pine. Has been cut on all three sides in the last 20 yrs. Some pockets of red pine in center in good shape. Hold until next entry, re-examine then.														
5	R0	R0	34	1	0	0	62	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : Very good site.. Burned in a forest fire, October 2004. Replant to RP														
6	A3	A3	16	18	0	0	64	aspen (upland)	immature	N		30-39 years	0	
8	J6	J1	10	39	6	70	43	jack pine	immature	N		10-19 years	0	
comnts Fmd : Jack pine stand in a hollow.														
9	O6	N1	30	74	11	90	51	oak	immature	N		10-19 years	0	
comnts Fmd : Old mixed oak, on a ridge over a heavy understory of 4 inch white pine. West side has heavier white pine, east side is more oak. East side is on a ridge, and slopes sharply to both sides, northern face of that is swampy. Hold for another rotation, and consider treating part of it with an adjoining stand.														
10	J3	N1	10	8	3	0	57	jack pine	immature	N		40-49 years	0	
comnts Fmd : I														
11	A5	A2	13	59	9	70	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : Trembling aspen, with oak maple understory along a ridge with slope.. Permenant residences across the road, stand just west of it is jack pine which needs to be final harvested. Leave this stand for visual management until the stand on the west side is re-established.														
13	U0	U0	24		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Pin cherry, with oak and jack pine seedlings. Filling in gradually, nice semi-open area. ORV trails through the center.														
14	J5	J2	26	57	9	60	45	jack pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : Red pine diameter, 15" JP diameter 9" . Jack pine stand with some bid red pine overstory. Budworm evident, should be harvested. Permenant residences directly across the road. Leave some small trees as buffer screen along north edge if possible.														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 94

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	A6	O1	4	74	11	70	64	aspen (upland)	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Small, elongated stand on the corner of F-97 and Carter Lake Rd. Too small for a landing. Aspen are not in bad shape, heavy understory of red maple. High visibility location. Retain for visual values.</p>														
16	R7	M3	14	67	16	40	50	red pine	two aged	N		10-19 years	0	
<p>comnts Fmd : OLD ORCHARD. APPLE TREES DYING, large overstory red pine.</p>														
17	A8	M1	2	54	10	60	56	aspen (upland)	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Small stand right on F-97. West side is wet, cattail and alder understory. East side has steep bank, not operable. Soils are soft. Retain for these reasons, and visual management.</p>														
18	A2	J2	1	57	4	0	51	aspen (upland)	immature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values Water quality/bmps Too wet</p> <p>comnts Fmd : Small stand right along F-97. Very wet soils, cattail and tag alder here and there. Retain for these reasons and visuals.</p>														
19	O8	O2	31	67	12	70	50	oak	two aged	N		10-19 years	0	
<p>comnts Fmd : Mixed pin and black oak with white oak understory. Showing some mortality, however it should be retained to equalize harvesting within the compartment.</p>														
20	O9	M1	13	69	11	80	58	oak	immature	N		10-19 years	0	
<p>comnts Fmd : Nice stand of red oak, developing well, many sawlog quality trees. Just moved into sawlog class. Basal area not high enough to thin.</p>														
21	A3	E2	10	8	3	0	60	aspen (upland)	immature	N		50-59 years	0	
22	V0	V0	8		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
24	A3	A3	20	16	3	0	68	aspen (upland)	immature	N		40-49 years	0	
25	A2	A1	33	7	2	0	68	aspen (upland)	immature	N		30-39 years	0	
26	Z0	Z0	16			0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : BEAVER POND</p>														
27	C6	F1	4	74	9	80	44	cedar	immature	N		not scheduled	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 94

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
28	L0	L0	3			0		lowland brush	nonstocked	N		not scheduled	0	
30	A3	A3	22	18	3	0	66	aspen (upland)	immature	N		40-49 years	0	
31	O6	J1	8	69	9	70	45	oak	mature	N		10-19 years	0	
comnts Fmd : Steep sloping ridge, good understory coming in of oak-jack pine. Treatment will damage understory. Re-examine next entry period.														
32	O2	O2	4	7	2	0	46	oak	immature	N		50-59 years	0	
33	A9	A1	35	69	12	70	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Intial on the ground exam gives the impression that this was a failed red pine plantation, which has been taken over by a combination of bigtooth aspen, trembling aspen, and mixed oak. In checking records it was planted to jack pine at 800 trees per acre in 1928. Small amount of jack pine and white oak in the stand as well, but not enough to enter statistically. Final harvest, and allow to regenerate naturally. Retain the white oak.														
34	O6	O1	22	69	10	70	51	oak	mature	N		10-19 years	0	
comnts Fmd : Records indicate this stand was planted to jack pine at 800 trees per acre in 1928, however there are very few left. Retain stand until next entry to equalize harvesting in this part of the compartment														
35	O8	N1	8	69	11	60	49	oak	immature			10-19 years	0	
37	A3	A3	10	34	5	0	55	aspen (upland)	immature	N		10-19 years	0	
40	A3	E1	74	8	2	0	60	aspen (upland)	immature	N		50-59 years	0	
41	R9	M2	13	67	10	110	58	red pine	mature	N		10-19 years	0	
comnts Fmd : Red pine with mixed oak, white pine in understory. Small stand, good shape, retain to equalize harvesting within the compartment.														
42	J2	N2	12	8	3	0	50	jack pine	immature	N		50-59 years	0	
comnts Fmd : Harvested in 1997. Stand regenerating as jack pine-aspen-oak mix														
44	A3	A3	35	16	2	0	69	aspen (upland)	immature	N		40-49 years	0	
45	O8	N1	3	83	12	70	53	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Narrow, fingering stand between two clearcuts. Has ORV trail running right down the center of it. Leave as a wildlife corridor, and visual management until the clearcuts on each side grow up.														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 94

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
46	E6	L0	5	68	9	90	55	swamp hardwoods	immature	N		10-19 years	0	
47	C5	F2	11	69	9	70	40	cedar	immature	N		not scheduled	0	
48	E6	L0	4	68	9	90	55	swamp hardwoods	immature	N		10-19 years	0	
50	J2	R1	72	7	2	0	53	jack pine	immature	N		50-59 years	0	
comnts Fmd : LEAVE SNAGS														
51	J2	J2	20	18	3	0	53	jack pine	immature	N		40-49 years	0	
52	A3	E1	9	7	3	0	62	aspen (upland)	immature	N		40-49 years	0	
53	J3	J3	23	15	3	0	53	jack pine	immature	N		40-49 years	0	
54	R5	E1	38	79	9	60	62	red pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : REMOVED JACK PINE AND OAK. THINNED IN 1998.														
55	J9	J1	25	77	10	100	53	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Overmature jack pine on south facing slope. May be difficult to machine plant. Regenerate to JP, if not then Red Pine														
56	V0	V0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
57	A6	A1	5	69	8	70	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Aspen-jack pine mix. Harvest and regenerate to aspen														
58	A3	A3	31	16	3	0	68	aspen (upland)	immature	N		40-49 years	0	
59	O9	N2	9	77	12	90	52	oak	two aged	N		10-19 years	0	
comnts Fmd : Retain to equalize harvesting within the compartment. Has nice white pine understory. Re evaluate in 10 yrs.														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 94

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
60	A3	A3	22	18	3	0	66	aspen (upland)	immature	N		40-49 years	0	
61	O9	N1	20	74	12	100	68	aspen (upland)	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand has received windthrow damage along west side from a storm in the late 1990's. Aspen are mature, and beginning to fall off. Final harvest with 4 inch rule, regenerate to aspen-oak.														
62	A3	A3	10	18	4	0	68	aspen (upland)	immature	N		40-49 years	0	
63	A3	A3	39	18	4	0	68	aspen (upland)	immature	N		40-49 years	0	
64	O9	N1	18	74	11	130	68	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand of both mixed and Red oak, with BTA component. Stand has received heavy wind damage from storm in the mid 1990's which blew down a lot of mature trees along the west side. Final harvest, and allow the stand to regenerate to oak-aspen.														
65	J3	J3	20	7	3	0	53	jack pine	immature	N		50-59 years	0	
66	O3	O3	24	6	3	0	51	oak	immature	N		50-59 years	0	
68	J4	J2	2	45	6	10	45	jack pine	immature	N		20-29 years	0	
comnts Fmd : STAND A U TYPE WITH VARIOUS AGED JACK PINE GROWING IN IT.														
70	A3	A3	28	16	3	0	68	aspen (upland)	immature	N		40-49 years	0	
72	A5	A1	25	74	9	60	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Stand 72 was much larger when examined in 1995. Beaver have flooded out the central 2/3 of the stand, and what remains is poor quality aspen on higher ground along the east-northeast side of the stand. At the rate they are consuming the trees, there may not be much left to work with when the sale is set up. Harvest in conjunction with stand 61, and allow to regenerate to aspen..														
73	L0	L0	2					lowland brush	nonstocked	N		not scheduled	0	
74	V0	V0	5					bog or muskeg	nonstocked	N		not scheduled	0	
125	A2	A1	5	7	3	0	68	aspen (upland)	immature	N		30-39 years	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 94

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
150	R3	R3	48	11	3	0	62	red pine	immature	N		40-49 years	0	
comnts Fmd : Very good site.														
271	C6	F1	4	74	9	80	44	cedar	immature	N		not scheduled	0	
407	G0	G0	8		0	0	45	grass	nonstocked	N		not scheduled	0	
436	G0	G0	3			0	68	grass	nonstocked	N		not scheduled	0	
467	G0	G0	4		0	0	45	grass	nonstocked	N		not scheduled	0	
469	G0	G0	27		0	0	45	grass	nonstocked	N		not scheduled	0	
471	G0	G0	2			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 1305