

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D |         | Site Indx | Mgt Obj             | Condition  | Silv. Criteria Met? | Method Cut    | Trtmt. Period    | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|---------------------|------------|---------------------|---------------|------------------|------------------|---------------|
|  |                  |                         |           |     | B H    | Tot. BA |           |                     |            |                     |               |                  |                  |               |
| 1  | N0               | N0                      | 5         |     | 0      | 0       |           | marsh               | nonstocked | N                   |               | not scheduled    | 0                |               |
| comnts Fmd : WEST EDGE OF BACKUS LAKE FLOODING   |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 2  | L0               | L0                      | 56        |     |        | 0       |           | lowland brush       | nonstocked | N                   |               | not scheduled    | 0                |               |
| comnts Fmd : LARGE WETLAND ADJACENT TO BACKUS LAKE FLOODING  |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 3  | A6               | A3                      | 43        | 39  | 7      | 80      | 55        | aspen (upland)      | immature   | N                   |               | 10-19 years      | 0                |               |
| comnts Fmd : UPLAND ASPEN WITH SCATTERED WETTER AREAS  |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 4  | Q6               | F1                      | 69        | 84  | 8      | 100     | 45        | mixed swamp conifer | mature     | Y                   |               | not scheduled    | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Too wet  |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 5  | V0               | V0                      | 1         |     |        | 0       |           | bog or muskeg       | nonstocked | N                   |               | not scheduled    | 0                |               |
| 6  | L0               | L0                      | 19        |     |        | 0       |           | lowland brush       | nonstocked | N                   |               | not scheduled    | 0                |               |
| 7  | A3               | A3                      | 26        | 17  | 2      | 0       | 58        | aspen (upland)      | immature   | N                   |               | 30-39 years      | 0                |               |
| 8  | O9               | M2                      | 15        | 85  | 16     | 110     | 55        | oak                 | two aged   | Y                   |               | 10-19 years      | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Delayed treatment for age/size class diversity   |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| comnts Fmd : MATURE OAK WITH U.S. A/RM JUST APPROACHING POLE SIZE, HOLD 10-20 YEARS UNTIL U.S IS MERCHANTABLE (U.S. APPROX. 35 YEARS OLD), OAK IS MIX OF R/W/PIN OAK, SCATTERED R/W PINE SL ALSO, AREAS HEAVY TO A6 JUST REACHING POLE SIZE (O8M4A4M2) |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 9  | A3               | O1                      | 13        | 7   | 0      | 0       | 58        | aspen (upland)      | immature   | N                   |               | 50-59 years      | 0                |               |
| comnts Fmd : CUT 1998, MIX OF BTA, TA, OAK, SCATTERED POLE SIZE WP   |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 10   | Q6               | F1                      | 21        | 84  | 8      | 110     | 45        | mixed swamp conifer | mature     | Y                   |               | not scheduled    | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Too wet  |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 11   | A3               | A3                      | 51        | 17  | 2      | 0       | 60        | aspen (upland)      | immature   | N                   |               | 30-39 years      | 0                |               |
| 12   | R9               | F2                      | 16        | 89  | 14     | 90      | 70        | red pine            | two aged   | Y                   | final harvest | within 0-9 years | 2                | planting      |
| comnts Fmd : NICE RP SL STAND W/SCATTERED HARDWOODS IN U.S., FINAL HARVEST AND PLANT RED PINE, MAY NEED RX BURN TO CONTROL BRUSH AND OTHER UNDESIRABLE REGENERATION  |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |
| 13   | E6               | F1                      | 6         | 84  | 9      | 70      | 46        | swamp hardwoods     | mature     | Y                   | final harvest | within 0-9 years | 3                |               |
| comnts Fmd : NO ACCESS - HABITAT IF DESIRED  |                  |                         |           |     |        |         |           |                     |            |                     |               |                  |                  |               |

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D |         | Site Indx | Mgt Obj         | Condition                        | Silv. Criteria Met? | Method Cut       | Trtmt. Period    | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-------|-----|--------|---------|-----------|-----------------|----------------------------------|---------------------|------------------|------------------|------------------|---------------|
|   |                  |                         |       |     | B H    | Tot. BA |           |                 |                                  |                     |                  |                  |                  |               |
| 14  | O9               | M2                      | 23    | 84  | 16     | 110     | 58        | oak             | two aged                         | Y                   | shelterwood-seed | within 0-9 years | 2                |               |
| comnts Fmd : RED OAK DECENT QUALITY, OAK SEEDLINGS & SAPLINGS STARTING IN U.S. WHERE OPENINGS EXIST, HEAVY FIREWOOD CUTTING IN THIS STAND, SHELTERWOOD BY CUTTING A/RM/FIR AND UNMARKED OAK, LEAVE ALL WO/WP AND MARK RED OAK TO LEAVE, ASPEN AND WHITE PINE REGENERATION ACCEPTABLE IF OAK DOES NOT REGENERATE AFTER TREATMENT   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 15  | O3               | J2                      | 20    | 17  | 1      | 0       | 55        | oak             | immature                         | N                   |                  | 40-49 years      | 0                |               |
| comnts Fmd : FAIRLY EVEN MIX OF O3/J3   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 16  | A3               | O1                      | 10    | 7   | 1      | 0       | 55        | aspen (upland)  | immature                         | N                   |                  | 40-49 years      | 0                |               |
| comnts Fmd : CUT 1998, A2O2, SCATTERED POLESIZE WP  |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 17  | O9               | M2                      | 11    | 84  | 16     | 110     | 58        | aspen (upland)  | mature                           | Y                   | final harvest    | within 0-9 years | 1                |               |
| comnts Fmd : RO/ASPEN POOR TO FAIR QUALITY AND DECLINING, FINAL HARVEST AND CONVERT TO ASPEN, RETAIN ALL W. OAK AND SMALLER WP FOR MAST AND DIVERSITY, COULD LEAVE RED PINE ALSO, OAK REGENERATION ACCEPTABLE WHERE ASPEN DOES NOT REGENERATE   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 18  | E2               | F1                      | 2     | 11  | 0      | 0       | 55        | swamp hardwoods | immature                         | N                   |                  | 40-49 years      | 0                |               |
| comnts Fmd : HABITAT CUT 1994, WET WITH "L" AND FIR U.S.  |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 19  | A3               | A3                      | 15    | 7   | 0      | 0       | 50        | aspen (upland)  | immature                         | N                   |                  | 40-49 years      | 0                |               |
| comnts Fmd : CUT 1998, SOUTH 1/3 OF STAND 20 WHERE NO RED PINE O.S. WAS LEFT  |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 20  | O3               | X0                      | 45    | 7   | 2      | 0       | 58        | oak             | immature                         | N                   |                  | 40-49 years      | 0                |               |
| comnts Fmd : CUT 1998, LEFT RP FOR SEED SOURCE AND DIVERSITY, RANGES FROM A3R7 TO O3R7, LOTS OF STUMP SPROUT OAK W/SOME SEEDLING OAK, SCATTERED JP/RP SEEDLINGS JUST STARTING   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 21  | O6               | N2                      | 12    | 84  | 10     | 100     | 55        | oak             | mature                           | Y                   | shelterwood-seed | within 0-9 years | 2                |               |
| comnts Fmd : MATURE MO/WO WITH SCATTERED R/J/W PINE, W1-W2 U.S., SHELTERWOOD BY MARKING OAK TO LEAVE FAVORING LARGE CROWN OAK AND ALL WHITE OAK, CUT A/RM/J AND UNMARKED OAK, LEAVE ALL R/W PINE AND MANAGE FOR A MIXED STAND OF OAK AND PINE, CUT WITH STAND 39 COMP'T 105 TO THE WEST, ASPEN, RED MAPLE, AND ANY TYPE OF PINE REGENERATION IS ACCEPTABLE IF OAK DOES NOT REGENERATE |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 22  | Z0               | Z0                      | 1     |     |        | 0       |           | water           | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| comnts Fmd : NORTH BRANCH DENTON CREEK, BEAVER FLOODING   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 23  | O7               | O3                      | 26    | 84  | 11     | 40      | 50        | oak             | old growth (potential or actual) | Y                   |                  | 10-19 years      | 0                |               |
| Treatment Limiting Factors:<br>Retention of stand for regeneration purposes (ie. shelterwood)   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| comnts Fmd : THINNED/SHELTERWOOD IN 1999, RANGES FROM ALMOST O9 TO O7, OAK REGEN. FROM STUMP SPROUTS IS 8-10' TALL, OAK REGEN FROM SEED IS 2-3' TALL, HOLD 10 YEARS TO ALLOW SEEDLING OAK TO HARDEN OFF, POTENTIAL OLD GROWTH   |                  |                         |       |     |        |         |           |                 |                                  |                     |                  |                  |                  |               |
| 24  | E6               | F1                      | 28    | 74  | 9      | 110     | 46        | swamp hardwoods | mature                           | N                   |                  | 10-19 years      | 0                |               |

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | Age | C r e s | avg. D |         |           | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut       | Trtmt. Period    | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----|---------|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------------|------------------|------------------|---------------|
|  |                  |                         |     |         | B      | Tot. BA | Site Indx |                     |                                  |                     |                  |                  |                  |               |
| 25   | O8               | A2                      | 42  | 85      | 15     | 60      | 55        | oak                 | two aged                         | Y                   |                  | 10-19 years      | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| Delayed treatment for age/size class diversity   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| comnts Fmd : OVERSTORY Y.O.O. IS 1920, U.S. Y.O.O. IS APPROX. 1960-70, OAK STAND WITH ALMOST MERCH. A2/M2 U.S., SCATTERED BF/WP SAPLINGS, VARIES FROM FLAT BUT HUMMOCKY TO ROLLING /DRY GROUND, HOLD 10 YEARS FRO U.S. TO BECOME MERCH., THEN FIANL HARVEST AND MANAGE FOR ASPEN OR CUT ALL SPECIES EXCEPT OAK/PINE AND MANAGE FOR O/P MIX, INCLUSIONS OF R9 ON EDGES (ALONG BOGS AND "Q" TYPES) |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 27   | Q6               | E1                      | 11  | 85      | 8      | 100     | 45        | mixed swamp conifer | mature                           | Y                   |                  | 10-19 years      | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| Too wet  |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 28   | A3               | A3                      | 40  | 17      | 2      | 0       | 55        | aspen (upland)      | immature                         | N                   |                  | 30-39 years      | 0                |               |
| comnts Fmd : CUT 1988, HIGH GROUND IS BTA/OAK, LOWER GROUND IS TA/JP   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 29   | E6               | M1                      | 5   | 74      | 8      | 80      | 46        | swamp hardwoods     | mature                           | N                   |                  | 10-19 years      | 0                |               |
| 30   | O9               | M1                      | 29  | 85      | 10     | 110     | 55        | oak                 | two aged                         | Y                   | shelterwood-seed | within 0-9 years | 2                |               |
| comnts Fmd : FAIR QUALITY RO/MO ON NORTH END, POOR-FAIR QUALITY PIN OAK ON SOUTH END, SCATTERED A3 ASPEN CLONES ALMOST MERCHANTABLE PLUS SCATTERED A6 CLONES AND SOLITARY ASPEN, SHELTERWOOD BY CUTTING ASPEN, RED MAPLE, AND SOME MARKED OAK, ASPEN AND RED MAPLE REGENERATION IS ACCEPTABLE IF OAK DOES NOT REGENERATE   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 31   | O8               | O2                      | 51  | 79      | 10     | 40      | 55        | oak                 | two aged                         | Y                   |                  | 10-19 years      | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| Retention of stand for regeneration purposes (ie. shelterwood)   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| comnts Fmd : REMOVED A/RM IN 1998, NOW RANGES FROM O9O1 TO O7A3 (O8O2)   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 32   | O9               | O1                      | 14  | 74      | 13     | 80      | 55        | oak                 | two aged                         | N                   |                  | 10-19 years      | 0                |               |
| comnts Fmd : MIX OF O/A/J, SOME ASPEN CLONES BARELY MERCH., OAK COULD HOLD10 YEARS WITH SOME VOLUME LOSS, REMOVE A/J NOW OR IN 10 YEARS, NICE O3 U.S. STARTING IN SPOTS  |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 33   | E6               | L0                      | 7   | 85      | 9      | 100     | 46        | swamp hardwoods     | mature                           | Y                   |                  | 20-29 years      | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| Too wet  |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| comnts Fmd : HUMMOCKY GROUND, SEASONALLY WET, BROAD DRAINAGE AREA FROM NORTH INTO CREEK, NOT OPERABLE FOR HARVEST, HARDWOODS FALLING APART AND STAND IS CONVERTING TO "Q" TYPE   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 34   | N0               | N0                      | 74  |         | 0      | 0       |           | marsh               | old growth (potential or actual) | N                   |                  | not scheduled    | 0                |               |
| comnts Fmd : LARGE WETLAND "N" TYPE, FLOODPLAIN OF DENTON CREEK, POTENTIAL OLD GROWTH  |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 35   | Q6               | X0                      | 13  | 85      | 9      | 90      | 40        | mixed swamp conifer | mature                           | Y                   |                  | not scheduled    | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| Too wet  |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |
| 36   | J3               | J3                      | 2   | 8       | 0      | 0       | 60        | jack pine           | immature                         | N                   |                  | 50-59 years      | 0                |               |
| comnts Fmd : CUT AND REGEN WITH STAND #33 COMPT 105 TO THE WEST  |                  |                         |     |         |        |         |           |                     |                                  |                     |                  |                  |                  |               |

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg.  |         | Site Indx | Mgt Obj             | Condition                        | Silv. Criteria Met? | Method Cut       | Trtmt. Period    | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|-------|---------|-----------|---------------------|----------------------------------|---------------------|------------------|------------------|------------------|---------------|
|  |                  |                         |           |     | D B H | Tot. BA |           |                     |                                  |                     |                  |                  |                  |               |
| 37   | A6               | A3                      | 72        | 39  | 6     | 80      | 55        | aspen (upland)      | immature                         | N                   |                  | 10-19 years      | 0                |               |
| comnts Fmd : IN PROCESS OF CONVERTING TO A6, SCATTERED OAK/RP/WP SL, BEGIN CUTTING IN 10 YEARS   |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 38   | O9               | N2                      | 15        | 85  | 15    | 110     | 55        | oak                 | mature                           | Y                   |                  | 10-19 years      | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Delayed treatment for age/size class diversity   |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| comnts Fmd : OAK PINE RIDGE ON NORTH END, R/W PINE TRANSITION ZONE ON SOUTH END, 2 AGED STAND MOVING TOWARDS ALL AGED, HOLD 10 YEARS AND TREAT WITH STAND #37 AND MANAGE FOR A O/P MIX   |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 39   | Z0               | Z0                      | 1         |     |       | 0       |           | water               | old growth (potential or actual) | N                   |                  | not scheduled    | 0                |               |
| comnts Fmd : NORTH BRANCH DENTON CREEK, BEAVER FLOODING, POTENTIAL OLD GROWTH  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 41   | A8               | A2                      | 2         | 85  | 10    | 40      | 55        | aspen (upland)      | old growth (potential or actual) | Y                   |                  | not scheduled    | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Too wet  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| comnts Fmd : SMALL ISLAND - NO ACCESS, POTENTIAL OLD GROWTH  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 42   | E2               | F1                      | 6         | 9   | 0     | 0       | 46        | swamp hardwoods     | immature                         | N                   |                  | 40-49 years      | 0                |               |
| comnts Fmd : HABITAT CUT FEB. 1996   |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 43   | O9               | M2                      | 11        | 84  | 11    | 120     | 58        | oak                 | immature                         | Y                   | shelterwood-seed | within 0-9 years | 2                |               |
| comnts Fmd : MIX OF EVERYTHING, OAK/PINE WITH SPOTS HEAVY TO ASPEN OR RED MAPLE, CUT HW AND JP, MARK SOME OAK TO LEAVE IN AREAS HEAVY TO ASPEN AND RED MAPLE, LEAVE ALL WHITE OAK AND R/W PINE, MANAGE FOR A MIX OF OAK AND PINE, REGENERATION OF ASPEN & RED MAPLE, IS ACCEPTABLE IF OAK AND PINE DO NOT REGENERATE |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 45   | L0               | L0                      | 1         |     |       | 0       |           | lowland brush       | nonstocked                       |                     |                  | not scheduled    | 0                |               |
| comnts Fmd : CUT 1998, RANGES FROM A3 (South) TO O1/G (North)  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 46   | O2               | O2                      | 12        | 7   | 0     | 0       | 58        | oak                 | immature                         | N                   |                  | 50-59 years      | 0                |               |
| comnts Fmd : CUT 1998, RANGES FROM A3 (South) TO O1/G (North)  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 47   | L0               | L0                      | 10        |     |       | 0       |           | lowland brush       | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| comnts Fmd : CUT 1998, RANGES FROM A3 (South) TO O1/G (North)  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 48   | Q6               | F1                      | 11        | 84  | 8     | 100     | 45        | mixed swamp conifer | mature                           | Y                   |                  | not scheduled    | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Too wet  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 49   | Q6               | F1                      | 98        | 84  | 8     | 100     | 45        | mixed swamp conifer | mature                           | Y                   |                  | not scheduled    | 0                |               |
| <u>Treatment Limiting Factors:</u><br>Too wet  |                  |                         |           |     |       |         |           |                     |                                  |                     |                  |                  |                  |               |
| 50   | V0               | V0                      | 2         |     |       | 0       |           | bog or muskeg       | nonstocked                       | N                   |                  | not scheduled    | 0                |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Acres | avg. |       |         | Site Indx | Mgt Obj             | Condition  | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-------|------|-------|---------|-----------|---------------------|------------|---------------------|------------|---------------|------------------|---------------|
|   |                  |                         |       | Age  | D B H | Tot. BA |           |                     |            |                     |            |               |                  |               |
| 51  | N0               | N0                      | 2     |      |       | 0       |           | marsh               | nonstocked |                     |            | not scheduled | 0                |               |
| 52  | E2               | F1                      | 1     | 39   | 0     | 0       | 52        | swamp hardwoods     | immature   | N                   |            | 50-59 years   | 0                |               |
| comnts Fmd : HABITAT CUT OR SMALL COMMERCIAL CUTTING, NOW P3/L/N AT BEST, EVEN MIX OF FIR/WP/P/RM, VERY SLOW GROWING BUT GOOD COVER FOR WILDLIFE                            |                  |                         |       |      |       |         |           |                     |            |                     |            |               |                  |               |
| 53  | J3               | J3                      | 6     | 15   | 1     | 0       | 60        | jack pine           | immature   | N                   |            | 30-39 years   | 0                |               |
| comnts Fmd : J3 WITH SOME R3 INTERMIXED   |                  |                         |       |      |       |         |           |                     |            |                     |            |               |                  |               |
| 54  | A3               | A3                      | 3     | 7    | 0     | 0       | 55        | aspen (upland)      | immature   | N                   |            | 40-49 years   | 0                |               |
| comnts Fmd : CUT 1998, A3 (MOSTLY T.ASPEN)  |                  |                         |       |      |       |         |           |                     |            |                     |            |               |                  |               |
| 55  | V0               | V0                      | 3     |      |       | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| 57  | V0               | V0                      | 3     |      |       | 0       |           | bog or muskeg       | nonstocked |                     |            | not scheduled | 0                |               |
| 58  | V0               | V0                      | 3     |      |       | 0       |           | bog or muskeg       | nonstocked |                     |            | not scheduled | 0                |               |
| 59  | V0               | V0                      | 2     |      |       | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| 60  | O9               | N1                      | 2     | 85   | 11    | 80      | 55        | oak                 | mature     | Y                   |            | not scheduled | 0                |               |
| Treatment Limiting Factors:<br>Inadequate volume due to small acreage   |                  |                         |       |      |       |         |           |                     |            |                     |            |               |                  |               |
| comnts Fmd : PENINSULA OF OAK SURROUNDED ON THREE SIDES BY SWAMP, DEEP DITCH ALONG NORTH END (M-55), TOO SMALL TO MESS WITH IN TERMS OF TREATMENTS - NO SPACE FOR A LANDING |                  |                         |       |      |       |         |           |                     |            |                     |            |               |                  |               |
| 61  | V0               | V0                      | 4     |      |       | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| 62  | V0               | V0                      | 1     |      |       | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| 63  | Q6               | F1                      | 18    | 85   | 9     | 100     | 45        | mixed swamp conifer | mature     | Y                   |            | not scheduled | 0                |               |
| Treatment Limiting Factors:<br>Too wet  |                  |                         |       |      |       |         |           |                     |            |                     |            |               |                  |               |
| 64  | V0               | V0                      | 4     |      |       | 0       |           | bog or muskeg       | nonstocked |                     |            | not scheduled | 0                |               |

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. DBH |         | Site Indx | Mgt Obj             | Condition  | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|----------|---------|-----------|---------------------|------------|---------------------|------------|---------------|------------------|---------------|
|  |                  |                         |       |     | D        | Tot. BA |           |                     |            |                     |            |               |                  |               |
| 65   | Q6               | F1                      | 11    | 84  | 8        | 100     | 45        | mixed swamp conifer | mature     | Y                   |            | not scheduled | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| Too wet  |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| 66   | A3               | A3                      | 6     | 27  | 2        | 0       | 55        | aspen (upland)      | immature   | N                   |            | 30-39 years   | 0                |               |
| 67   | U0               | U0                      | 3     |     | 0        | 0       | 58        | upland brush        | nonstocked | N                   |            | not scheduled | 0                |               |
| comnts Fmd : ENCROACHING/SCATTERED POLE SIZE OAK/ASPEN, SOME WET SPOTS ALSO WITH "L"   |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| 68   | L0               | L0                      | 7     |     |          | 0       |           | lowland brush       | nonstocked | N                   |            | not scheduled | 0                |               |
| 69   | J3               | J3                      | 1     | 8   | 0        | 0       | 60        | jack pine           | immature   | N                   |            | 50-59 years   | 0                |               |
| comnts Fmd : CUT AND REGEN WITH STAND #33 COMPT 105 TO THE WEST  |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| 70   | V0               | V0                      | 2     |     |          | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| 71   | V0               | V0                      | 3     |     |          | 0       |           | bog or muskeg       | nonstocked |                     |            | not scheduled | 0                |               |
| 72   | V0               | V0                      | 2     |     |          | 0       |           | bog or muskeg       | nonstocked |                     |            | not scheduled | 0                |               |
| 73   | N0               | N0                      | 3     |     |          | 0       |           | marsh               | nonstocked | N                   |            | not scheduled | 0                |               |
| 74   | V0               | V0                      | 2     |     |          | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| 75   | O9               | M2                      | 29    | 79  | 11       | 100     | 55        | oak                 | two aged   | Y                   |            | 10-19 years   | 0                |               |
| <u>Treatment Limiting Factors:</u>   |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| Delayed treatment for age/size class diversity   |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| comnts Fmd : MIX OF RO/WO/NPO, SCATTERED A/RM, U.S. RANGES FROM W2 TO M2 TO O1 (SOME OAK STARTING IN OPEN AREAS), SHOULD HOLD 10 YEARS WITH NO PROBLEM, SHELTERWOOD OR DELAYED REMOVAL IN 10 YEARS DEPENDING ON MGT. OBJ., LOTS OF CAMPING AREAS IN THIS STAND |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| 76   | V0               | V0                      | 5     |     |          | 0       |           | bog or muskeg       | nonstocked | N                   |            | not scheduled | 0                |               |
| comnts Fmd : LEATHERLEAF BOG WITH ENCROACHING SWAMP CONIFERS   |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |
| 77   | O3               | O3                      | 10    | 7   | 0        | 0       | 55        | oak                 | immature   | N                   |            | 40-49 years   | 0                |               |
| comnts Fmd : CUT 1998, NOW O3W4J1  |                  |                         |       |     |          |         |           |                     |            |                     |            |               |                  |               |

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Age | A c r e s | avg.  |         |           | Mgt Obj         | Condition  | Silv. Criteria Met? | Method Cut    | Trtmt. Period    | Harvest Priority | Cultural Need       |
|---|------------------|-------------------------|-----|-----------|-------|---------|-----------|-----------------|------------|---------------------|---------------|------------------|------------------|---------------------|
|   |                  |                         |     |           | D B H | Tot. BA | Site Indx |                 |            |                     |               |                  |                  |                     |
| 78  | E6               | F2                      | 11  | 85        | 10    | 110     | 50        | aspen (upland)  | mature     | Y                   | final harvest | within 0-9 years | 1                |                     |
| comnts Fmd : SOUTH 1/3 IS UPLAND O/A/RM, NORTH 2/3 IS WET ASPEN AND RM GRADING INTO "Q" TYPE, CUT AS MUCH OF THIS STAND IS POSSIBLE EXPANDING INTO SURROUNDING STANDS IF POSSIBLE, CUT IN DORMANT SEASON ON DRY OR FROZEN GROUND TO DECREASE RUTTING AND INCREASE SPROUTING IN THE SPRING, SEED TO JACK PINE IF STAND DOES NOT REGNERATE TO ASPEN |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 80  | J9               | O1                      | 2   | 84        | 10    | 100     | 60        | red pine        | mature     | Y                   | final harvest | within 0-9 years | 1                | planting            |
| comnts Fmd : STAND LEFT AS BUFFER FOR CUT TO THE WEST, NOW J9 AND DECLINING, CUT AND INTERPLANT RED PINE AND MANAGE FOR A MIX OF OAK/PINE   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 81  | E6               | F2                      | 12  | 85        | 7     | 100     | 50        | swamp hardwoods | immature   | Y                   |               | 10-19 years      | 0                |                     |
| <u>Treatment Limiting Factors:</u><br>Delayed treatment for age/size class diversity  |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| comnts Fmd : UPLAND RM/ASPEN WITH SCATTERED R/W POLES AND SAWLOGS, SCATTERED POCKETS OF "L" AND "Q" IN DRAINAGES AND POTHOLES, TREAT WITH STAND # 3 IN 10 YEARS   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 82  | J6               | O1                      | 4   | 74        | 10    | 100     | 55        | aspen (upland)  | mature     | Y                   | final harvest | within 0-9 years | 1                |                     |
| comnts Fmd : MIX OF JP/ASPEN WITH ASPEN 10-20 YEARS YOUNGER THAN THE JP, CUT NOW WITH STAND#85 AND MANAGE FOR ASPEN   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 83  | W6               | N3                      | 4   | 74        | 7     | 180     | 55        | white pine      | immature   | Y                   |               | 10-19 years      | 0                |                     |
| <u>Treatment Limiting Factors:</u><br>Delayed treatment for age/size class diversity<br>Water quality/bmps  |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| comnts Fmd : WHITE PINE TRANSITION ZONE BETWEEN UPLAND JP/HW'S AND LOWLAND SWAMP/MARSH  |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 84  | O6               | N3                      | 7   | 74        | 10    | 90      | 55        | oak             | immature   | N                   |               | 10-19 years      | 0                |                     |
| comnts Fmd : O.S. OAK WITH WP U.S., SCATTERED JP/RM/RP, WP U.S. IS SAPLINGS TO ALMOST POLE SIZE, MANAGE FOR WHITE PINE AT SOME FUTURE Y.O.E.  |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 85  | A6               | A2                      | 4   | 74        | 6     | 100     | 55        | aspen (upland)  | mature     | Y                   | final harvest | within 0-9 years | 2                |                     |
| comnts Fmd : A3 CONVERTING TO A6 , HOLD 10 YEARS OR CUT NOW, MIX OF BTA/TA, WEST OF THE ROAD THIS STAND BLENDS INTO JP STAND TO THE NORTH WHICH IS ALSO BEING TREATED (Stand #82)   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 86  | A6               | A2                      | 11  | 39        | 6     | 120     | 55        | aspen (upland)  | immature   | N                   |               | 20-29 years      | 0                |                     |
| comnts Fmd : MIX OF ASPEN/WHITE PINE  |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 400   | G0               | G0                      | 6   |           | 0     | 0       | 55        | grass           | nonstocked | N                   |               | within 0-9 years | 0                | opening maintenance |
| comnts Fmd : WILDLIFE MAINTAINED OPENING.   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 401   | G0               | G0                      | 1   |           | 0     | 0       | 55        | grass           | nonstocked | N                   |               | within 0-9 years | 0                | opening maintenance |
| comnts Fmd : WILDLIFE MAINTAINED OPENING.   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 402   | G0               | G0                      | 8   |           | 0     | 0       | 55        | grass           | nonstocked | N                   |               | within 0-9 years | 0                | opening maintenance |
| comnts Fmd : WILDLIFE MAINTAINED OPENING.   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |
| 403   | G0               | G0                      | 7   |           | 0     | 0       | 55        | grass           | nonstocked | N                   |               | within 0-9 years | 0                | opening maintenance |
| comnts Fmd : WILDLIFE MAINTAINED OPENING.   |                  |                         |     |           |       |         |           |                 |            |                     |               |                  |                  |                     |

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 104 Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| S<br>t<br>a<br>n<br>d  | Cover<br>Type-<br>Size<br>Dnsty | Under<br>Story-<br>Stkng<br>Level | A<br>c<br>r<br>e<br>s | avg. |             |            | Mgt<br>Obj | Condition  | Silv.<br>Criteria<br>Met? | Method<br>Cut | Trtmt.<br>Period | Harvest<br>Priority | Cultural<br>Need       |
|--|---------------------------------|-----------------------------------|-----------------------|------|-------------|------------|------------|------------|---------------------------|---------------|------------------|---------------------|------------------------|
|  |                                 |                                   |                       | Age  | D<br>B<br>H | Tot.<br>BA |            |            |                           |               |                  |                     |                        |
| 404  | G0                              | G0                                | 2                     | 0    | 0           | 55         | grass      | nonstocked | N                         |               | within 0-9 years | 0                   | opening<br>maintenance |
| comnts Fmd : WILDLIFE MAINTAINED OPENING, REST OF THIS STAND IS IN COMPT TO THE EAST (COMPT 103 STAND #405). |                                 |                                   |                       |      |             |            |            |            |                           |               |                  |                     |                        |
| 405  | G0                              | G0                                | 15                    | 0    | 0           | 55         | grass      | nonstocked | N                         |               | not scheduled    | 0                   |                        |
| comnts Fmd : UTILITY R.O.W./M-55 R.O.W.  |                                 |                                   |                       |      |             |            |            |            |                           |               |                  |                     |                        |
| 406  | G0                              | G0                                | 2                     | 0    | 0           | 55         | grass      | nonstocked | N                         |               | not scheduled    | 0                   |                        |
| comnts Fmd : NON-MAINTAINED GRASSY OPENING   |                                 |                                   |                       |      |             |            |            |            |                           |               |                  |                     |                        |
| Total Acres.....   |                                 |                                   | 1295                  |      |             |            |            |            |                           |               |                  |                     |                        |