

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
2	O3	O1	13	30	5	0	51	oak	immature	N		30-39 years	0	
comnts Fmd : Slow regenerating pin oak														
3	O6	O1	62	92	9	70	51	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Really old pin oak that is in poor shape; however so are all the stands in this portion of the compartment. Retain to equalize harvesting.														
5	O6	O1	47	92	9	70	51	oak	mature	Y	selection	within 0-9 years	1	
comnts Fmd : Take out jack pine, leave oak so that there is some visual barrier along Cabin Lake Rd. Leave small white and red pine 6" and under as well.														
6	O6	O1	24	92	9	100	51	oak	mature	Y	selection	within 0-9 years	1	
comnts Fmd : REMOVE ALL JP. Visual management along Cabin Lake Rd. Leave white and red pine 6" and under.														
7	A6	A3	75	40	7	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Gradually developing.														
8	O3	O1	30	21	3	0	51	oak	sparse	N		50-59 years	0	
comnts Fmd : pin oak on poor soil														
9	A3	A3	47	33	5	0	51	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : wet soft soils, some black ash and white pine present as well in understory														
10	E6	N1	25	75	8	80	58	swamp hardwoods	immature	N		10-19 years	0	
comnts Fmd : Very low area, cradle knolls, sour gas pipes, black ash.														
11	E3	E2	14	30	5	40	47	swamp hardwoods	immature	N		40-49 years	0	
comnts Fmd : STAND HAS A SCATTERING OF RED AND WHITE PINE LOGS.														
12	O8	O1	17	85	13	70	53	oak	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Poor quality pin oak. Most of the trees are log diameter, but the form and quality is extremely low. They are not really in the sawlog market class. Dead oak in the stand ranges from 10 to 30 square feet, and would probably be higher if the trees were not being cut down so rapidly by the firewood influence. Many piles of tops and stumps throughout the stand. Recommend that the stand be final harvested, and allowed to regenerate to mixed oak, aspen as soon as possible so that the stumps do not lose their vigor, and to take advantage of legitimate demand for this quality of material.														
13	O6	E3	22	92	9	110	51	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
14	A3	A1	17	30	5	0	47	aspen (upland)	immature	N		30-39 years	0	
15	O5	A2	20	92	9	70	58	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Leave 10 sq ft of pin oak as mast/seed, as well as any white oak.														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
16	O9	O2	18	105	14	80	48	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand already regenerating itself to white pine, aspen, red maple, oak mix. To take off the overstory will damage the rest of the regeneration. Let it develop naturally.														
17	C6	F1	68	99	7	130	40	cedar	in process of regeneration	N		80+ years	0	
comnts Fmd : Retain for potential old growth														
19	A6	A1	24	85	8	100	60	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : Aspen-soft maple mix on low area along the Eddy Creek. Soils are too soft for harvesting. Retain as old growth and stream bank protection														
20	A6	A1	17	32	6	70	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Regenerating aspen-maple-oak stand, just beginning to develop poles														
21	A9	A3	50	55	12	80	75	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Nice BTA stand, should be harvested and regenerated to aspen. Alternate species will be Red Maple, Aspen Oak mix.														
22	O6	O1	14	92	11	80	54	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Overmature Pin oak stand in rapid decline. Has some understory development of oak. Harvest overmature overstory pin-black oak, leave all white oak, as well as and any white-red pine under 6" for diversity. Alternate species is to plant Jack pine in poorly stocked areas.														
23	O3	O3	20	30	4	0	54	oak	immature	N		40-49 years	0	
24	O5	O2	42	95	10	40	55	oak	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Overmature Pin-black oak stand. Harvest pin-black oak, any aspen and red maple. Leave all white oak, and any white-red pine under 6" for diversity. Alternative prescription will be to plant jack pine if natural regeneration fails.														
25	W3	N3	17	36	5	30	50	white pine	immature	N		10-19 years	0	
26	C6	C1	76	133	7	120	26	cedar	mature	N		10-19 years	0	
27	O9	O1	36	85	13	80	55	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Stand is up to rotation age, and could silviculturally be harvested. However, stand 29, along the southern edge of this one, is 10 years older, and has not yet been treated. We will be treating stand 29 this entry period, and as a result will be retaining this stand (27) and re-examining it next entry period, to equalized distribution in this section of the compartment. The stand should hold 10 more years.														
28	A6	A1	63	29	7	80	47	aspen (upland)	immature	N		20-29 years	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
29	O9	A2	54	92	14	110	56	oak	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Harvest and regenerate to oak aspen mix. If regeneration fails, plant to red pine.														
31	O3	U3	17	28	5	0	48	oak	immature	N		30-39 years	0	
32	R9	O1	32	46	10	270	55	red pine	immature	Y	selection	within 0-9 years	1	
comnts Fmd : FDF STAND THIN AND REMOVE HARDWOODS. Was scheduled for treatment last time, but not done. Red pine is in rows, aspen in pockets. Should end up a mixed stand again.														
33	A9	A1	20	40	14	150	50	aspen (upland)	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Aspen which is has peaked, and is beginning to show some evidence of decline. Harvest and regenerate. Harvesting should regenerate the stand and increase its area.														
34	A3	A3	10	30	5	0	52	aspen (upland)	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
35	V0	V0	18		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
36	E6	E3	21	50	9	80	54	swamp hardwoods	immature	N		20-29 years	0	
comnts Fmd : E5 O W4														
37	E6	E1	32	85	9	150	55	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SAVE FOR OLD GROWTH TYPE.														
38	W6	N2	24	63	9	90	65	white pine	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : old growth														
39	A3	A3	136	32	5	0	47	aspen (upland)	nonstocked	N		40-49 years	0	
40	E5	L2	2	75	6	60	48	swamp hardwoods	immature	N		10-19 years	0	
comnts Fmd : Soft, boggy soil.														
41	E4	L2	10	70	7	30	45	swamp hardwoods	immature	N		10-19 years	0	
42	A3	A3	19	31	5	0	48	aspen (upland)	immature	N		30-39 years	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
43	A3	A1	10	30	4	0	53	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : NO ACCESS, recommend disposal by trade														
44	A6	A2	14	80	8	110	58	aspen (upland)	high risk	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : NO ACCESS, recommend disposal by trade														
45	A3	A3	9	29	4	0	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : NO ACCESS														
46	A8	A1	15	80	10	70	53	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access Blocked by other physical obstacle														
comnts Fmd : NO ACCESS, big beaver flooding between stand and high ground to the east.														
47	A6	A3	143	40	9	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : NO ACCESS														
48	Q4	F1	21	80	8	40	46	mixed swamp conifer	sparse	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
49	A6	A2	39	32	6	70	50	aspen (upland)	immature	N		20-29 years	0	
50	A5	A1	56	31	5	50	47	aspen (upland)	nonstocked	N		30-39 years	0	
51	V0	V0	68		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : NO ACCESS														
52	A2	A1	19	32	4	0	52	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : NO ACCESS														
54	Q6	F1	16	85	8	100	55	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : PRIVATE FENCE ON STATE. NO ACCESS														
58	A6	A1	33	49	9	80	60	aspen (upland)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : very nice stand of mixed bigtooth and trembling aspen in good shape. Should hold 10 yrs.														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
59	A3	A3	34	32	6	30	46	aspen (upland)	immature	N		20-29 years	0	
60	C6	M2	38	100	7	120	38	cedar	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : FENCE TRESPASS potential old growth														
61	E6	M2	20	85	8	130	54	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : NO ACCESS. Old growth														
62	A3	A1	13	36	4	0	56	aspen (upland)	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : Old growth, recommend disposal by sale/trade														
66	O6	O3	15	92	9	70	51	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : MANY PIPELINES, WELLS AND STORAGE TANKS. DIFFICULT TO CUT IN, JUSTLEAVE FOR VISUALS.														
69	O3	O3	9	33	5	0	51	oak	immature	N		40-49 years	0	
71	O7	O1	4	85	14	30	50	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : SAVE FOR VISUALS ALONG M-33.														
73	O9	E1	6	85	12	70	53	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
74	W5	N3	15	36	6	60	50	white pine	immature	N		20-29 years	0	
comnts Fmd :														
75	O2	U3	32	30	5	0	47	oak	immature	N		30-39 years	0	
76	C6	F1	40	99	7	130	40	cedar	immature	N		10-19 years	0	
77	L0	L0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
78	L0	L0	1	0	0		lowland brush	nonstocked	N		not scheduled	0	
79	L0	L0	2	0	0		lowland brush	nonstocked	N		not scheduled	0	
80	L0	L0	1	0	0		lowland brush	nonstocked	N		not scheduled	0	
81	L0	L0	2	0	0		lowland brush	nonstocked	N		not scheduled	0	
82	L0	L0	2	0	0		lowland brush	nonstocked	N		not scheduled	0	
83	L0	L0	2	0	0		lowland brush	nonstocked	N		not scheduled	0	
84	W3	N3	20	36	6	50	50	white pine	immature	N	10-19 years	0	
comnts Fmd : 1969 PLANTATION UNDER OAK													
85	O3	U2	11	30	5	0	54	oak	immature	N	40-49 years	0	
86	W3	N3	44	36	6	60	50	white pine	immature	N	10-19 years	0	
87	A6	X0	16	40	9	80	50	aspen (upland)	immature	N	20-29 years	0	
comnts Fmd : NO ACCESS.													
88	V0	V0	21		0	0		bog or muskeg	nonstocked	N	not scheduled	0	
89	V0	V0	18		0	0		bog or muskeg	nonstocked	N	not scheduled	0	
90	A6	U1	6	85	10	90	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	3
comnts Fmd : MANY OAK SAPLINGS, SHOULD BE HARVESTED WHEN THE GROUND IS FROZEN. Not a sale to contract out, staff should put in lines due to BMP concerns.													

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
91	A6	A2	29	80	8	110	58	aspen (upland)	high risk	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : NO ACCESS, recommoned for disposal by trade														
92	A3	A3	9	29	4	0	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : NO ACCESS Recommend for disposal by trade														
93	O6	O1	15	99	9	80	51	oak	mature	Y	thinning	within 0-9 years	1	
comnts Fmd : Thin, leaving all white oak, and better mixed oak. Create regeneration holes where possible.														
94	O6	O1	18	99	10	80	51	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Part of a larger area of 1913 era oak. Hold until next entry to equalize harvesting. Re-examine in 10 yrs														
95	O6	O1	30	92	9	70	51	oak	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Harvest and regenerate through stump sprouting. Part of a larger area of 1913 era oak which needs to be regenerated.														
96	Z0	Z0	3		0	0		water	nonstocked	N		not scheduled	0	
97	Z0	Z0	3		0	0		water	nonstocked	N		not scheduled	0	
98	L0	L0	2		0	0		lowland brush	nonstocked	N		not scheduled	0	
99	L0	L0	4		0	0		lowland brush	nonstocked	N		not scheduled	0	
100	X0	X0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.														
101	X0	X0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.														
102	X0	X0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
103	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
104	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
105	X0	X0	2	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
106	X0	X0	2	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
107	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
108	X0	X0	2	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
109	X0	X0	3	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
110	X0	X0	1	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
111	X0	X0	2	0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
112	L0	L0	3	0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Oil well site. Pump and spill pit surrounded by sand.													
118	O2	O2	25	2	2	0	51 oak	immature	N		50-59 years	0	
comnts Fmd : pin oak on poor soil, burned in forest fire 2003													

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 201 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
138	W6	N2	4	63	9	90	65	white pine	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd :														
150	A5	A1	46	31	5	50	47	aspen (upland)	nonstocked	N		30-39 years	0	
418	G0	G0	4		0	0		grass	nonstocked	N		not scheduled	0	
420	G0	G0	6		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : pipeline														
430	G0	G0	4		0	0		grass	nonstocked	N		not scheduled	0	
431	G0	G0	8		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Pipeline with grass cover														
591	A3	A3	9	32	6	30	46	aspen (upland)	immature	N		20-29 years	0	

Total Acres..... 2311