

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 48

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	A c r e s	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A 6	E 2	14	40	7	140	55	aspen (upland)	immature	N		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : MOSTLY DRY BUT WITH A HIGH WATER TABLE, MIX OF BTA/QA, POSSIBLE HARVEST IN 10 YEARS</p>														
2	T 6	S 1	5	86	9	90	50	tamarack	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
3	O 9	O 2	9	86	14	100	55	oak	two aged	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity</p> <p>comnts Fmd : MATURE OAK O.S. WITH IMMATURE A5 UNDERSTORY, MANAGE FOR ASPEN IN 10 YEARS, SCATTERED MATURE R/J PINE SAWLOGS</p>														
4	V 0	V 0	26			0		bog or muskeg	nonstocked	N		not scheduled	0	
5	O 5	O 3	15	41	4	40	55	oak	immature	N		20-29 years	0	
<p>comnts Fmd : CONVERTING TO O6, SCATTERED RP PULP AND SAWLOGS</p>														
6	A 6	M 2	4	86	7	110	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
<p>comnts Fmd : MATURE A6 STAND WHICH IS DECLINING IN SPOTS, DRY GROUND BUT HIGH WATER TABLE, PARTS ARE YOUNGER THAN 75 YEARS OLD, CUT DURING DORMANT SEASON ON DRY/FROZEN GROUND, PLANT/SEED JACK PINE IF REGENERATION FAILS, ANY MIX OF HARDWOODS IS ACCEPTABLE REGENERATION</p>														
7	A 6	O 1	23	51	9	140	55	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	natural regeneration
<p>comnts Fmd : FINAL HARVEST AND MANAGE FOR ASPEN, DRY GROUND BUT HIGH WATER TABLE, CUT DURING DORMANT SEASON ON FROZEN/DRY GROUND, MARK OAKS TO LEAVE FOR WILDLIFE MAST/DEN TREES, PLANT/SEED JACK PINE IF REGENERATION FAILS, ANY MIX OF HARDWOODS IS ACCEPTABLE REGENERATION</p>														
8	A 6	A 2	20	36	5	70	55	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : YOUNG A6 STAND</p>														
9	O 7	O 2	12	86	11	30	55	oak	two aged	Y	delayed removal	within 0-9 years	2	
<p>comnts Fmd : O7 WITH O2M2 UNDERSTORY, ALSO SCATTERED CONIFERS, UNDERSTORY IS APPROX. 20-25 YEARS OLD, REMOVE OAK OVERSTORY BY CUTTING HARDWOODS AND JACK PINE LESS THAN 6" D.B.H. AND PROTECT UNDERSTORY AND RESIDUAL PINE WITH SKIDDING RESTRICTIONS, PLANT RED PINE IN ANY OPEN AREAS WHICH ARE NOT FULLY STOCKED TO MEET FOREST CERTIFICATION REQUIREMENTS</p>														
10	R 9	O 2	28	66	12	150	60	red pine	mature	N	final harvest	within 0-9 years	2	planting
<p>comnts Fmd : NORTH HALF THINNED IN 1998 & 2000, SOUTH HALF THINNED IN 1989, FINAL HARVEST AND PLANT RED PINE, MANAGE FOR A MIX OF RP & OAK BY SAVING O2 UNDERSTORY WHERE POSSIBLE, MIX OF ParVHa/ParVVB KOTAR TYPES</p>														
11	A 9	U 1	8	81	11	100	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
<p>comnts Fmd : FINAL HARVEST AND MANAGE FOR ASPEN, CUT DURING DORMANT SEASON ON DRY/FROZEN GROUND, 1/2 ACRE R9 INCLUSION ON NORTH END, MARK SOME OAKS TO LEAVE FOR WILDLIFE MAST/DEN TREES, PLANT RP IF REGENERATION FAILS, ANY MIX OF HARDWOODS IS ACCEPTABLE AS REGENERATION</p>														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 48

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
12	J 6	O 2	3	46	10	140	55	red pine	two aged	N	final harvest	within 0-9 years	1	planting
comnts Fmd : J5R5O2, CUT AND PLANT RED PINE, MANAGE FOR A RP/OAK MIX, ParVHa/ParVVb KOTAR TYPE														
13	A 6	O 2	34	36	5	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : YOUNG A6 STAND WITH SCATTERED OAK SAPS														
14	X 0	X 0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : BORROW PIT.														
16	R 9	A 2	128	66	10	130	60	red pine	immature	N		10-19 years	0	
comnts Fmd : VARIOUS PARTS THINNED IN 1989 AND OTHER PARTS THINNED IN 1989 & 2000, STAND RANGES FROM R7O3 IN OLD LANDINGS AND SKID TRAILS TO R9O1, THIN IN 10 YEARS														
17	Q 6	E 1	13	86	9	70	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
Too wet														
comnts Fmd : SWAMP CONIFERS IN FLOODPLAIN AND BANKS OF SOUTH CREEK, RETAIN FOR BMP BUFFER														
18	R 9	R 1	3	66	11	120	60	red pine	mature	N		20-29 years	0	
comnts Fmd : THINNED IN 2000, STILL R9, NOT READY TO BE FURTHER THINNED OR FINAL HARVESTED YET														
19	N 0	N 0	40		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : FLOODPLAIN OF SOUTH CREEK														
21	R 9	O 1	23	66	11	130	52	red pine	immature	N		10-19 years	0	
comnts Fmd : THINNED IN 1989, UNDERSTORY IS O1 EXCEPT IN OLD LANDINGS AND SKID TRAILS WHERE IT IS R2J2														
22	R 6	R 1	35	66	10	70	55	red pine	immature	N		10-19 years	0	
comnts Fmd : THINNED IN 2000, NOT READY TO BE THINNED AGIN YET, RANGES FROM R5A2 TO R9O1														
23	A 6	A 2	10	36	7	120	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : NICE YOUNG A6 STAND, WEST END HAS A LOT OF ENCROACHING WHITE PINE, CONSIDER TREATING IN 10 YEARS														
24	J 6	O 1	7	66	10	70	55	jack pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
Scenic values/visual values														
comnts Fmd : MIX OF JACK PINE/ASPEN/OAK, STAND IS AN ISLAND SURROUNDED BY MARSH IN FLOODPLAIN OF SOUTH CREEK.ALLOW TO CONVERT TO ASPEN/OAK														
25	A 6	A 3	8	36	5	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : DECENT YOUNG ASPEN STAND														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 48

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
26	R 9	O 2	9	66	13	140	60	red pine	mature	N	final harvest	within 0-9 years	2	planting
comnts Fmd : R9 WITH SCATTERED JACK PINE/HARDWOOD CLUMPS, CUT AND RED PINE, MARK SOME OAK TO LEAVE FOR WILDLIFE MAST & DEN TREES, MANAGE FOR A RP/OAK MIX														
27	J 6	O 1	11	66	10	100	55	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : MATURE JACK PINE STAND, HARVEST AND PLANT JACK PINE BEFORE STAND STARTS TO DECLINE														
28	J 3	J 3	76	16	2	0	55	jack pine	immature	N		30-39 years	0	
comnts Fmd : NICE3 YOUNG JACK PINE STAND														
29	A 6	M 2	35	41	6	130	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : NICE YOUNG A6 STAND, HOLD 10 YEARS														
30	O 9	O 1	19	86	11	70	55	oak	mature	Y		not scheduled	0	
Treatment Limiting Factors: Water quality/bmps Recreational site Scenic values/visual values														
comnts Fmd : POOR-FAIR QUALITY PIN OAK STAND, RETAIN AS BUFFER ALONG SOUTH CREEK, MONITOR FOR OAK REGENERATION & PLANT RED PINE IF OAK DOES NOT REGENERATE														
31	J 3	O 2	53	5	0	0	55	jack pine	immature	N		50-59 years	0	
comnts Fmd : CUT 2000/SEEDED 2002, NOW EQUAL MIX OF OAK/ASPEN/JACK PINE - J3O2A2														
32	A 6	A 3	10	28	4	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : CONVERTING TO A6														
33	A 6	A 3	29	28	4	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : CONVERTING TO A6														
34	J 2	U 1	16		4	20	55	jack pine	unevenaged	N		20-29 years	0	
comnts Fmd : MIX OF AGES DUE TO PAST WILDFIRE(S), POLE SIZE JACK PINE IN SPOTS, MAJORITY OF STAND IS MORE OPEN AND OF SMALLER HEIGHT AND DIAMETER														
35	J 6	O 2	62	63	8	90	50	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : MATURE JACK PINE STAND WITH SCATTERED AREAS HEAVY TO OAK AND/OR ASPEN, HARVEST AND PLANT/SEED JACK PINE BEFORE STAND STARTS TO DECLINE, LEAVE CHERRY/JUNEBERRY FOR WILDLIFE MAST, MARK SOME OAK TO LEAVE FOR WILDLIFE MAST/DEN TREES														
36	A 6	A 2	40	41	6	110	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 2-AGED ASPEN STAND IN LOW/SEASONALLY WET RUN, MATURE OAK AND RED PINE WITH IMMATURE JP/ASPEN, HOLD 20 YEARS UNTIL ASPEN IS MERCHANTABLE														
37	J 6	O 2	36	59	10	130	50	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : NICE JACK PINE STAND WITH SCATTERED OAK AND OTHER HARDWOODS, CUT AND PLANT/SEED JACK PINE, MARK OAK TO LEAVE FOR WILDLIFE MAST/DEN TREES, MANAGE FOR A MIX OF JP/OAK														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 48

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
38	O 9	R 1	32	86	13	120	55	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : DECENT QUALITY PIN OAK BUT MATURE/OVER-MATURE, SHELTERWOOD-SEED TREE CUT BY MARKING OAK TO LEAVE, LEAVING ALL WHITE OAK, AND SAVING ALL R/W PINE, PROTECT PINE UNDERSTORY, RESIDUAL SHOULD BE 30 SF OF THE OAK PLUS ALL R/W PINE, INTERPLANT JACK PINE IF OAK STOCKING IS LESS THAN A FULLY STOCKED STAND														
39	O 3	O 3	10	28	4	10	55	oak	immature	N		40-49 years	0	
comnts Fmd : DECENT O3 REGENERATION, SLOW GROWING, SCATTERED OAK SAWLOGS														
40	J 3	J 3	47	16	2	0	55	jack pine	immature	N		30-39 years	0	
comnts Fmd : NICE J3 REGENERATION, SOME WET POCKETS														
41	S 5	S 2	2	81	6	40	50	black spruce-swamp	immature	Y		not scheduled	0	
Treatment Limiting Factors: Too wet														
42	L 0	L 0	8					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : "L"/"Z" TYPE SOUTH OF MARL LAKE ROAD														
43	L 0	L 0	3					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : "L"/"V" TYPE ALONG EDGE OF LARGER BOG AREA														
44	J 3	O 1	6	26	4	0	55	jack pine	immature	N		20-29 years	0	
comnts Fmd : MIX OF JP/OAKD/ASPEN ON HIGH GROUND, A/L ON LOW GROUND, MANAGE WITH K.W. COMPARTMENT TO THE SOUTH														
46	V 0	V 0	2					bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd :														
47	Z 0	Z 0	8					water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER FLOODINGS IN SOUTH CREEK.														
48	U 0	U 0	2				50	jack pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : "U"/"G" TYPE WITH ENCROACHING CHERRY/JP AND SCATTERED OAK SAWLOGS, TREAT WITH SURROUNDING STANDS AND PLANT JACK PINE														
49	V 0	V 0	11					bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd :														
50	U 0	U 0	2					upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : "U"/"G"														
54	R 9	O 2	24	66	13	130	60	red pine	mature	N	final harvest	within 0-9 years	2	planting
comnts Fmd : NORTHERN 2/3RDS THINNED IN 1989 & 2000, S1/3RD THINNED IN 1989, FINAL HARVEST AND PLANT RED PINE, MANAGE FOR A MIX OF RED PINE & OAK BY SAVING O2 UNDERSTORY WHERE POSSIBLE, LARGE AREA OF 60 YEAR OLD RED PINE NEEDS TO BE BROKEN UP, ParVHa/ParVVb MIX														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 48

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
57	V 0	V 0	6			0		bog or muskeg	nonstocked	N		not scheduled	0	
58	V 0	V 0	2			0		bog or muskeg	nonstocked	N		not scheduled	0	
59	R 8	O 2	81	66	14	40	60	red pine	two aged	N		10-19 years	0	
comnts Fmd : PARTS THINNED IN 1989/PARTS THINNED IN 1989 & 2000, RANGES FROM R703 TO R901, POSSIBLY REMOVE OVERSTORY IN 10 YEARS														
60	R 9	O 2	50	66	12	140	60	red pine	two aged	N		10-19 years	0	
comnts Fmd : THINNED IN 2000, RANGES FROM R703 IN OLD SKID TRAILS AND LANDINGS TO R901, NOT READY TO BE TREATED YET, PARTS HAVE STEEPER TERRAIN														
64	D 0	D 0	2			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : BOG WITH ENCROACHING SPRUCE/FIR														
65	R 9	O 1	36	66	13	130	60	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : THINNED IN 1989 AND 2000, MOSTLY IN ROWS, INDIVIDUALLY TREE MARK TO 120 SF, BUFFER BOG (STAND 64) ON WEST SIDE OF STAND														
66	J 6	J 2	17	63	10	100	50	jack pine	two aged	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : 2-AGED JACK PINE STAND, OLDEST JACK PINE IS DECLINING, CUT AND PLANT/SEED JACK PINE, MARK SOME OAKS TO LEAVE FOR WILDLIFE MAST/DEN TREES, MANAGE FOR A MIX OF JP/OAK														
70	N 0	N 0	4			0		marsh	nonstocked	N		not scheduled	0	
71	N 0	N 0	5			0		marsh	nonstocked	N		not scheduled	0	
400	G 0	G 0	3			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING														
401	G 0	G 0	1			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING														
402	G 0	G 0	2			0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED WILDLIFE OPENING														
403	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE/ MARL LAKE ROAD R.O.W.														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 48

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	avg.		Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H							
404	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : NON MAINTAINED GRASSY OPENING												
405	G 0	G 0	19		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE/ F-97 R.O.W.												
406	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING OAK/RP/JP SAPS												
407	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING CHERRY/OAK SAPS												
408	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING OAK/JP/ASPEN												
409	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING RP/OAK												
410	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING OAK/JP/ASPEN												
411	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH SCATTERED OAK SAWLOGS												
412	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING JP/ASPEN/OAK												
413	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING JP/ASPEN/OAK												
414	G 0	G 0	2		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING WITH ENCROACHING ASPEN/CHERRY												
415	G 0	G 0	1		0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ABANDONED WELL SITE, GRASSY OPENING SURROUNDED BY A6												

Total Acres..... 1268