

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 57

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A 4	F 1	19	33	4	30	63	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Stand starting to develop into pole timber stand. Mixed with balsam and a few jack pine.														
2	R 9	F 1	10	58	12	140	60	red pine	immature	N	selection	within 0-9 years	1	planting
comnts Fmd : Natural red pine/white pine stand with a few scattered jack pine and aspen. Balsam fir understory in some areas. Thin areas of thicker red and white pine. Creating gaps for white pine and fir regen. Cut all aspen and jack pine Co-manage for red and whit pine. Understory plant a mix of red and white pine if understory becomes understocked.														
3	F 6	F 2	7	45	9	70	65	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
4	Q 6	Q 2	46	80	5	110	23	mixed swamp conifer	immature	Y		not scheduled	0	
comnts Fmd : Some areas heavier to cedar and hemlock.														
5	Q 6	Q 2	3	84	9	80	54	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
6	A 4	O 1	31	33	4	30	54	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Aspen pole timber stand mixed with white and jack pine. Some oak regen.														
7	W 8	Q 3	10	84	14	60	54	white pine	mature	N		not scheduled	0	
8	E 4	L 3	7	60	4	20	36	swamp hardwoods	low quality	N		not scheduled	0	
comnts Fmd : Black ash red maple stand. Wet, standing water, breaking through ice at time of inventory.														
9	E 5	F 3	3	74	8	50	60	swamp hardwoods	immature	N		20-29 years	0	
comnts Fmd : Red maple stand with scattered birch and old rotten aspen. Balsam fir understory.														
10	A 4	U 2	108	33	4	40	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Poor quality off site aspen mixed with jack pine. A few scattered red pine and balsam fir. A few oaks in understory.														
12	R 9	O 1	5	82	14	90	55	red pine	mature	Y	seed tree	within 0-9 years	1	other - specify in remarks
comnts Fmd : Nice natural red pine stand with some jack and white pine. Seed tree harvest stand leaving nice crowned red pine for seed (10 BA). RX burn pre and post harvest to consume duff layer and create seed bed. Last burn must be held during late summer to have mineral soil exposed for seed drop. Periodic burns may be necessary if regen is not established during first try.														
13	A 4	U 1	13	33	4	40	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Low quality quaking aspen stand mixed with jack pine. Just entering pole timber size.														
14	V 0	V 0	91		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog/marsh/"D" type that snakes through compartment.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	E 5	F 3	1	80	5	60	25	swamp hardwoods	low quality	Y		not scheduled	0	
comnts Fmd : Red maple stand with balsam fir, a few rotten aspen and birch. Balsam fir understory. Black ash on one end where wetter.Tag alder understory.														
16	Q 5	Q 2	13	80	6	50	58	mixed swamp conifer	mature	Y		not scheduled	0	
comnts Fmd : Black spruce and balsam fir Q stand. A few jack and white pine. Red maple, balsam and spruce in understory.														
18	J 5	U 2	164	33	5	60	55	jack pine	immature	N		20-29 years	0	
comnts Fmd : J6 stand with scattered white pine and spruce. Pockets of low quality aspen. Pin cherry and some spruce. in understory.														
20	R 9	S 2	7	82	14	90	55	red pine	mature	Y		10-19 years	0	
comnts Fmd : R9 scattered red maple and white pine. Understory is white pine red maple and spruce. More white pine in north end where drier more spruce in south end.														
22	S 5	S 2	69	75	5	40	47	black spruce-swamp	mature	N		not scheduled	0	
comnts Fmd : Q stand with a mix of spruce, white pine, red maple and some cedar. Areas with tag alder understory.														
23	J 6	Q 1	42	33	5	80	55	jack pine	immature	N		20-29 years	0	
comnts Fmd : J6 stand with scattered white pine and aspen in clones. Balsam fir and black spruce along edges.														
24	H 6	F 2	13	60	10	120	53	hemlock	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : POTENTIAL OLD GROWTH														
25	W 9	W 1	19	100	18	150	60	white pine	old growth (potential or actual)	Y		not scheduled	0	
comnts Fmd : POTENTIAL OLD GROWTH														
26	C 6	F 2	408	98	9	70	30	cedar	mature	N		not scheduled	0	
27	A 5	F 3	6	33	4	40	57	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Quaking aspen stand mixed with balsam fir and white pine.														
28	Q 5	F 3	7	65	6	50	60	mixed swamp conifer	mature	N		not scheduled	0	
29	W 9	F 1	16	90	20	140	55	white pine	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u>                      Potential or designated old growth</p> <p>comnts Fmd : Large diameter tall white pine stand. Areas with pole timber hemlock underneath the pine. A few scattered beech and red oak. Potential old growth stand Proposed SCA</p>														

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 57

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
30	E 6	F 3	6	70	6	100	60	swamp hardwoods	immature	N		10-19 years	0	
comnts Fmd : Red maple, white birch and balsam fir pole timber stand. Some scattered saw timber white pine. Balsam understory.														
31	R 9	Q 2	30	70	18	150	58	red pine	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Wet stand with large red and white pine. Red maple and cedar mixed in. Balsam fir, white pine and some spruce regen.														
32	W 5	W 1	15	33	4	50	57	white pine	immature	N		20-29 years	0	
comnts Fmd : Mix of jack pine and white pine. Some aspen.														
33	R 6	W 3	50	71	10	120	58	red pine	immature	N	selection	within 0-9 years	1	
comnts Fmd : R7/J6 stand has understory of red pine and white pine. Some scattered oak regen. Cut all jack pine and mark some red and white pine in thicker areas. Manage for a mix white and red pine stand.														
34	J 6	Q 3	10	50	8	80	58	mixed swamp conifer	immature	N	removal	within 0-9 years	1	planting
comnts Fmd : Mix stand of old jack pine, white pine and black spruce. A few red pines. Heavy understory of red maple, white pine and spruce. Overstory removal cutting all jack pine and a few spruce and white pine for operability. Leave jack pine tops for seed. Plant jack pine in understocked areas if seeding fails. Create "rabitat" by leaving 2 or more brush piles/acre.														
35	S 4	S 3	6	70	5	30	55	black spruce-swamp	immature	N		10-19 years	0	
comnts Fmd :														
36	J 6	S 2	13	60	6	100	58	jack pine	immature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Jack pine stand where S1/3 of stand is wetter and mixed with black spruce. North end turns to jack pine with scattered red pine sawtimber. Plant north end to jack pine. Dry summer or cold winter operational period. Leave some scattered red pine. Create "rabitat" by having producer create 2 or more brush piles/acre.														
38	J 5	U 1	32	33	5	50	57	jack pine	immature	N		20-29 years	0	
comnts Fmd : J4-J6 stand . Some scattered white pine.														
40	Q 4	L 2	8	84	4	30	54	mixed swamp conifer	mature	Y		not scheduled	0	
comnts Fmd : Some areas dead and flooded. Areas of tag alder balsam and tamarack														
50	H 6	Q 1	1	80	8	100	50	hemlock	immature	N		not scheduled	0	
comnts Fmd : Small hemlock ridge above Q type. Some birch and aspen.														
70	C 6	Q 2	9	78	6	80	30	cedar	mature	N		not scheduled	0	
110	N 0	N 0	4		0	0		marsh	nonstocked	N		not scheduled	0	
118	V 0	V 0	1		0	0		bog or muskeg	nonstocked	N		not scheduled	0	

ROSCOMMON FOREST MGT UNIT

Stand Level Information

Compartment: 57

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need	
					B H	Tot. BA									
200	U 1	U 0	1			0	50	upland brush	immature	N		10-19 years	0		
300	H 6	Q 1	4	80	8	110	50	hemlock	old growth (potential or actual)	N		not scheduled	0		
comnts Fmd : Small hemlock ridge above Q type. Some birch and aspen. Potential old growth, proposed SCA															
336	R 9	W 1	1	60	12	90	58	red pine	immature	N		10-19 years	0		
comnts Fmd : Small red pine island															
350	W 9	M 2	4	70	18	160	58	white pine	mature	N		not scheduled	0		
<u>Treatment Limiting Factors:</u>															
Potential or designated old growth															
comnts Fmd : Large, tall red and white pine. Some red maple white pine and spruce understory.															
442	G 0	G 0	7		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance	
443	G 0	G 0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance	
444	G 0	G 0	2		0	0		grass	nonstocked	N		not scheduled	0		
Total Acres.....			1325												