

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
2	A 3	A 3	7	24	3	0	56	aspen (upland)	immature	N		30-39 years	0	
3	R 6	X 0	20	42	8	240	61	red pine	immature	Y	thinning	within 0-9 years	1	
4	A 5	M 1	19	35	5	60	59	aspen (upland)	immature	N		20-29 years	0	
5	A 5	M 2	9	45	6	60	48	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Pole timber aspen stand that contains a wet area with a small drainage.														
6	A 3	A 3	16	7	0	0	66	aspen (upland)	mature	N		50-59 years	0	
7	A 6	M 2	45	35	5	100	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Mixed aspen pole timber stand														
8	R 9	M 2	7	59	10	120	62	red pine	immature	N		10-19 years	0	
comnts Fmd : red pine stand mixed with pole timber aspen														
9	A 6	M 2	3	57	8	130	57	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Long skinny stand of mixed aspen. Red maple and somm northern hardwoods in understory.														
10	R 6	X 0	3	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
11	A 6	U 2	8	57	8	80	57	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
12	M 9	A 1	11	84	12	70	68	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : Northern hardwood stand mixed with oak. Some aspen especially around edges.														
13	A 3	M 1	81	4	0	0	68	aspen (upland)	immature	N		60-69 years	0	
14	O 9	M 3	6	74	12	110	55	oak	immature	N		10-19 years	0	
comnts Fmd : Mixed oak stand with red maple. Some better quality red oak. Some younger pioletimber oak along edges and in openings. Retain stand as wildlife travel corridor. ORV trail in stand														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
15	O 9	M 2	35	74	12	80	57	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand of old, large diameter oak with aspen and red maple mixed in. Some areas have old large diameter quaking aspen in rapid decline. Final harvest stand and expand aspen areas. Mark 10-30 BA of oak with good crowns to leave in heavier oak areas. Will accept a mix of aspen, oak and red maple for regeneration.														
16	A 6	M 2	116	32	5	70	59	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Quaking aspen pole timber stand with some scattered super canopy red pine.														
17	R 9	M 3	12	72	12	160	64	red pine	immature	N		10-19 years	0	
comnts Fmd : Red pine stand along bog edge. High water table with heavy red maple understory.														
18	N 0	N 0	5		0	0		marsh	nonstocked	N		not scheduled	0	
19	D 4	D 1	3		4	10		treed bog	immature	N		not scheduled	0	
20	A 6	M 2	42	31	5	70	60	aspen (upland)	immature	N		40-49 years	0	
21	R 8	E 1	12	82	11	60	64	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Mixed pine bog. Some red pine sawtimber mixed with jack pine poles. Some jack and white pine in understory. Very high water table.														
22	R 9	E 2	9	73	17	100	68	red pine	immature	N		10-19 years	0	
23	O 9	E 1	33	77	11	90	55	oak	immature	N		10-19 years	0	
comnts Fmd : Mixed stand of oak, red maple and some aspen. Aspen is scattered but heavier on east end. Some areas of heavy red maple understory. More solid oak component on the west end.														
24	R 8	M 3	7	74	10	70	69	red pine	immature	N		10-19 years	0	
comnts Fmd : Natural red pine stand along bog edge. High water table														
25	D 4	D 1	109		4	10		treed bog	immature	N		not scheduled	0	
comnts Fmd : Jack pine bog. High mortality														
26	A 3	M 1	21	4	0	0	65	aspen (upland)	immature	N		60-69 years	0	
28	O 9	M 3	98	79	10	120	65	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Large stand of higher quality red oak and big tooth aspen. Stand has some quality variaibility with terrain but overall quality is very good. Hold for age class distribution and high site.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
29	A 6	A 3	29	32	4	70	73	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Good aspen site. Some red oak from stump sprouts														
30	A 9	M 2	8	84	10	160	58	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Large old bigtooth aspen stand mixed with oak and red maple. Some oak is red. Final harvest stand and mark some nice crowned oak to stay. Protect what little white pine regeneration there is.														
31	A 9	M 2	6	53	10	120	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : CUT WITH COMPARTMENT 42 STAND 45 TO THE WEST IN 2008														
32	A 6	M 2	42	31	6	100	58	aspen (upland)	immature	N		30-39 years	0	
34	X 0	X 0	2		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : UTILITY LINES														
35	A 9	E 1	1	82	10	100	68	aspen (upland)	mature	Y		10-19 years	0	
Treatment Limiting Factors: Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : There is a MIMS plots in this stand. This stand was left per the request of the forest health specialist.(old notes) Small island of aspen left from harvest.														
36	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
37	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
38	X 0	X 0	2		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
39	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
40	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
41	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
42	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
43	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
44	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Oil/gas well pads														
45	L 2	N 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
103	R 6	X 0	4	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
104	R 6	X 0	3	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
105	R 6	X 0	6	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
113	A 3	A 3	63	17	2	0	68	aspen (upland)	immature	N		40-49 years	0	
115	O 8	A 2	16	83	10	70	57	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Mixed/red oak stand that has had red maple and aspen removed in the past. M3/A3 understory. Retain as wildlife travel corridor														
118	N 0	N 0	9		0	0		marsh	nonstocked	N		not scheduled	0	
121	R 8	E 1	7	82	11	60	64	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Mixed pine bog. Some red pine sawtimber mixed with jack pine poles. Some jack and white pine in understory. Very high water table.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
124	J 5	M 3	2	74	8	60	60	jack pine	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Natural red pine stand along bog edge. High water table</p>														
126	A 3	A 3	71	17	1	0	65	aspen (upland)	immature	N		60-69 years	0	
213	A 3	A 1	40	7	1	0	62	aspen (upland)	immature	N		60-69 years	0	
<p>comnts Fmd : A ONE ACRE STAND WAS LEFT IN THE MIDDLE OF THIS STAND. SEE STAND 35 (A6) FOR MORE INFORMATION. IT IS A MIMS PLOT THAT WAS LEFT PER THE REQUEST OF THE FOREST HEALTH SPECIALIST.</p>														
261	A 3	E 1	8	4	0	0	65	aspen (upland)	immature	N		60-69 years	0	
300	O 9	M 2	8	84	12	110	58	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
<p>comnts Fmd : Red oak sawtimber stand with red maple and a few aspen. Shelterwood/seed harvest stand leaving 10-30 BA. Favoring nice healthy crowned mast producing oaks.</p>														
310	R 6	X 0	9	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
311	R 6	X 0	8	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
312	R 6	X 0	6	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
313	R 6	X 0	7	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
314	R 6	X 0	6	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
315	R 6	X 0	6	42	8	230	61	red pine	immature	Y	thinning	within 0-9 years	1	
400	G 0	G 0	27		0	0	61	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd :</p>														
401	G 0	G 0	4		0	0	61	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd :</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
402	G 0	G 0	19		0	0	61	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Maintained grass opening with several small islands of timber including oak, cherry and aspen.														
403	G 0	G 0	48		0	0	61	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
404	G 0	G 0	2		0	0	61	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
Total Acres.....			1215											