

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
4	A 5	U 1	35	28	6	50	60	aspen (upland)	immature	N		30-39 years	0	
6	N 0	N 0	141		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Large marsh land with areas of lowland brush														
7	Z 0	Z 0	14		0	0		water	nonstocked	N		not scheduled	0	
8	R 8	A 2	12	80	16	40	65	red pine	sparse	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
9	V 0	V 0	3		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
10	W 8	A 2	4	75	14	40	40	white pine	immature	N		40-49 years	0	
11	A 3	A 3	52	29	4	0	60	aspen (upland)	immature	N		40-49 years	0	
13	A 4	F 3	129	29	4	30	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Quaking aspen stand just entering pole timber size. Some wet areas. A few scattered red and white pine. Areas of heavy balsam fir understory.														
14	R 6	F 1	5	47	10	200	60	red pine	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Small pocket of natural red pine.														
15	Z 0	Z 0	12		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER FLOODING.														
17	Z 0	Z 0	13		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver flooding.														
19	Z 0	Z 0	2		0	0		water	nonstocked	N		not scheduled	0	
20	Z 0	Z 0	4		0	0		water	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
21	L 3	L 2	2		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland brush with dead and dying ash scattered about.														
22	J 5	W 1	2	50	8	60	60	jack pine	immature	N		10-19 years	0	
comnts Fmd : Small pocket of jack pine.														
25	N 0	N 0	82		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Wetland area with lowland brush.														
26	A 6	F 3	13	81	9	110	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
comnts Fmd : Mix of quaking aspen, red maple, balsam fir and paper birch. Aspen is old and is in poor shape. Some areas heavier t red maple. High water table . Final harvest, may be last chance to regenerate the aspen due to it's decline. Leave some balsam fir, paper birch and aspen scattered about. A culvert or bridge may be needed to cross the ditch.														
27	L 3	L 2	16		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland brush with dead and dying scattered about.														
28	E 4	F 2	54	65	8	30	48	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : Very wet black ash stand with standing water.														
30	E 6	E 1	37	65	8	80	50	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : SOME RED PINE LOGS IN S.E. CORNER OF STAND.														
33	V 0	V 0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
34	W 6	F 1	6	43	8	130	60	white pine	immature	N		30-39 years	0	
35	Z 0	Z 0	4		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Old beaver flooding.														
37	R 9	F 1	1	43	12	100	50	red pine	immature	N		10-19 years	0	
40	A 3	A 3	65	14	1	0	59	aspen (upland)	immature	N		50-59 years	0	
43	N 0	N 0	78		0	0		marsh	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
44	A 6	F 3	1	39	6	150	67	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice Bigtooth aspen to the east along the road, becomes wetter and more of an "E" type to the west. Balsam fir understory. Small acerage.														
45	L 3	F 1	5		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Old beaver flooding with tag alder. Some wetter areas with cattails. Some scattered balsam.														
46	A 6	F 3	7	39	6	80	70	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Stand wraps behind stand 45 and becomes much wetter.														
47	A 3	F 3	33	15	1	0	67	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Thick quaking aspen stand with balsam fir understory. Some wetter areas with tag alder in the understory. Small intermittent drainage runs through the center(E to W)														
50	A 6	F 3	37	81	9	90	59	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
51	E 6	F 3	60	65	8	80	62	swamp hardwoods	mature	N		10-19 years	0	
comnts Fmd : Island of swamp hardwoods with balsam fir. Heavy balsam fir understory. No access.														
53	Z 0	Z 0	13		0	0		water	nonstocked	N		not scheduled	0	
54	A 2	F 1	18	6	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Stand chip harvested in 1999. Wet aspen/balsam fir stand. Areas of goog aspen regeneration and areas of poor regeneration due to high water table.														
55	A 6	F 3	8	39	6	70	70	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Wet thick aspen stand with heavy balsam fir understory. Some open, wet areas of marsh.														
58	E 5	L 2	1	42	6	50	50	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Low wet drainage with red maple and a few ash and balsam fir.														
61	A 3	F 3	30	13	1	0	44	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Fairly wet stand of quaking aspen. Some areas approaching pole timber size. Heavy balsam fir mixed in.														
63	E 6	F 1	72	103	8	90	62	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Swamp hardwood stand made up of black ash, red maple and quaking aspen. Some pole size balsam fir and cedar. Thick balsam fir understory. Wetter areas have black ash with ash and tag alder understory. Stand underwater at time of inventory(spring thaw, snow melt). No access too wet.														
65	X 0	X 0	30		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	

comnts Fmd : I-75

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
66	C 6	F 2	3	80	8	120	62	cedar	low quality	N		20-29 years	0	
67	E 6	F 1	28	82	6	90	43	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
68	A 6	E 1	19	65	9	80	53	aspen (upland)	low quality	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
106	N 0	N 0	2		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Marsh land with areas of lowland brush														
107	Z 0	Z 0	3		0	0		water	nonstocked	N		not scheduled	0	
113	A 4	F 3	90	29	4	40	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Quaking aspen stand just entering pole timber size.														
125	N 0	N 0	16		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Wetland area with lowland brush.														
153	Z 0	Z 0	7		0	0		water	nonstocked	N		not scheduled	0	
154	A 2	F 1	8	6	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Stand chip harvested in 1999. Wet aspen/balsam fir stand. Areas of goog aspen regeneration and areas of poor regeneration due to high water table.														
158	E 5	L 2	4	42	6	50	50	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Low wet drainage with red maple and a few ash and balsam fir.														
206	N 0	N 0	14		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
225	N 0	N 0	4		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Wetland area with lowland brush.														
253	Z 0	Z 0	4		0	0		water	nonstocked	N		not scheduled	0	
254	A 2	F 1	33	6	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Stand chip harvested in 1999. Wet aspen/balsam fir stand. Areas of goog aspen regeneration and areas of poor regeneration due to high water table.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
403	G 0	G 0	7		0	0		grass	nonstocked	N		not scheduled	0	
423	G 0	G 0	8		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : WILDLIFE OPENING														
432	G 0	G 0	3		0	0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : WILDLIFE OPENING NEEDS MAINTENANCE.Encroaching with trees.														
454	G 0	G 0	4		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : High water table, Low wet grassy area that did not regenerate to aspen after harvest.														
<b>Total Acres..... 1360</b>														