

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
1	W 9	W 1	8	77	10	70	60	white pine	immature	N		10-19 years	0	
comnts Fmd : JUST INTO SAWLOG CLASS, PARTS ARE MORE HEAVY TO RED PINE ALSO, NATURAL PINE STAND, NO ACCESS DUE TO BEAVER ACTIVITY IN LOW/WET TERRAIN														
2	A 6	A 1	40	32	5	80	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : MIX OF POOR T.A. REGENERATION AND DECENT B.T.A. REGENERATION, POOR REGENERATION MOSTLY ON LOWER GROUND ALONG BOG/SWAMP EDGES, NO ACCESS DUE TO BEAVER ACTIF=VITY ON LOW/WET GROUND														
3	A 5	A 3	20	32	5	60	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : MIX OF BTA/QA WITH SCATTERED OAK/RM, ALSO SOME PINE														
4	V 0	V 0	9		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
5	W 9	E 1	9	87	12	100	60	white pine	immature	N		10-19 years	0	
comnts Fmd : "ISLAND" OF WHITE PINE SURROUNDED BY SWAMP/PRIVATE, NO ACCESS														
6	S 6	F 1	23	87	9	70	40	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : SPRUCE BOG/WET/PARTS ARE "P"														
7	L 0	L 0	10		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : LOWLAND BRUSH WITH "Q" AND "E" TYPES ON THE EDGES, N.W. PART HAS FLOWING STREAM														
8	A 3	A 3	6	6	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : E5 CUT IN 2001, HIGH GROUND IS A3, LOWER GROUND (ESPECIALLY THE EDGES) ARE A1/O1														
9	Z 0	Z 0	6		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : "BORROW PIT" AREA/MITIGATION AREA WITH SCATTERED PINES ON EDGES AND DIKES														
10	S 5	F 1	18	87	9	50	40	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : SPRUCE BOG/WET/PARTS ARE "P"														
11	A 4	L 0	2	32	6	40	53	aspen (upland)	sparse	N		not scheduled	0	
comnts Fmd : WET ASPEN STAND BETWEEN POWERLINE R.O.W. AND M-55, BALSAM POPLAR AND T. ASPEN, SCATTERED WHITE PINE, MAINTAIN AS BUFFER FOR M-55														
12	W 9	M 1	14	87	12	120	60	white pine	immature	N		10-19 years	0	
comnts Fmd : W9 WITH SOME AREAS HEAVY TO HARDWOODS (M9), SCATTERED WET "L" AREAS ALSO, THIN NEXT Y.O.E.														
13	W 9	M 1	3	77	11	140	60	white pine	immature	N		10-19 years	0	
comnts Fmd : POCKET OF WHITE PINE, THIN NEXT Y.O.E.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	N 0	N 0	2		0	0		marsh	nonstocked	N		not scheduled	0	
15	V 0	V 0	5		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : BOG WITH ENCROACHING SPRUCE, PINE, FIR, AND SOME H.W.'S, BEAVER ACTIVITY														
16	T 5	L 0	16	81	9	60	45	tamarack	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
17	A 5	L 0	2	35	6	40	53	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd : BALSAM POPLAR AND T. ASPEN, NARROW STRIP, MAINTAIN AS BUFFER FOR M-55														
18	Q 5	Q 1	35	97	9	40	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : 2007 - LOTS OF DEAD TREES DUE TO FLUCTUATING WATER LEVELS FROM BEAVER ACTIVITY, WEST 2/3RDS IS PRETTY WELL GONE ("L")														
19	L 0	L 0	35		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : LOWLAND BRUSH TYPE GREATLY EXPANDED BY HEAVY BEAVER ACTIVITY														
20	A 6	W 1	35	32	7	120	60	aspen (upland)	immature	N	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : YOUNG A6 STAND BUT WORTH CUTTING TO GET BETTER ASPEN DISTRIBUTION, WEST LINE MAY CHANGE BASED ON MERCHANTABILITY OF ASPEN WEST OF TWO-TRACK, LEAVE NARROW BUFFER OF CONIFERS ALONG M-55 FOR VISUAL, MARK OAK TO LEAVE FOR MAST WHERE POSSIBLE, ANY COMBINATION OF A/O/RM TO A FULLY STOCKED STAND IS ACCEPTABLE REGENERATION														
21	Q 6	F 1	14	87	9	70	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : WET SWAMP														
22	V 0	V 0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
23	W 6	W 2	24	67	9	130	60	white pine	immature	N		10-19 years	0	
comnts Fmd : MIX OF WHITE PINE AND ASPEN, MANAGE FOR WHITE PINE IN 10 YEARS BY REMOVING ASPEN WHEN ITS MORE MERCHANTABILITY														
24	F 6	F 1	12	82	9	90	55	spruce-fir (uplands-including upland black spruce)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : F6 WITH THE SOUTH PART GOING TOWARDS "L"														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
25	Q 6	L 0	41	87	9	70	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : WET SWAMP, SOME DEAD TREES DUE TO FLUCTUATING WATER LEVELS FROM BEAVER ACTIVITY														
26	Z 0	Z 0	14		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER POND WITH "L" ON EDGES														
27	A 6	W 1	3	32	7	110	60	aspen (upland)	immature	N	final harvest	within 0-9 years	2	natural regeneration
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
comnts Fmd : YOUNG A6 STAND, NOT ACCESSIBLE DUE TO BEAVER ACTIVITY														
28	E 5	E 2	18	87	10	60	55	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : WHITE PINE SUPER CANOPY TREES WITH HARDWOOD POLES AND "E2/Q2" UNDERSTORY (W7E5E2), SOME SPOTS ARE 100% REGENERATION OR 100% "L" TYPE														
29	N 0	N 0	11		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : FLOODPLAIN OF N. BRANCH OF DENTON CREEK														
30	Q 6	F 1	43	87	9	70	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : WET SWAMP, FLOOD PLANE OF NORTH BRANCH OF DENTON CREEK														
31	V 0	V 0	2			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : BOG WITH ENCROACHING SPRUCE/PINE/FIR														
32	A 4	N 0	5	42	4	20	50	aspen (upland)	sparse	N		not scheduled	0	
comnts Fmd : PART OF BARROW PIT/MITIGATION AREA FOR M-55, GROWTH SLOWED BY FLUCTUATING WATER LEVELS IN SURROUNDING STANDS														
33	Q 6	L 0	2	87	9	70	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : WET SWAMP, SOME DEAD TREES DUE TO FLUCTUATING WATER LEVELS FROM BEAVER ACTIVITY														
34	A 5	A 2	6	32	5	60	53	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : A3 CONVERTING TO A6, HOLD AT LEAST 10 YEARS, BALSAM FIR HEAVY IN SPOTS														
35	A 4	L 0	6	32	4	30	53	aspen (upland)	sparse	N		not scheduled	0	
comnts Fmd : ASPEN CUT IN 1972 AND DID NOT REGENERATE WELL, STAND IS WET RUN BELOW A BEAVER FLOODING/BOG														
36	A 4	L 0	4	32	6	40	53	aspen (upland)	sparse	N		not scheduled	0	
comnts Fmd : WET ASPEN STAND BETWEEN POWERLINE R.O.W. AND M-55, BALSAM POPLAR AND T. ASPEN, SCATTERED WHITE PINE, MAINTAIN AS BUFFER FOR M-55														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
37	A 5	A 2	40	35	6	60	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : JUST INTO POLE SIZE, EVALUATE FOR CUT IN 10 YEARS														
38	A 6	M 1	18	35	6	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : SOME WETTER AREAS WITH T.A./LOWLAND BRUSH, SCATTERED PINE AND BALSAM FIR, EVALUATE FOR TREATMENT IN 10 YEARS														
39	A 5	A 2	23	35	6	60	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : LOTS OF SCATTERED WP & BF POLES AND SAPS, NO ACCESS DUE TO BEAVER FLOODINGS/PRIVATE PROPERTY/SWAMPS														
40	A 6	A 2	10	35	6	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : MIX OF BTA/QA WITH SCATTERED OAK/PINE SAWLOGS AND CONIFER POLES, LOOK AT IN 10 YEARS FOR TREATMENT														
41	W 6	W 2	10	67	10	130	60	white pine	two aged	N		10-19 years	0	
comnts Fmd : MIX OF OLDER WHITE PINE AND YOUNGER WHITE PINE/HARDWOODS, REMOVE HARDWOODS OR THIN SOMEHOW IN 10 YEARS														
42	R 8	A 1	3	78	10	60	60	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to small acreage														
comnts Fmd : RANGES FROM R9 TO R7 AND SOMEWHAT WET, SURROUNDED BY ASPEN, TREAT WITH EAST 1/2 OF STAND 120 IN 20 YEARS														
43	A 6	W 1	19	32	7	110	60	aspen (upland)	immature	N	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : YOUNG A6 STAND BUT WORTH CUTTING TO GET BETTER ASPEN DISTRIBUTION, WEST LINE MAY CHANGE BASED ON MERCHANTABILITY OF ASPEN WEST OF THE TWO-TRACK, MARK OAK TO LEAVE FOR MAST WHERE POSSIBLE, ANY COMBINATION OF A/O/RM TO A FULLY STOCKED STAND IS ACCEPTABLE REGENERATION														
44	R 9	F 1	3	87	15	190	60	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : THIN TO 120 S.F. THIS Y.O.E. AND FINAL HARVEST PLANT RED PINE OR TRY FOR NATURAL RED PINE REGENERATION NEXT Y.O.E.														
45	L 0	L 0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL RED PINE STAND, R9 WITH O2A2F1 UNDERSTORY, AREAS HEAVY TO BL. SPRUCE POLES IN U.S., R/W PINE REGENERATION STARTING ON EDGES AND OPEN SPOTS, POSS. TREAT WITH STAND #37 NEXT Y.O.E.														
46	R 9	O 2	3	78	14	100	60	red pine	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to small acreage														
comnts Fmd : NATURAL RED PINE STAND, R9 WITH O2A2F1 UNDERSTORY, AREAS HEAVY TO BL. SPRUCE POLES IN U.S., R/W PINE REGENERATION STARTING ON EDGES AND OPEN SPOTS, POSS. TREAT WITH STAND #37 NEXT Y.O.E.														
47	J 5	J 2	7	30	5	40	54	jack pine	immature	N		30-39 years	0	
comnts Fmd : CONVERTING TO J6, NO ACCESS DUE TO BEAVER ACTIVITY														
48	J 6	J 2	3	42	5	110	45	jack pine	immature	N		10-19 years	0	
comnts Fmd : J6 PLANTED IN OLD BARROW PIT FOR M-55, LOOK AT FOR TREATMENT IN 2019														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
49	Z 0	Z 0	3		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER POND														
50	W 6	A 1	3	87	10	190	55	white pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : NATURAL WHITE PINE STAND, THIN TO 120 SF BY REMOVING HARDWOODS, MAY NEED TO MARK SOME WHITE PINE FOR ACCESS														
51	L 0	L 0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BROAD DRAINAGE AREA OF E4/L WITH F2 IN SPOTS														
52	E 4	L 0	3	32	5	20	50	swamp hardwoods	sparse	N		not scheduled	0	
comnts Fmd : BROAD DRAINAGE WITH HEAVY BEAVER ACTIVITY AND SCATTERED TREES														
53	L 0	L 0	10			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BROAD DRAINAGE WITH HEAVY BEAVER ACTIVITY AND SCATTERED TREES														
54	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BROAD DRAINAGE WITH HEAVY BEAVER ACTIVITY AND SCATTERED TREES														
108	A 3	A 3	14	6	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : MOSTLY A3 EXCEPT FOR THE NORTH-EAST PORTION ALONG PRIVATE WHERE IT IS SLIGHTLY WETTER TERRAIN AND WASN'T AS WELL STOCKED WHEN CUT														
120	A 6	A 2	183	32	6	80	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : YOUNG A6 WITH SCATTERED OAK/PINE SAWLOGS AND BALSAM FIR SAPS, SOME AREAS HEAVY TO WHITE PINE AND OTHERS HEAVY TO BALSAM FIR, CUT WEST HALF IN 10 YEARS AND THE EAST HALF IN 20 YEARS TO EVEN OUT THE ASPEN DISTRIBUTION IN THE COMPARTMENT														
220	A 6	F 2	31	32	6	90	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : MIX OF BTA/QA WITH AREAS HEAVY TO WHITE PINE POLES OR F2 U.S.														
400	G 0	G 0	3		0	0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED OPENING, SITE INDEX FROM STAND #40														
401	G 0	G 0	8		0	0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED OPENING, SITE INDEX FROM STAND #120														
402	G 0	G 0	17			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : M-55 R.O.W., SITE INDEX FROM STAND #20														
403	G 0	G 0	1			0	53	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE R.O.W., SITE INDEX FROM STAND #11														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
404	G 0	G 0	2			0	53	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE R.O.W., SITE INDEX FROM STAND #11														
405	G 0	G 0	1			0	53	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE R.O.W., SITE INDEX FROM STAND #11														
406	G 0	G 0	1			0	50	grass	nonstocked	N		not scheduled	0	
comnts Fmd : NON-MAINTAINED OPENING AGAINST PRIVATE PROPERTY, ENCROACHING HARDWOODS AND CONIFERS, SITE INDEX FROM STAND #2														
407	G 0	G 0	2			0	50	grass	nonstocked	N		not scheduled	0	
comnts Fmd : NON-MAINTAINED OPENING AGAINST PRIVATE PROPERTY, ENCROACHING HARDWOODS AND CONIFERS, SITE INDEX FROM STAND #2														
Total Acres.....			939											