

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	E 6	W 2	2	85	10	100	65	white pine	mature	Y	delayed removal	within 0-9 years	1	
comnts Fmd : N. END IS "L" TYPE WITH INTERMITTENT CREEK, REST OF STAND IS DECLINING ASPEN, RED MAPLE, MIXED OAK, AND WHITE BIRCH WITH W.P. U.S. WHICH IS ALMOST MERCHANTABLE, RELEASE WHITE PINE U.S. BY REMOVING HARDWOODS EXCEPT LEAVE ALL WHITE OAK FOR MAST														
2	E 6	W 3	17	85	10	100	65	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity Too wet														
comnts Fmd : SIMILAR TO STAND #1 BUT MORE WET DRAINAGES AND INTERMITTENT CREEKS & LOWER/WETTER TERRAIN, ALLOW TO CONVERT TO WHITE PINE ON ITS OWN														
3	C 6	F 2	2	89	7	140	41	cedar	immature	N		40-49 years	0	
4	D 0	D 0	2		0	0	41	treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : FILLING IN WITH WHITE PINE AND TAMARACK														
5	O 9	W 3	9	87	15	120	60	white pine	two aged	Y	delayed removal	within 0-9 years	2	
comnts Fmd : MATURE TO OVER-MATURE OAK/JACK PINE WITH WHITE PINE U.S., RELEASE W3 BY REMOVING ALL HARDWOODS AND JACK PINE EXCEPT LEAVE WHITE OAK FOR MAST														
6	W 6	W 2	26	32	8	160	55	white pine	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : BADLY WEEVILED WHITE PINE WHICH IS RECOVERING NICELY, THIN IN 10 YEARS BY REMOVING MOST HARDWOODS AND SOME WHITE PINE, MANAGE FOR A WP/OAK MIX IN SOME FUTURE Y.O.E.														
7	E 4	W 2	9	31	4	30	60	swamp hardwoods	sparse	N		not scheduled	0	
comnts Fmd : BROAD DRAINAGE AREA														
8	W 9	W 2	7	89	15	100	63	white pine	two aged	N		10-19 years	0	
comnts Fmd : MANAGE FOR WHITE PINE U.S. AT SOME FUTURE Y.O.E., NO TREATMENT NECESSARY AT THIS TIME														
9	R 9	W 2	15	67	14	160	60	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : NATURAL RED PINE STAND, THIN TO 90 SF BY REMOVING HARDWOODS AND SOME RED PINE, RETAIN OAKS FOR MAST														
10	W 6	W 2	68	30	5	70	55	white pine	immature	N		20-29 years	0	
comnts Fmd : SCATTERED LARGER RP/WP/OAK, W.PINE U/S HAS EVIDENCE OF WEEVILING BUT IT IS RECOVERING NICELY CUT HARDWOODS IN 20-30 YEARS WHEN THEY ARE MORE MERCHANTABLE														
11	H 6	X 0	10	81	8	160	65	hemlock	immature	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
12	R 9	R 2	6	92	17	140	67	red pine	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : S.C.A. = DESIGNATED P.O.G. IN THE DRAFT O.G.B.S. PLAN</p>														
13	W 9	W 2	3	91	20	180	71	white pine	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : W9W2, NATURAL WHITE PINE STAND WITH HUMMOCKY GROUND AND SOME BLOWDOWN, PROPOSED S.C.A. = DRY MESIC NORTHERN FOREST</p>														
14	O 9	W 2	41	87	12	110	57	white pine	two aged	Y	delayed removal	within 0-9 years	2	
<p>comnts Fmd : O9W2, U.S. READY TO BE RELEASED, STAND HAS SCATTERED RED PINE SAW LOGS AND S. END HAS LOTS OF SAWLOG SIZE B.T. ASPEN, CUT MOST MIXED OAK AND OTHER HARDWOODS AND LEAVE SAWLOG SIZE WHITE OAK AND ALL R/W PINE, BUFFER SWAMPS AND W9 STAND FOR RETENTION</p>														
15	R 9	W 1	2	87	14	170	67	red pine	immature	Y	thinning	within 0-9 years	2	
<p>comnts Fmd : THIN TO 120 SF BY TAKING SMALLER PINES AND HARDWOODS FIRST, LEAVE SOME OAK FOR WILDLIFE MAST</p>														
16	E 6	L 0	16	79	9	70	62	swamp hardwoods	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : HARDWOOD DRAINAGE WITH PORTIONS HEAVY TO CONIFERS</p>														
17	C 6	F 2	48	83	6	90	35	cedar	immature	N		not scheduled	0	
<hr/>														
18	M 9	W 3	36	32	10	100	67	white pine	two aged	N	delayed removal	within 0-9 years	2	
<p>comnts Fmd : STAND WAS CUT IN 1975 LEAVING LOTS OF RESIDUAL R/W PINE AND OAK WHICH ARE NOW SAW LOG SIZE, CUT ALL HARDWOODS/JACK PINE EXCEPT WHITE OAK FOR MAST AND LEAVE ALL R/W PINE, PROTECT W3 U.S. WHICH WILL BE THE FEATURED STAND</p>														
19	R 6	R 2	22	61	9	210	60	red pine	two aged	Y	thinning	within 0-9 years	2	
<p>comnts Fmd : VARIABLE STAND, LARGE RED PINE SAW LOGS WITH R6W2R2 UNDERNEATH, SCATTERED AREAS HEAVY TO HARDWOODS OR W3 AND OTHER AREAS HEAVY TO JACK PINE SAW LOGS WITH R/W PINE PULP UNDERNEATH, APPEARS TO BE MIX OF NATURAL R/W/J PINE AND PLANTED RED PINE, THIN BY REMOVING HARDWOODS/JACK PINE EXCEPT LEAVE SOME OAK FOR MAST, MAY NEED TO MARK SOME R/W PINE PULP IN SPOTS IN ORDER TO MANEUVER LOGGING EQUIPMENT, THIN TO 120 SF</p>														
20	R 9	W 3	6	84	15	180	67	red pine	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : S.C.A. = DESIGNATED AS POTENTIAL OLD GROWTH IN DRAFT PLAN, THIN IF P.O.G. DESIGNATION IS REMOVED</p>														
21	C 6	F 2	7	83	6	90	35	cedar	immature	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
22	E 6	L 0	7	79	9	70	62	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : HARDWOOD DRAINAGE WITH PORTIONS HEAVY TO CONIFERS														
23	N 0	N 0	5		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : OLD BEAVER FLOODING														
24	C 6	C 1	55	83	9	130	34	cedar	immature	N		not scheduled	0	
25	E 6	W 3	7	42	10	80	69	swamp hardwoods	two aged	N		20-29 years	0	
comnts Fmd : HARDWOOD OVER-STORY WITH W3 U.S., MIX OF UPLAND AND LOWLAND TERRAIN, THIN OR RELEASE IN 10 YEARS AND MANAGE FOR WHITE PINE														
26	W 6	W 3	34	31	6	160	60	white pine	immature	N		10-19 years	0	
comnts Fmd : BADLY WEEVILED AS RECORDED IN 1999 Y.O.E. BUT RECOVERING NICELY NOW, JUST REACHING POLE SIZE, POSSIBLY THIN NEXT Y.O.E.														
27	C 6	L 0	4	81	6	100	26	cedar	immature	N		not scheduled	0	
comnts Fmd : LOWER SITE THAN STAND #50, CUT BY NUMEROUS DRAINAGES AND HAS NUMEROUS POTHOLES														
28	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
29	A 5	A 2	24	31	5	60	57	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : MARGINS HAVE HEAVY BEAVER ACTIVITY, STAND HAS LOTS OF SMALL WET POTHOLES IN INTERIOR, PARTS OF THE STAND HAVE HEAVY F3/W3 UNDERSTORY, TRANSITIONING TO A6														
30	E 9	F 2	3	83	10	90	68	swamp hardwoods	immature	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
31	L 0	L 0	10		0	0	57	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER FLOODING														
32	A 5	A 3	6	30	4	50	62	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : TRANSITIONING TO A6, LOTS OF WHITE PINE AND/OR BALSAM FIR IN SPOTS														
33	E 6	F 2	4	84	8	120	63	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : CONVERTING TO SAWLOG CONIFER STAND, S.C.A. = POTENTIAL OLD GROWTH?														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
34	F 6	F 3	10	75	9	120	51	spruce-fir (uplands-including upland black spruce)	immature	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : WETTER TRANSITION ZONE BETWEEN CONIFER SWAMP AND UPLAND HARDWOODS, MIX OF BALSAM FIR AND RED MAPLE/ASPEN</p>														
35	L 0	L 0	22		0	0	25	lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : BEAVER FLOODING</p>														
36	A 3	A 3	43	15	2	0	65	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : NICE A3 MIXED WITH AREAS OF VERY POOR OAK REGENERATION</p>														
37	B 9	F 3	4	85	10	100	65	paper birch	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : MIX OF BIRCH, ASPEN, AND RED MAPLE, VERY SCENIC STAND, TRANSITION BETWEEN SWAMP AND UPLANDS</p>														
38	O 8	M 1	36	85	15	60	58	oak	two aged	Y		within 0-9 years	0	planting
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : REMOVED ASPEN/RED MAPLE IN 1999, NOT MUCH OAK REGENERATION YET, LOTS OF FIREWOOD THEFT OCCURRING, POORER QUALITY MIXED AND WHITE OAK, INTERPLANT RED PINE WHERE ASPEN AND RED MAPLE REGENERATION ARE SPARSE, LONG TERM M.O. FOR THIS STAND WILL BE AN OAK/PINE MIX</p>														
39	A 2	E 2	18	8	0	0	50	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : CUT IN 1999, HIGH GROUND IS A3, LOWER GROUND IS A1/E1</p>														
40	C 6	Q 2	14	81	8	120	41	cedar	immature	N		not scheduled	0	
41	C 6	C 1	11	83	7	200	59	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : EXCELLENT CEDAR STAND.</p>														
42	C 6	C 1	34	83	9	130	34	cedar	immature	N		not scheduled	0	
43	A 2	F 1	2	13	0	0	66	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : STAND WAS WINDTHROWN IN 1994 WITH SOME RESIDUAL LARGER ASPEN/RED MAPLE STILL STANDING, NO ACCESS DUE TO PRIVATE PROPERTY & WET TERRAIN, SOMEWHAT WET IN STAND</p>														
44	C 6	Q 1	6	85	8	100	33	cedar	immature	N		not scheduled	0	
45	C 6	C 1	10	84	7	120	36	cedar	immature	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
46	C 6	L 0	6	85	9	90	43	cedar	immature	N		not scheduled	0	
47	C 6	C 1	10	83	9	120	35	cedar	immature	N		not scheduled	0	
48	N 0	N 0	6			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : S.C.A. = STAND WAS INCLUDED IN THE ORIGINAL OG/BS PLAN														
49	A 5	F 3	3	31	5	60	53	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : MANAGE WITH STAND 47, COMPT 118, HEAVY BEAVER ACTIVITY, EVALUATE IN 2019 FOR POSSIBLE CUT														
50	Q 6	F 2	3	79	10	110	62	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : "E" TYPE LAST Y.O.E., NOW "Q" TYPE, WILL PROBABLY BE SAWLOG SIZE NEXT Y.O.E., OPERABLE BUT NO ACCESS DUE TO SURROUNDING TERRAIN (DRAINAGE ON WEST SIDE), POSSIBLE MANAGE WITH STAND #129 IN 10-20 YEARS,														
51	C 6	C 1	4	85	7	180	44	cedar	immature	N		not scheduled	0	
52	Z 0	Z 0	10		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER FLOODING														
53	A 5	F 3	38	30	5	60	53	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : POOR ACCESS FROM STATE LAND, HEAVY BEAVER ACTIVITY ON EDGES, EVALUATE IN 2019 FOR POSSIBLE CUT														
54	Q 6	E 2	6	82	10	110	57	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Adjacent landowner denies access														
comnts Fmd : MIX OF "E" AND "Q" TYPES, WET IN SPOTS AND DRY(SEASONALLY WET) BUT HUMMOCKY IN OTHERS, NO ACCESS DUE TO TERRAIN AND PRIVATE PROPERTY														
55	C 6	C 1	18	82	8	100	33	cedar	immature	N		not scheduled	0	
56	E 5	E 1	8	86	9	60	57	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Blocked by other physical obstacle Adjacent landowner denies access														
comnts Fmd : WET TO SEASONALLY WET, ASPEN PRETTY MUCH GONE DUE TO OLD AGE AND BEAVER ACTIVITY, NO ACCESS DUE TO TERRAIN AND PRIVATE PROPERTY														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
57	E 7	F 2	8	84	10	30	35	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : E7F2L, BROAD DRAINAGE AREA WITH INTERMITTENT STREAM, SOME PARTS ALL "L" ESPECIALLY SOUTH END														
58	D 0	D 0	1			0		treed bog	nonstocked	N		not scheduled	0	
59	L 0	L 0	4			0		lowland brush	nonstocked	N		not scheduled	0	
60	L 0	L 0	4			0		lowland brush	nonstocked	N		not scheduled	0	
61	L 0	L 0	10			0		lowland brush	nonstocked	N		not scheduled	0	
62	A 5	F 3	49	30	5	60	53	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : POOR ACCESS FROM STATE LAND, HEAVY BEAVER ACTIVITY ON EDGES, EVALUATE IN 2019 FOR POSSIBLE CUT														
63	A 5	F 3	4	30	5	60	53	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : APPEARS TO BE MORE OPEN THAN STAND #62, POOR ACCESS FROM STATE LAND, HEAVY BEAVER ACTIVITY ON EDGES, EVALUATE IN 2019 FOR POSSIBLE CUT														
64	N 0	N 0	2			0		marsh	nonstocked	N		not scheduled	0	
65	A 6	F 3	36	31	5	70	57	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : YOUNG A6 WITH LOTS OF F3/W3 IN SPOTS, MARGINS HAVE HEAVY BEAVER ACTIVITY, STAND HAS LOTS OF SMALL WET POTHOLES IN INTERIOR														
129	A 6	F 3	38	31	5	70	57	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : YOUNG A6 WITH LOTS OF F3/W3 IN SPOTS, MARGINS HAVE HEAVY BEAVER ACTIVITY, STAND HAS LOTS OF SMALL WET POTHOLES IN INTERIOR														
135	N 0	N 0	67			0	0	marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : S.C.A. = PORTIONS OF THIS RECENTLY EXPANDED WETLAND WERE PART OF THE ORIGINAL OG/BS PLAN														
400	G 0	G 0	3			0	0	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED OPENING														
401	G 0	G 0	4			0	0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : NON-MAINTAINED OPENING, FILLING IN WITH WHITE PINE, RED MAPLE, BALSAM FIR, AND ASPEN														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
402	G 0	G 0	3		0	0	57	grass	nonstocked	N		not scheduled	0	
comnts Fmd : NON-MAINTAINED OPENING WITH SCATTERED OAK/WP SAWLOGS AND BF SAPS/POLES														
403	G 0	G 0	8		0	0	57	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE/PIPELINE R.O.W., ALSO HAS SEASONALLY COUNTY ROAD WITHIN R.O.W.														
404	G 0	G 0	9		0	0	57	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : CUT 1992, DID NOT REGENERATE TO ASPEN/OAK, SOMEWHAT OF A FROST POCKET, POSSIBLE OPENING CREATION														
Total Acres.....			1088											