

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	J5	X0	28	30	5	40	55	jack pine	immature	N		40-49 years	0	
2	W8	F1	19	100	13	50	60	white pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
3	T4	L0	16	100	8	30	40	tamarack	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
4	R5	O2	7	30	5	40	55	red pine	immature	N		40-49 years	0	
comnts Fmd : Has a small J5 on east edge that is part of a large jp stand in Grayling unit.														
5	R7	O3	18	78	14	10	55	red pine	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : There is a nice understory of Oak coming up in the stand.														
6	J5	O1	101	29	4	40	60	jack pine	immature	N		50-59 years	0	
7	J5	O1	124	28	5	50	65	jack pine	immature	N		40-49 years	0	
comnts Fmd : Has pockets of mature red and white pine (1930 origin) scattered within														
8	R4	U2	11	30	5	30	55	red pine	immature	N		40-49 years	0	
comnts Fmd :														
9	N0	N0	2		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
10	E5	F2	71	83	10	50	50	swamp hardwoods	two aged	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Land survey needed														
Too wet														
comnts Fmd : Open grown with thick understory. Aspen has almost completely fallen out. Structurally complex. Survey work would be needed to treat. Small mixed rp/wp stand along road. Would be good to try to regenerate birch if possible in the future. Old -growth stand to the south.														
12	A5	W2	41	25	5	40	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Mix of aspen and white pine poles														
13	L3	N0	17		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
15	H9	F2	14	128	16	70	50	hemlock	mature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
16	E 4	E 2	21	4	4	30	55	swamp hardwoods	two aged	N		30-39 years	0	
comnts Fmd : Overstory removal last entry. All merchantable red pine and white pine high graded. Red maple, balsam, white pine, and aspen less than 4 " dbh were left. Has a little hemlock on the east edge. Two aged. Origin year is the cut year-- the understory.														
18	A 6	W 2	70	43	7	80	60	aspen (upland)	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Nice big-tooth aspen overtopped by northern red oak. Turns into smaller and lower quality stems along private line. Some white oak, white pine, red pine, and birch mixed in. Considering cutting aspen early to help balance age classes. It is stagnant where overtopped right now anyway. Would leave some pockets heavy to fir along north line and scattered big oak and pine within. May need a survey. Look at in spring. Records indicate potential for northern hardwoods.														
19	R 9	M 1	7	92	12	180	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : Harvest with stand 18 and leave heavy red pine retention consisting of windfirm leave trees. Short-term management objective would be to let aspen spread into the stand. Long-term objective would be to let red pine gradually regenerate in pockets and beneath aspen through natural regen.														
21	R 9	M 1	4	70	14	140	65	red pine	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Natural Red Pine. Lines for small private inholdings need to be verified.														
22	E 6	L 2	10	70	6	80	55	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Parts of this stand may be private land. See folders on American Legion properties														
23	O 9	W 2	9	90	14	90	55	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Hard to distinguish this stand from the stand to the west while on the ground. Look at imagery canopy differences. This was probably just the portion along the road that did not get thinned.														
24	O 8	W 1	35	90	14	60	55	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : BA not high enough. Sawlogs could use a little more time.														
25	W 8	F 2	16	92	10	70	60	white pine	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Nominate for Old-growth. SCA.														
26	A 3	A 3	4	17	1	0	60	aspen (upland)	immature	N		50-59 years	0	
27	A 6	W 1	7	43	7	70	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Stand was split by highway. May have some pvt land within.														
28	L 2	L 0	63		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Big Creek														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
29	W 9	F 2	13	79	16	160	60	white pine	old growth (potential or actual)	N		10-19 years	0	
comnts Fmd : Nominate for Old-growth. SCA.														
30	W 8	F 2	66	104	16	70	70	white pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
32	W 8	A 2	9	90	12	70	60	white pine	immature	N		20-29 years	0	
comnts Fmd : Bluff on edge of Big Creek. Aspen removed in early 80's and won't compete against white pine very well in the future.														
33	W 9	F 3	34	106	17	100	70	white pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth Adjacent landowner denies access														
comnts Fmd : Mix of natrual red pine, white pine, red maple, and aspen. Aspen is falling apart and past the point of regeneration. Heavy balsam understory. Transitions to sugar maple to the east. Very good site. Stand needs a good fire.														
35	A 9	F 1	7	35	9	150	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Transitions to hardwoods to the west. Leave alone or spec removal of aspen. Look at in spring. Cut line is in along south private line.														
38	X 0	X 0	7		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : GRAYLING ROAD														
40	W 7	A 2	9	98	15	30	70	white pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
43	O 9	F 2	8	78	12	100	55	oak	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
44	C 6	L 0	42	98	9	120	40	cedar	mature	N		not scheduled	0	
46	E 6	F 2	26	93	9	90	50	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
47	O 8	W 2	16	98	14	60	55	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : has pvt														
48	A 3	W 1	10	17	0	0	55	aspen (upland)	in process of regeneration	N		50-59 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
49	A 9	W 2	9	70	14	110	60	aspen (upland)	mature	Y		40-49 years	0	
<p><u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : Parts of this stand may have private land within it. Probably leave to convert to pine due to proximity to Big Creek.</p>														
50	Q 6	L 2	50	98	9	100	40	mixed swamp conifer	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
52	A 3	O 1	15	17	2	0	60	aspen (upland)	in process of regeneration	N		50-59 years	0	
<p>comnts Fmd : Mix of bigtooth and quaking. Part of the stand to the north was split out due to no aspen in it.</p>														
53	W 7	A 2	40	98	15	30	70	white pine	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : Aspen/ red maple understory is 1991 origin. White pine is coming in gradually and will likely outcompete aspen in the long-run.</p>														
56	A 3	A 3	10	17	0	0	60	aspen (upland)	in process of regeneration	N		50-59 years	0	
58	R 5	O 2	12	30	5	40	55	red pine	immature	N		40-49 years	0	
61	J 3	A 1	32	15	2	0	60	jack pine	immature	N		40-49 years	0	
<p>comnts Fmd : Looks like it was seeded. Has some black spruce regeneration along the perimeter where it transtions to aspen and alder.</p>														
62	W 9	M 1	11	76	12	100	60	white pine	immature	N	final harvest	within 0-9 years	3	
<p>comnts Fmd : Has components of mature jack pine and aspen. Regenerate aspen and jack pine and leave heavy reserves of red and white pine. Winter harvest preferable. X-ray road gets plowed. Mixed regen of white pine. aspen, jp, rp, oak, and red maple is acceptable. Could include small 1/2 piece on road leftover from sale during last entry.</p>														
64	A 2	L 1	20	15	0	0	55	aspen (upland)	in process of regeneration	N		50-59 years	0	
<p>comnts Fmd : Mostly quaking aspen, but has some black spruce, jack pine, and fir. Some areas are heavy to alder.</p>														
65	L 2	L 0	5		0	0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Part of Big Creek headwaters.</p>														
66	J 5	O 1	9	39	5	50	60	jack pine	immature	N		40-49 years	0	
<p>comnts Fmd : Has pockets of mature red and white pine</p>														
67	S 5	L 2	5	58	6	40	55	black spruce-swamp	sparse	N		30-39 years	0	
68	E 6	F 3	11	63	10	70	55	swamp hardwoods	two aged	N		20-29 years	0	
<p>comnts Fmd : Would be good to try to regenerate birch if possible in the future.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
113	L 3	L 3	24				0	lowland brush	nonstocked	N		not scheduled	0	
118	O 9	W 3	5	75	14	70	55	oak	immature	N		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
143	A 4	L 2	5	69	7	20	40	aspen (upland)	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
152	U 2	O 1	10	17	3	0	50	upland brush	in process of regeneration	N		50-59 years	0	
comnts Fmd : No aspen on this side of the cut. Scattered jack pine and oak, but mostly red maple and cherry.														
157	R 9	O 1	15	78	12	110	60	oak	immature	Y	shelterwood- prep	within 0-9 years	6	
comnts Fmd : Being set up with a 2007 sale from compartment 21														
401	G 0	G 0	5		0	0		marsh	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Managed opening. Deadstream #1														
Total Acres..... 1255														