

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|----------|---------|-----------|--|----------------------------|---------------------|------------|---------------|------------------|---------------|
| 1 | A3 | A3 | 4 | 28 | 3 | 20 | 46 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : TRANSITIONING TO A6 | | | | | | | | | | | | | | |
| 2 | F5 | A1 | 10 | 75 | 8 | 60 | 50 | spruce-fir (uplands-including upland black spruce) | low quality | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| 3 | U0 | U0 | 1 | | 0 | 0 | 46 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : SMALL "U" WITH SCATTERED CONIFERS | | | | | | | | | | | | | | |
| 4 | J2 | J2 | 10 | 20 | 2 | 0 | 55 | jack pine | immature | N | | 30-39 years | 0 | |
| comnts Fmd : CONTAINS ORV TRAIL & SMT | | | | | | | | | | | | | | |
| 5 | A3 | A3 | 12 | 18 | 1 | 0 | 46 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : GOOD A3 REGENERATION, CONTAINS ORV TRAIL & SMT | | | | | | | | | | | | | | |
| 6 | J3 | J3 | 8 | 29 | 4 | 30 | 55 | jack pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : J3 TRANSITIONING TO J6, CONTAINS ORV TRAIL & SMT | | | | | | | | | | | | | | |
| 7 | O3 | O3 | 58 | 6 | 0 | 0 | 55 | oak | immature | N | | 50-59 years | 0 | |
| comnts Fmd : GOOD O/A REGENERATION WITH SOME "U" TYPES INTERSPERSED WITHIN STAND, CUT 2002, SOME RM REGENERATION ALSO, FAIRLY EQUAL MIX OF O/A/RM, CONTAINS ORV TRAIL | | | | | | | | | | | | | | |
| 8 | A3 | A3 | 78 | 6 | 0 | 0 | 55 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : GOOD A3 REGENERATION IS 75%, REST IS "U" TYPE POSSIBLY DUE TO FROST DRAINAGE PROBLEM AT THE BOTTOM OF THE HILL | | | | | | | | | | | | | | |
| 9 | A5 | A2 | 12 | 28 | 5 | 60 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : TRANSITIONING TO A6 | | | | | | | | | | | | | | |
| 10 | J3 | J3 | 3 | 1 | 0 | 0 | 55 | jack pine | in process of regeneration | N | | 50-59 years | 0 | |
| comnts Fmd : TRENCHED 2006 & PLANTED 5/07 | | | | | | | | | | | | | | |
| 11 | J3 | J3 | 33 | 16 | 1 | 0 | 55 | jack pine | immature | N | | 40-49 years | 0 | |
| 12 | J4 | U0 | 5 | 40 | 5 | 20 | 55 | jack pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : SLOW GROWING JACK PINE, "U" TYPE LAST YOE - NOW FORESTED, PROBABLY PAST PROBLEMS WITH FROST DRAINAGE, CUT WITH STAND #13 IN 20 YEARS | | | | | | | | | | | | | | |
| 13 | J5 | J3 | 33 | 40 | 5 | 50 | 55 | jack pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : SLOW GROWING BUT DOING WELL, FIRE OR FROST DAMAGE AT SOME POINT IN THE PAST?? | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|--------|---------|-----------|----------------|----------------------------------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 14 | J3 | J3 | 61 | 4 | 0 | 0 | 55 | jack pine | immature | N | | 50-59 years | 0 | |
| comnts Fmd : J3 PLANTED/SEEDED JULY 2004, APPROX. 1/3 -1/2 NOT PLANTED TO JACK PINE AND HAS NICE A3 COMING ON STRONG | | | | | | | | | | | | | | |
| 15 | A6 | M3 | 6 | 40 | 9 | 80 | 46 | aspen (upland) | immature | N | final harvest | within 0-9 years | 1 | |
| comnts Fmd : APPEARS TO BE 2 AGED/MULTI-AGED ASPEN STAND, OLDEST ASPEN IS 65+ YEARS OLD AND YOUNGEST IS 40+/- YEARS OLD, OLDER ASPEN IS DECLINING DUE TO HYPOX. CANKER, ALSO SCATTERED OAK/RM SAWLOGS, CUT NOW WHILE OLDEST ASPEN IS STILL VIABLE FOR SUCKERS, MARK OAK TO LEAVE FOR MAST, NO RETENTION IN THIS STAND DUE TO THE SIZE OF THE STAND AND FOR STAND HEALTH REASONS, ALSO REQUIRE TOPS TO BE CHIPPED FOR HEALTH REASONS, EXPAND INTO STAND #43 AND #16 IF ASPEN IN THE ADJACENT PORTIONS OF THESE STANDS ARE READY TO BE CUT | | | | | | | | | | | | | | |
| 16 | O5 | O2 | 16 | 30 | 5 | 40 | 40 | oak | immature | N | | 20-29 years | 0 | |
| comnts Fmd : SLOW GROWING, MOSTLY STUMP SPROUT OA, & RM WITH SCATTERED R/W PINE AND AREAS HEAVY TO JACK PINE | | | | | | | | | | | | | | |
| 17 | A2 | A2 | 13 | 17 | 1 | 0 | 46 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : GOOD A3 INTERSPERSED WITH "U" TYPES | | | | | | | | | | | | | | |
| 18 | A3 | A3 | 50 | 17 | 2 | 0 | 46 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : NICE A3 REGENERATION WITH OAK & RM ALSO | | | | | | | | | | | | | | |
| 19 | J5 | S2 | 74 | 54 | 6 | 60 | 40 | jack pine | old growth (potential or actual) | N | | 10-19 years | 0 | |
| comnts Fmd : MULTI-AGED/2 AGED SWAMP JACK PINE WITH TAMARACK AND SPRUCE SAPS AND POLES, ALSO SOME W/J SAPS, HOLD 10 YEARS OR DESIGNATE AS S.C.A. = POOR CONIFER SWAMP, STAND IS REGENERATING NATURALLY, POOR ACCESS DUE TO WET TERRAIN, WINTER CUT IF TREATED, SOME SPOTS TOO WET TO OPERATE IN WINTER, STAND EXTENDS INTO COMPT #44 TO THE EAST | | | | | | | | | | | | | | |
| 20 | O6 | O1 | 6 | 71 | 10 | 90 | 55 | oak | immature | N | | 10-19 years | 0 | |
| comnts Fmd : PROPOSED TO THIN LAST Y.O.E. AND NEVER TREATED, POOR QUALITY OAK STAND ON A HIGH KNOB OVERLOOKING DECKER ROAD AND M-76, SOME JACK PINE AND RED MAPLE ALSO, SOME OAK STARTING IN U.S., NO SPOT FOR LANDING DUE TO TERRAIN, LEAVE FOR VISUAL BUFFER ON ROADS | | | | | | | | | | | | | | |
| 21 | A3 | A3 | 22 | 27 | 4 | 10 | 46 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : SLOW GROWING BUT DOING WELL, SCATTERED OAK AND PINE ALSO | | | | | | | | | | | | | | |
| 22 | L0 | L0 | 37 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : NORTH PART IS MORE "V" TYPE | | | | | | | | | | | | | | |
| 23 | R9 | M2 | 8 | 73 | 13 | 130 | 55 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : SEASONALLY WET NATURAL RED PINE STAND WITH HARDWOODS ENCROACHING IN THE U.S., POOR ACCESS DUE TO R.R. TRACKS ON SOUTH AND BROAD/WET TIMBERED DRANAGES ON THE NORTH AND WEST, HUMMOCKIY BUT POSSIBLY OPERABLE IN WINTER, LEAVE FOR VISUAL BUFFER ON M-76 | | | | | | | | | | | | | | |
| 24 | J3 | J3 | 3 | 17 | 2 | 0 | 40 | jack pine | immature | N | | 40-49 years | 0 | |
| comnts Fmd : J3 ORIGINALLY CUT WITH STAND #17, STAND IS A RIDGE OF HIGH GROUND WITH "L" ON BOTH SIDES | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Age | Cr es | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----|-------|------------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 25 | V 0 | V 0 | 19 | | | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| 26 | J 5 | S 2 | 46 | 54 | 6 | 60 | 40 | jack pine | old growth (potential or actual) | N | | 10-19 years | 0 | |
| comnts Fmd : MULTI-AGED/2 AGED SWAMP JACK PINE WITH TAMARACK AND SPRUCE SAPS AND POLES, ALSO SOME W/J SAPS, HOLD 10 YEARS OR DESIGNATE AS S.C.A. = POOR CONIFER SWAMP, STAND IS REGENERATING NATURALLY, POOR ACCESS DUE TO WET TERRAIN, WINTER CUT IF TREATED, SOME SPOTS TOO WET TO OPERATE IN WINTER, STAND EXTENDS INTO COMPT #44 TO THE EAST | | | | | | | | | | | | | | |
| 27 | Q 6 | C 1 | 126 | 98 | 8 | 90 | 35 | mixed swamp conifer | immature | Y | | 80+ years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| 28 | A 3 | A 3 | 19 | 14 | 1 | 0 | 50 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : "ISLAND OF HIGH GROUND WITH SWAMP ON 3 SIDES | | | | | | | | | | | | | | |
| 29 | L 0 | L 0 | 103 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 30 | R 6 | M 1 | 3 | 54 | 8 | 70 | 50 | red pine | immature | N | | not scheduled | 0 | |
| comnts Fmd : RED PINE STAND WITH VERY HIGH WATER TABLE, NO SPOT FOR LANDING DUE TO TERRAIN AND STAND SIZE, LEAVE FOR VISUAL ALONG M-76, MIDDLE PART OF THE STAND IS STUNTED DUE TO HIGH WATER TABLE | | | | | | | | | | | | | | |
| 31 | A 6 | F 2 | 3 | 76 | 8 | 80 | 55 | aspen (upland) | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Scenic values/visual values | | | | | | | | | | | | | | |
| comnts Fmd : ASPEN ISLAND SURROUNDED BY "L" TYPE, NO ACCESS, CONVERTING TO FIR/SPRUCE, LEAVE AS AN ISLAND OF TREES IN THE SWAMP FOR VISUAL AND DIVERSITY | | | | | | | | | | | | | | |
| 32 | A 5 | F 2 | 10 | 29 | 5 | 50 | 55 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : TRANSITION ZONE BETWEEN UPLAND H.W.'S AND "Q" TYPES, PARTS ARE VERY WET | | | | | | | | | | | | | | |
| 33 | U 0 | U 0 | 1 | | | 0 | 55 | upland brush | nonstocked | N | | not scheduled | 0 | |
| 34 | M 2 | M 2 | 3 | 3 | 0 | 0 | 55 | northern hardwood | immature | N | | 50-59 years | 0 | |
| comnts Fmd : CUT 11/2004, NOW UPLAND RED MAPLE WITH SCATTERED OAK/JP SEEDING IN GRADUALLY, ALSO SCATTERED ASPEN CLONES | | | | | | | | | | | | | | |
| 35 | A 5 | F 2 | 17 | 29 | 5 | 60 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A3 WITH SCATTERED RP SL | | | | | | | | | | | | | | |
| 36 | A 2 | A 2 | 2 | 3 | 0 | 0 | 40 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : CUT 11/2004 , WEST 1/2 IS A3 AND E1/2 IS O1A1 | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|--------|---------|-----------|--|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 37 | E 4 | L 0 | 2 | 70 | 6 | 20 | 50 | swamp hardwoods | mature | N | | not scheduled | 0 | |
| comnts Fmd : LOW AND WET, NOT OPERABLE DUE TO TERRAIN, SIZE, AND VOLUME | | | | | | | | | | | | | | |
| 38 | F 5 | E 1 | 8 | 70 | 6 | 60 | 40 | spruce-fir (uplands-including upland black spruce) | mature | Y | | not scheduled | 0 | |
| Treatment Limiting Factors: Too steep | | | | | | | | | | | | | | |
| comnts Fmd : NARROW STRIP OF ALTERNATING UPLAND AND LOWLAND, NOT WORTH CUTTING, BOG JACK PINE/SPRUCE MIXED WITH UPLAND ASPEN | | | | | | | | | | | | | | |
| 39 | O 6 | X 0 | 52 | 71 | 10 | 150 | 62 | oak | immature | N | | 10-19 years | 0 | |
| comnts Fmd : NICE OAK STAND ON ROLLING TO HILLY TERRAIN, SCATTERED WP SAPS AND ASPEN POLES ALSO, GOOD QUALITY MO/RO/WO, GROWING WELL, THIN NOW OR HOLD 10 YEARS | | | | | | | | | | | | | | |
| 40 | A 3 | A 3 | 5 | 28 | 4 | 20 | 46 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A3 TRANSITIONING TO A6 | | | | | | | | | | | | | | |
| 41 | A 3 | A 3 | 5 | 28 | 4 | 20 | 46 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A3 TRANSITIONING TO A6 | | | | | | | | | | | | | | |
| 42 | J 3 | J 3 | 8 | 4 | 0 | 0 | 54 | jack pine | immature | N | | 50-59 years | 0 | |
| comnts Fmd : J3 TRENCHED 2006/PLANTED 5-2007 | | | | | | | | | | | | | | |
| 43 | O 5 | O 2 | 31 | 30 | 5 | 60 | 48 | oak | immature | N | | 20-29 years | 0 | |
| comnts Fmd : MOSTLY STUMP SPROUT OAK WITH SCATTERED A6 CLONES AND SOLITARY JACK PINE | | | | | | | | | | | | | | |
| 44 | E 5 | E 1 | 3 | 75 | 8 | 50 | 56 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| comnts Fmd : LIMITED ACCESS DUE TO WET TERRAIN, SMALL ACRES/VOLUME/VALUE, MORE VALUABLE TO LEAVE AS VISUAL ALONG M-76 | | | | | | | | | | | | | | |
| 45 | A 5 | F 2 | 1 | 29 | 5 | 60 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A3 WITH SCATTERED RP SL | | | | | | | | | | | | | | |
| 46 | L 0 | L 0 | 3 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : RED PINE STAND WITH U.S. OF ASPEN APPROX. 25-30 YEARS OLD, PROBABLY CUT AND LEFT RED PINE WHEN STAND #35 WAS CUT IN 1979, MANAGE FOR RED PINE UNTIL ASPEN MATURES, EAST SIDE OF STAND IS LESS DENSE TO RED PINE | | | | | | | | | | | | | | |
| 47 | R 6 | A 3 | 2 | 54 | 8 | 70 | 50 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : RED PINE STAND WITH U.S. OF ASPEN APPROX. 25-30 YEARS OLD, PROBABLY CUT AND LEFT RED PINE WHEN STAND #35 WAS CUT IN 1979, MANAGE FOR RED PINE UNTIL ASPEN MATURES, EAST SIDE OF STAND IS LESS DENSE TO RED PINE | | | | | | | | | | | | | | |
| 400 | G 0 | G 0 | 3 | | | 0 | 46 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : NON-MAINTAINED GRASSY OPENING, SCATTERED CONIFERS, ACCESS LIMITED BY WET TERRAIN | | | | | | | | | | | | | | |
| 401 | G 0 | G 0 | 23 | | | 0 | 46 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : R.O.W. FOR M-76 AND RAILROAD, SCATTERED TREES | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| S t a n d | Cover Type- Size Dnsty | Under Story- Stkng Level | A c r e s | Age | avg. | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|-----------------------|---------------------------------|-----------------------------------|-----------------------|-----|-------------|------------|--------------|------------|------------|---------------------------|---------------|------------------|---------------------|------------------|
| | | | | | D B H | Tot. BA | Site Indx | | | | | | | |
| 402 | G 0 | G 0 | 11 | | | 0 | 46 | grass | nonstocked | N | | not scheduled | 0 | |

comnts Fmd : POWERLINE R.O.W., 1/2 WET MEADOW AND 1/2 UPLAND GRASS

Total Acres..... 1072