

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	Q 4	L 2	25		5	20	45	mixed swamp conifer	sparse	N		not scheduled	0	
2	B 6	F 3	5	91	8	80	48	paper birch	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Becoming a fir stand. Birch is gradually falling apart.</p>														
3	A 2	F 2	45	14	2	0	55	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Wet site. Very mixed stand with tamarack, black spruce, oak, red pine, and white pine.</p>														
4	M 9	F 2	5	89	12	90	60	northern hardwood	low quality	N	thinning	within 0-9 years	3	
<p>comnts Fmd : Could thin to favor sugar maple and good quality red maple. Very low priority.</p>														
5	A 5	M 2	56	28	6	50	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Understory is red maple.</p>														
6	C 6	F 2	27	138	6	120	23	cedar	mature	N		not scheduled	0	
7	M 8	M 1	4		12	60	55	northern hardwood	unevenaged	N		20-29 years	0	
8	C 6	F 2	52	105	6	120	30	cedar	immature	N		not scheduled	0	
9	E 5	F 2	9	83	8	50	50	swamp hardwoods	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
10	C 6	F 2	48	104	8	80	27	cedar	immature	N		not scheduled	0	
11	L 2	L 2	124		0	0		lowland brush	nonstocked	N		not scheduled	0	
12	A 5	M 2	15	29	5	40	65	aspen (upland)	immature	N		30-39 years	0	
13	E 5	L 2	81	158	6	70	25	swamp hardwoods	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Mix of black ash and cedar on site with very high water table.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
15	M9	F2	36		12	90	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Mix of red maple, red oak, beech, hemlock, and fir. Did not see any sugar maple. Lack of crop trees and there wouldn't be much to thin for.														
17	D1	D1	4			0		treed bog	sparse	N		not scheduled	0	
comnts Fmd : Treed bog with interesting grass that I have never seed before to the south. More alder to the north.														
18	E6	L1	7	95	9	100	53	swamp hardwoods	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
19	F6	F2	17	45	6	110	50	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : Fir mixed with supercanopy red maple to the east in the upland. Transitions to lowland black spruce / white pine to the southwest and back to upland to the northeast.														
20	E6	L2	16	83	7	90	55	swamp hardwoods	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Culvert within this stand needs to be looked at.														
21	A5	O1	32	29	5	40	60	aspen (upland)	immature	N		30-39 years	0	
22	V0	V0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
23	A6	M2	19	37	7	80	60	aspen (upland)	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Early aspen harvest to stagger age classes. More QA to the north and BTA to the south. Mixed red maple and fir understory through the rest. Culvert needed at road. Leave all white pine, beech, sugar maple, birch, and oak. There is very little of these species present. Wet pocket with thick ash understory on the north edge can be used for aspen retention.														
24	L2	L2	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
25	B9	M2	3	85	10	100	60	paper birch	mature	Y	thinning	within 0-9 years	3	
comnts Fmd : Very tall with thin crowns. Would be good small experimental stand to fence and try a regen cut with intense site prep, but for now thin to promote vigor and sugar maple seed source. Some sugar maple seed trees present, but mostly red maple understory. Thin from below. Don't open up too much.														
26	A3	A3	5	18	0	0	55	aspen (upland)	immature	N		50-59 years	0	
27	N0	N0	1		0	0		marsh	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
28	L 2	L 2	17		0	0		lowland brush	nonstocked	N		not scheduled	0	
29	A 3	A 3	19	16	1	0	55	aspen (upland)	immature	N		50-59 years	0	
31	A 9	F 2	6	85	11	90	55	aspen (upland)	mature	Y	removal	within 0-9 years	3	
comnts Fmd : Could do a removal of mature aspen. Very low priority. Shortwood only. Could include small strip on other side of M-18 as well.														
33	A 5	E 2	5	29	6	40	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Recent survey along the north line. Hummocky. Heavy deer browse. Some beech in understory along transition to private. Black ash understory in other spots.														
35	A 3	A 3	17	29	3	0	65	aspen (upland)	immature	N		30-39 years	0	
37	A 5	M 1	21	29	5	50	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Pocket of nice birch regen in the se corner. Road being used for private access.														
38	Z 0	Z 0	11		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd :														
39	A 5	F 2	8	29	6	40	65	aspen (upland)	immature	N		30-39 years	0	
40	A 5	F 1	17	29	5	60	65	aspen (upland)	immature	N	final harvest	within 0-9 years	3	
comnts Fmd : Mix of ~30 yr old quaking and bigtooth aspen with some older stuff left within. Could be cut early if desired. Some road work could be accomplished with the sale.														
41	F 5	L 2	3	38	4	40	47	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Mix of fir, red maple, and alder at corner of major intersection.														
42	L 2	L 2	19		0	0		lowland brush	nonstocked	N		not scheduled	0	
43	L 2	L 2	20		0	0		lowland brush	nonstocked	N		not scheduled	0	
44	A 5	O 1	12	29	5	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Solid QA with scattered fir and oak														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
45	L 2	L 0	12		0	0		lowland brush	nonstocked	N		not scheduled	0	
46	V 0	V 0	4		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
47	O 4	G 0	3	29	5	20	60	oak	sparse	N		30-39 years	0	
comnts Fmd : Has a vein with a couple old aspen near pvt corner.														
48	A 9	M 2	16	29	9	100	60	aspen (upland)	two aged	N	final harvest	within 0-9 years	2	
comnts Fmd : Two-aged aspen. Pockets of young aspen was left last time. Some scattered sugar maple and beech present. Leave all birch, sugar maple, beech, oak, and white pine. Some road building and fill would be needed if access cannot be achieved across private. Would need to fill approx 450 ft of low ground. This is the only access to this whole section. Sale would also need culvert at road.														
49	N 0	N 0	13		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Cattails with brush gradually invading.														
50	V 0	V 0	3		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
51	A 5	M 1	32	29	6	50	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Mix of QA and BTA with large variations in quality. Has wet pockets and benches scattered throughout and a lot of riparian edge.														
52	A 6	M 2	18	29	8	70	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Aspen is incredible quality. A few sugar maple seen along pvt line to the east. Understory is primarily red maple.														
53	A 5	M 1	2	29	6	50	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : isolated small stand. No access														
54	N 0	N 0	8		0	0		marsh	nonstocked	N		not scheduled	0	
55	N 0	L 0	34		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly marsh with transitions to alder around the edges. Alder encroaching.														
56	A 5	L 2	28	29	6	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Wet stand that may be merchantable next entry. Hummocky ground with several pockets of alder understory.														
57	A 5	O 1	25	29	5	40	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Stand is very dry and aspen quality is poor. Has some open pockets throughout. Red pine is gradually spreading in from pocket on the south end. Leave all pine during next rotation and gradually transition to a mixed pine stand. Understory is a mix of oak and cherry.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
58	R 8	A 1	6		9	70	60	red pine	immature	N		30-39 years	0	
comnts Fmd : Natural red pine stand that is gradually seeding in around it's perimeter.														
59	N 0	N 0	6		0	0		marsh	nonstocked	N		not scheduled	0	
60	Q 5	L 2	12	73	4	50	47	mixed swamp conifer	immature	N		50-59 years	0	
comnts Fmd :														
61	S 5	L 2	4		6	50	47	black spruce-swamp	immature	N		50-59 years	0	
comnts Fmd :														
62	N 0	L 0	15		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly alder in the finger to the north.														
64	V 0	V 0	8		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd :														
65	E 6	L 2	4	83	7	80	55	swamp hardwoods	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Culvert within this stand needs to be looked at.														
66	E 5	F 2	5	83	8	50	50	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
103	A 3	A 3	12	14	3	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd :														
104	A 2	F 2	19	14	3	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Aspen in the center with spruce fading into spruce and fir along the edges.														
105	A 5	S 2	24	28	6	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Understory is a mix of spruce and fire. If you look at the 98 DOQ's it looks like the site may have been roller chopped in rows														
106	A 3	F 2	33	14	4	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd :														
115	H 9	F 1	5	86	12	90	55	hemlock	mature	N		10-19 years	0	
comnts Fmd : Mix of hemlock and cedar.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
400	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : MAINTAINED WILDLIFE OPENING.														
401	G 0	G 0	8			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : MAINTAINED WILDLIFE OPENING.														
<b>Total Acres..... 1176</b>														