

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	O5	A2	21	25	4	40	55	oak	immature	N		40-49 years	0	
comnts Fmd : Mix of oak and aspen transitioning to poles.														
3	L2	L2	44		0	0		lowland brush	nonstocked	N		not scheduled	0	
4	O8	M3	9	85	16	60	55	oak	low quality	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments)														
comnts Fmd : Old mixed oak on a hilltop that is very low quality and falling apart. Thick cherry regen in the understory. Leave for mast.														
5	N0	Z0	11		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : High water forms a pond in the spring.														
6	M1	O1	4	6	0	0	63	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : Roller chop and plant with the other set of stands that didn't regenerate.														
7	Q6	F1	13	82	7	100	40	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Regeneration technology inadequate														
comnts Fmd : Heavy to tamarack in several spots.														
8	E5	L1	12	25	6	40	50	swamp hardwoods	immature	N		40-49 years	0	
comnts Fmd : old OI showed some young (1983) aspen that I did not see..														
9	R2	O1	11	6	0	0	54	red pine	immature	N		50-59 years	0	
10	Q6	L2	41	83	7	70	40	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Regeneration technology inadequate														
comnts Fmd : Heavy to tamarack in many locations.														
11	E5	L2	8	80	9	50	52	swamp hardwoods	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
12	A5	M2	7	25	5	40	61	aspen (upland)	immature	N		40-49 years	0	
13	O2	A1	49	6	0	0	57	oak	immature	N		50-59 years	0	
comnts Fmd : Low stocked oak stand, but enough where supplemental planting not needed. Has some aspen clones scattered around. Lower site quality to the northeast.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	O 9	M 2	57	84	12	120	65	oak	mature	Y	thinning	within 0-9 years	3	natural regeneration
comnts Fmd : Excellent road system for understory burning. Rx burn prior to tsale setup. Use hot pockets and damage to residual to create regen holes. Gradually transition to uneven-aged management. May use some supplemental planting of white pine in regen holes in the future and/or may consider a second burn first.														
15	O 1	M 1	5	16	1	0	50	oak	immature	N		40-49 years	0	
comnts Fmd :														
16	O 5	J 2	59	25	4	40	50	oak	immature	N		40-49 years	0	
comnts Fmd : Mix of oak and jack pine transitioning to poles.														
17	A 5	M 2	11	25	7	40	57	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Nice BTA aspen to the north and a mix of low stocking cherry, red maple and oak to the south.														
18	M 3	O 1	8	6	0	0	59	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Red maple regen too far advanced to do site prep and plant.														
20	A 5	M 2	35	25	7	50	63	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Nice quality BTA. Has some patches of oak and red maple along west edge.														
21	A 5	M 2	7	25	5	40	61	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
22	O 8	M 2	110	84	16	70	60	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Understory has some aspen in spots. Wait until understory red maple and aspen is merchantable to do a regen cut.														
23	A 5	M 2	27	25	6	50	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
24	O 9	M 3	17	84	14	70	67	oak	two aged	Y	shelterwood-seed	within 0-9 years	2	natural regeneration
comnts Fmd : Mix of low quality northern red oak and mixed oak. Thinned in 1992. Thick small diameter red maple understory. Rx burn prior to shelterwood-seed harvest. Stand may require some supplemental planting around oak stump sprouts.														
25	O 9	M 1	21	85	14	80	60	oak	mature	Y	shelterwood-seed	within 0-9 years	2	planting
comnts Fmd : Mark large red oak to leave for seed and mast. Some areas should regenerate aspen. Plant white pine around aspen and within undesirable roads														
27	M 5	M 2	30	25	5	40	61	northern hardwood	immature	N		40-49 years	0	
comnts Fmd :														
29	N 0	N 0	9		0	0		marsh	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	H								
30	C 5	F 1	17	112	7	50	40	cedar	mature	N		not scheduled	0	
31	A 6	M 2	20	25	6	70	63	aspen (upland)	immature	N		40-49 years	0	
32	A 5	M 2	23	16	4	40	68	aspen (upland)	immature	N		50-59 years	0	
33	A 6	M 2	41	28	7	70	75	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Incredible quality bigtooth aspen on a northern hdwd site.														
35	L 2	L 2	4		0	0		lowland brush	nonstocked	N		not scheduled	0	
36	L 2	L 2	2		0	0		lowland brush	nonstocked	N		not scheduled	0	
40	N 0	L 1	3		0	0		marsh	nonstocked	N		not scheduled	0	
42	A 5	M 2	10	25	5	40	61	aspen (upland)	immature	N		40-49 years	0	
45	M 3	A 1	69	5	0	0	59	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Almost solid red maple. Regen was too far advanced to get it planted.														
46	A 2	M 1	4	5	1	0	60	aspen (upland)	immature	N		50-59 years	0	
47	V 0	V 0	1		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
48	A 2	O 1	7	5	1	0	59	aspen (upland)	immature	N		50-59 years	0	
49	Z 0	Z 0	5		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : DUNHAM LAKE.														
50	V 0	V 0	7		0	0		bog or muskeg	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
52	L 2	L 2	3		0	0		lowland brush	nonstocked	N		not scheduled	0	
53	W 8	V 0	2		16	70	65	white pine	sparse	N		not scheduled	0	
54	A 5	M 2	34	28	5	50	55	aspen (upland)	immature	N	final harvest	within 0-9 years	3	
comnts Fmd : Early aspen harvest of mostly quaking aspen. Sparse in several spots. Dormant season cut. Retention along stand 53 and of a small black cherry stand that is growing well. Small frost pocket/marsh in the northeast corner will also reduce acres slightly. Follow contour line of the stand to the south. Gradually transitions more upland to excellent quality solid bigtooth aspen to the south.														
59	O 2	M 1	3	6	0	0	54	oak	immature	N		50-59 years	0	
60	A 2	A 2	9	6	1	0	60	aspen (upland)	immature	N		40-49 years	0	
61	O 8	A 2	11	84	14	40	60	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Northern red oak with aspen understory that can be managed with aspen in stand 20.														
62	U 1	O 1	16	6	0	0	55	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : Old landing area. Roller chop cherry brush leaving scattered oak stump sprouts. Plant red pine.														
63	B 5	L 2	5	26	4	40	50	paper birch	immature	N		30-39 years	0	
comnts Fmd :														
64	A 4	M 2	5	25	5	20	61	aspen (upland)	immature	N		40-49 years	0	
68	M 1	U 1	6	5	0	0	59	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : Roller chop red maple and cherry weaving around scattered oak. Plant red pine.														
69	O 9	M 1	4	85	14	90	60	oak	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Strip of mixed oak, aspen, and white pine along steep slope of Dunham Lk.														
70	A 3	M 1	46	16	4	0	68	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : some decent birch regen on NE corner.														
71	W 2	M 1	6	16	4	0	68	white pine	immature	N		50-59 years	0	
comnts Fmd : Three tiny stands lumped together. M2, W2, and G. Grass opening along pvt isn't a trespass.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
72	M2	O 1	17	5	0	0	59	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : Roller chop red maple and cherry weaving around scattered oak. Plant red pine.														
73	M1	U 1	4	6	0	0	63	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : Roller chop and plant with the other set of stands that didn't regenerate.														
74	M3	A 1	20	5	0	0	59	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Almost solid red maple. Regen was too far advanced to get it planted.														
400	G0	G 0	10		0	0	59	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Maintained wildlife opening that is next to ajn ORV trail. Small hills alongside the opening are eroded and could get closed using the tsale to the south.														
Total Acres.....			1040											