

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
1	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
2	B5	F2	5	65	6	50	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Leave for diversity														
3	V0	V0	7			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
4	B5	F3	12	65	5	40	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Leave for diversity also inaccessible.														
5	D0	D0	17			0		treed bog	nonstocked	N		not scheduled	0	
7	Q5	S2	11	88	6	60	35	mixed swamp conifer	sparse	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Not enough volume and too wet to cut														
8	B6	F2	11	65	8	70	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access Bridge needed (portable bridge not available or inadequate) Delayed treatment for age/size class diversity														
comnts Fmd : Will have to put in a lot of work (portable bridge) for not a lot of wood														
9	L0	L0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
10	B6	F2	7	65	8	120	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Hold for 10 years														
11	B6	F2	8	76	7	90	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : hold for 10 years cut with stands in comp.170														
12	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
13	V0	V0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	avg.			Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA								
14	V0	V0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
15	B6	F2	70	72	8	90	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Clear cut, will need corners for north line. Leave W. Pine, and buffer river 150'. Stand is heavy to aspen on the ridges. Stand will regenerate to mixed species, with aspen dominating.														
16	L0	L0	35			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain. Tag alder														
17	B5	B2	10	65	6	40	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Hold for 10 years														
18	V0	V0	2			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
19	F3	F1	18	30	4	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : White Pine and B. fir and soft maple regen mostly.														
20	V0	V0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
21	V0	V0	2			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
23	V0	V0	8			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
24	B6	F2	9	76	7	80	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Hold for 10 years														
25	F3	F3	5	30	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : Cut in 1974 coming back to W. Pine and B. Fir														
26	M6	M3	31		8	120	65	northern hardwood	two aged	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Was an experiment in strip cuts. Cut everything left in the the strips except W. Pine and Hemlock														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
27	Q5	Q1	12	75	8	50	40	mixed swamp conifer	mature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Other special wildlife habitat consideration (desc. In comments)														
comnts Fmd : Leave for cover														
28	L0	L0	22			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
29	F6	F2	45	45	8	90	50	spruce-fir (uplands-including upland black spruce)	mature	N		10-19 years	0	
comnts Fmd : Cut next entry														
30	L0	L0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
31	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : tag alder														
32	B6	F3	23	70	10	130	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Need permission to use Private road. Will also need corners placed on the north end. Leave white pine and buffer the creek and river.														
33	F5	F2	6	45	6	50	50	aspen (upland)	mature	N	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Cut with 32 need permission for access on private road and will need corners placed.														
34	Q6	Q1	2	75	8	100	70	mixed swamp conifer	mature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Leave for creek buffer.														
35	A3	F1	9	16	2	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 20-30' tall thick repro. A part of Bark Cr. Sale.														
36	L0	L0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
37	L0	L0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : tag alder														
38	F5	F2	9	75	7	50	50	spruce-fir (uplands-including upland black spruce)	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	avg.			Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA								
39	L0	L0	16			0		lowland brush	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : tag alder														
40	F5	F2	3	75	7	50	50	spruce-fir (uplands-including upland black spruce)	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
41	S5	S2	2	80	6	50	45	black spruce-swamp	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
42	A3	F1	35	16	3	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : a3 30-35' tall in spots.W.B soft maple and cherry coming in also.														
43	A3	A0	5	7	1	0	70	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : A3 about 10' tall some soft maple and cherry. Cut w/ 'Black River Road'														
44	M6	M3	7		10	90	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Hold for 10 years. Cut in 2000 'Black River Road'.														
46	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
48	A3	A0	76	2		0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 with cherry and soft maple sprouts also. Regen 4-5' tall.														
49	N0	N0	7			0		marsh	nonstocked	N		not scheduled	0	
50	L0	L0	1			0	40	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : and E type in spots with B. Ash and soft maple.														
51	L0	L0	20			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
52	F6	F2	3	45	8	90	50	spruce-fir (uplands-including upland black spruce)	mature	N		30-39 years	0	
comnts Fmd :														
53	E4	L0	4		8	20	40	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : L0 patches throughout														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B	Tot. BA							
54	B6	F3	9	65	9	80	80	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Hold for 10 years, age class diversity														
55	S5	S2	26	80	6	50	50	black spruce-swamp	sparse	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Has lab tea as ground cover														
56	A3	A0	75	15		0	80	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3 15-30' tall, thick repro. B. fir to the north. Was 'Trainwreck Road' sale and 'Stuck Southerner'.														
57	B6	F3	4	65	8	70	80	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Hold for 10 years, age class diversity.														
58	Q4	S1	13	60	5	30	45	mixed swamp conifer	sparse	N		50-59 years	0	
comnts Fmd : Has a few knols of birch and aspen and a few patches of L0														
59	S5	S2	6	80	6	50	50	black spruce-swamp	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
60	B6	F3	70	70	9	100	80	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Access from the north st#26. Stand will regenerate to mixed spp. Mostly aspen														
61	Q5	S2	24	85	6	40	30	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Some scattered cedar on the northeast side. Leave for cover.														
62	B6	F1	4	70	9	80	80	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Hold for 10 years														
63	Q4	L0	6	75	5	20	50	mixed swamp conifer	sparse	N		80+ years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Many patches of tag alder with scattered cedar overtop.														
64	V0	V0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
65	Q5	Q1	1	85	8	60	30	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
66	F6	F3	9	81	7	70	60	spruce-fir (uplands- including upland black spruce)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Would be nice to cut, access is an issue														
68	X0	X0	20			0		other non-stocked or non-forest or non- productive	nonstocked	N		not scheduled	0	
comnts Fmd : Edison Sault Pipe Line														
69	L0	L0	4			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Flooded out by beaver and railroad, natural drainage.														
70	L0	L0	4			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Flooded out by beaver and railroad, natural drainage.														
71	B6	F2	14	70	8	80	80	paper birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Birch on high ground spruce in the low. Stand will regenerate to mixed spp, mostly aspen.														
72	L0	L0	4			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
73	A3	A0	10	18		0	80	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Has a pocket of m3 and f2 along the railroad 'Barber Cr. Birch'.														
74	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
75	V0	V0	5			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : Bog														
76	A3	A0	23	3		0	80	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3- 10-15' tall														
77	L0	L0	5			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Part tag alder part bog														
78	L0	L0	19			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Part tag alder part bog														
79	A6	F3	28	38	8	90	80	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Could grow for another 10 years. Lots of poles still in the 6" class														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
80	N0	N0	18			0		marsh	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Water quality/bmps														
comnts Fmd : Beaver marsh														
81	L0	L0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
82	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
83	A3	A0	3	15		0	80	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : A3- 15-25' tall. Part of 'Trainwreck Rd. and Stuck Southerner'														
84	S5	S2	4	80	6	50	50	black spruce-swamp	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
85	A6	F2	16	38	7	70	80	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Hold for 10 years lots of 6" poles.														
86	L0	L0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
87	B5	F2	1	70	8	50	80	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
88	A6	F2	11	70	10	120	80	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave W. Pine. Will regenerate to mixed spp. Mostly aspen.														
89	A6	A3	16	35	7	110	80	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Pockets of A3 throughout.														
90	S5	S2	2	80	6	50	35	black spruce-swamp	nonstocked	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
91	E5	F2	5		8	50	55	swamp hardwoods	mature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Left over from 'Barber Cr. Aspen', too wet.														
92	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : small Bog patches, steep ridges all around.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
93	R9	M3	9	75		70	60	northern hardwood	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Leave W. Pine														
94	R8	A3	12	75	12	60	60	red pine	two aged	N		40-49 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Part of 'Barber Cr. Aspen'. Pine was left in overstory. Leave for legacy trees.														
95	A3	A0	59	3		0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3 in most spots A2 under pines.														
96	V0	V0	2			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : small Bog patches, steep ridges all around.														
97	W9	A3	8		14	70	60	white pine	two aged	N		50-59 years	0	
comnts Fmd : Cutr in 02 'Barber Cr. Aspen														
98	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
99	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : small Bog patches, steep ridges all around.														
100	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : small Bog patches, steep ridges all around.														
101	L0	L0	203			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Mostly Black River and creeks flood plain.														
102	M6	F2	3		10	100	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Thin out poor quality poles to 70sqft/acre and take out softwood component.														
103	B6	F1	1	68	10	100	65	paper birch	mature	Y	final harvest	within 0-9 years	1	
104	B6	F2	10	68	9	110	65	paper birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Buffer river and will need culvert at stream on the south end. Stand will regenerate to mixed spp, mostly aspen.														
105	P5	L0	10	68	6	40	65	balsam poplar & swamp aspen and swamp white birch	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Pretty wet and sparse volume														

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
106	P5	F3	3	68	8	50	60	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Leave for Buffer along h-40														
107	P5	L0	16	68	7	50	60	balsam poplar & swamp aspen and swamp white birch	low quality	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Lots of tag alder underneath.														
108	A3	A0	70	21		0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 - 20-30' tall and 3-4" in diameter														
109	M6	M2	37		11	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : Last thinned in 89. Thin to 80sqft/ac														
112	A3	A0	7	10		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 is pretty spotty with soft maple sprouts														
113	B6	F2	9	81	10	130	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	6	
comnts Fmd : Under contract 'Black River Blues' Will regenerate to mixed spp, mostly aspen.														
114	A3	A0	7	21		0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 - 20-30' tall and 3-4" in diameter														
115	B6	F3	9	81	9	90	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	6	
comnts Fmd : Under contract 'Black River Blues' Will regenerate to mixed spp. Mostly aspen.														
116	A6	F3	2	75	8	70	75	aspen (upland)	mature	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Leave for age class diversity														
118	A6	F1	5	75	9	90	75	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Leave for buffer along river														
119	S5	Q2	3	80	6	60	30	black spruce-swamp	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Stand has some W. Pine Leave for diversity and cover														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
120	Q5	S2	3	80	6	60	30	mixed swamp conifer	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Too wet to cut before and the cedar component will provide good cover.														
121	A3	A0	41	14		0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3- 10-15' tall w/ some W. Birch regen. 'Old Circle Cr. Aspen'														
122	S6	Q1	12	80	7	80	30	black spruce-swamp	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Should be able to cut, leave W. pine and cedar														
123	S2	S0	8	80		0	30	black spruce-swamp	sparse	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
124	M6	F2	33	68	9	130	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Clearcut, buffer Cr. 50-100'. Patches of B6 throughout. Some small V0 also (winter ground). Leave W. pine. Will get mixed spp back MO is = B, F, A, M														
125	A6	A3	4	35	7	90	80	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Hold for 10 years														
126	R9	F3	2	75	14	130	60	red pine	mature	N		40-49 years	0	
comnts Fmd : Leave for buffer along creek and Super canopy trees.														
127	R9	F1	3	75	14	130	60	red pine	mature	N	seed tree	within 0-9 years	1	
comnts Fmd : Seed tree to 30sqft/ac. Try to get whole tree skidding system. Hopefully will R. Pine will take.														
128	A3	A0	1	35	3	0	80	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Upgrade next time around to A6														
129	R3	R0	52	0		0	60	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : R3 6-8" tall planted in 02, fair amount of aspen in South eastern portion might need spraying. Also monitor for Sawfly damage!														
130	Q4	Q1	1	80		30	50	mixed swamp conifer	sparse	Y		60-69 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Leave for cover														
132	R3	X0	24	13	4	0	60	red pine	immature	N		20-29 years	0	
comnts Fmd : Pine 15-20' tall. Little to no mortality														
133	M2	X0	9	13		0	60	northern hardwood	immature	N		40-49 years	0	
comnts Fmd : Lots of mortality in the planted oak. Stand has mostly R. maple regen with scattered R. pine, W. pine, B. Fir and cherry. Planted same time as "Peters Cr. Pine".														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
134	R3	X0	10	13	4	0	60	red pine	immature	N		20-29 years	0	
comnts Fmd : Pine 15-20' tall. Little to no mortality														
136	A3	A0	2	13	2	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 15-20' tall														
137	R9	M1	16	65	12	160	60	red pine	mature	N	thinning	within 0-9 years	1	
comnts Fmd : Thin to 120 sqft/ac														
138	R9	M1	49	65	12	160	60	red pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : Clearcut, burn, trench and plant. Run west line along bottom of ridge ( on the east side)														
139	U0	U0	1			0	60	red pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : Cultivate with stand 138														
140	M6	M1	1		10	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Hold until next rotation														
141	M6	M1	1		10	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Hold until next rotation														
142	V0	V0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd :														
143	V0	V0	1			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd :														
144	X0	X0	5			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : H-40														
406	G0	G0	1			0		grass	nonstocked	N		40-49 years	0	
comnts Fmd : Small knoll with some W. Birch, inaccessible for maintenance														
410	G0	G0	10			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Filling in with spruce birch and jack pine. Not enough fuel to burn. Treat when 109 is harvested														
417	G0	G0	7			0		grass	nonstocked	N		30-39 years	0	
comnts Fmd : Burned in 05 to convert U type back to G0														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
422	G0	G0	1			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Treat with stand 15														
435	G0	G0	26			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Some knols of soft maple. Might be worth burning. Some thick patches of blue and black berries														
445	G0	G0	1			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Use as landing when stand 44 is harvested.														
447	G0	G0	10			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
467	G0	G0	1			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Looks like it has been burned in the past. Not much encroching vegetation. Treat with adjacent stand.														

Total Acres..... 1906