

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	H								
1	Q4	Q1	1	75	5	30	27	mixed swamp conifer	sparse	N		40-49 years	0		
comnts Fmd : Mostly made up of cedar.															
2	P3	P0	24	30		0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0		
comnts Fmd : Regen 10-15ft tall. Areas in low ground regen is spotty, fair amount of B fir. Mixed in															
3	A3	A3	12	30	4	30	60	aspen (upland)	immature	N		30-39 years	0		
comnts Fmd : Mostly A3 with quite a few pockets of A5, upgrade next entry.															
4	F5	F1	1	84	8	60	50	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	2		
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage															
comnts Fmd : Hold until st#3 is ready to cut, too small to cut alone.															
5	A3	A0	2	15	2	0	60	aspen (upland)	immature	N		40-49 years	0		
comnts Fmd : A3 is about 20ft tall and 2" in diameter. Some Hwd on west end.															
6	M6	M2	8		9	90	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1		
comnts Fmd : Thinned in 90, Beech has BBD. Thin out high risk beech and poor quality maple poles to 70-80sqft/ac. Cut with st # 13 & 14															
7	A3	A3	2	15	2	0	60	aspen (upland)	immature	N		40-49 years	0		
comnts Fmd : Aspen about 15-20 ft tall & 2-3 inches in diameter.															
9	X0	X0	1			0	60	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0		
comnts Fmd : Sand pit, with grass on the edges.															
10	P6	E1	3	84	8	90	50	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2		
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage															
comnts Fmd : Some budworm damage, CC when st #2 is ready, too small to cut alone.															
11	A3	A0	6	15	2	0	60	aspen (upland)	immature	N		40-49 years	0		
comnts Fmd : A3 is about 20ft tall, some hwd regen also.															
13	F5	F1	1	84	8	60	50	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	1		
comnts Fmd : Clear cut with stand 14 and 6, clean up edges of st#12.															
14	B6	F2	5	76	8	90	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1		
comnts Fmd : Good Pat ground. Cut with stands 6 & 13. Stand will regenerate to mixed spp.															

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	L0	L0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
16	A3	A0	11	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut in 1990, some scattered fir pocket and good thick repro. Good Partridge ground.														
17	A3	A0	33	30	4	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Mostly A3 with pockets of A5, upgrade nest entry.														
18	L0	L0	6			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
19	Q4	F1	3	75	6	30	27	mixed swamp conifer	mature	N		40-49 years	0	
comnts Fmd : Wet and little volume														
20	P2	P0	11	8	1	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Cut in 97 w/tinshack. Scattered aspen and BAM regen. Wet soil conditions.														
21	L0	L0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
22	A3	A0	16	14	2	0	58	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand about 15 ft tall and 1-2 inches in diameter. Some fir in stand along with some W. Birch regen along roads.														
23	P3	P0	12	14	2	0	68	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : Mostly aspen with R. Maple, birch and scattered fir. Tag alder patches throughout.														
24	P2	P0	4	14	1	0	68	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Cut in 1991, scattered aspen and BAM regen. East side of stand has thicker regen.														
25	L0	L0	4			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
26	A3	A0	21	8	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut with Tin Shack in 1997, Regen is thick and is about 10-15ft tall.														
27	A3	A0	11	14	2	0	58	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Aspen 15-20ft tall 2-3 inches in diameter. Some B. fir component, pockets of A4/A5 on west end. Cut in 1991.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
28	S5	S1	4	104	6	40	28	black spruce-swamp	sparse	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet Inadequate volume due to small acreage														
comnts Fmd : Too wet to cut. Take another look at when st # 27 is ready to be cut.														
29	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver flooding on Tom's Creek, Dam at north end.														
30	N0	N0	21			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Marsh with Tom's Creek running through it. Tag Alder on the side.														
31	P5	F1	8	81	8	60	55	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Hold for age class diversity and budding habitat, until next rotation.														
32	B5	F1	6	72	8	50	60	paper birch	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle Inadequate volume due to small acreage														
comnts Fmd : Access is a problem and too little volume to cut alone. Good for age class diversity.														
33	A3	A0	10	31		0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Mostly A3 with pockets of A4/A5. Heavy fir component, possibly upgrade stand next entry.														
34	X0	X0	8			0	60	other non-stocked or non-forest or non- productive	nonstocked	N		not scheduled	0	
comnts Fmd : Powerline along US-2.														
35	A3	A0	3	14	2	0	58	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3 about 20 ft tall and 2-3" in diameter, cut in 1991.														
36	C6	C2	2	109	8	120	29	cedar	immature	N		10-19 years	0	
comnts Fmd : Leave for deer cover.														
37	M9	M3	14		14	90	55	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Thinned in 2000, has the Milakokia State Camp ground in it. Is more of an M6 on the south end. Stand will be monitored for hazard trees and be continually treated for garlic mustard.														
38	E2	E0	24			0	40	swamp hardwoods	sparse	N		60-69 years	0	
comnts Fmd : E2/L. Scattered cedar and a good amount of tag alder.														
39	A6	F1	9	72	9	70	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Uncut unit of Pike Lk. Pockets. Mackinaw Mix. Cut w/st#44. Pocket of R.Maple logs on North end (CC). Leave W. Pine. Stand will regenerate to mixed spp., mostly aspen.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
40	S5	S1	2	104	6	50	28	black spruce-swamp	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
41	F3	F0	6	20	2	0	60	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : Still there, good grouse ground.														
42	X0	X0	1			0	60	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Gravel Pit, G0 on edges														
43	A3	A0	4	13		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Regen is spotty with heavier stocking on the west side. Lots of B. fir. 10' tall 1-2" in diameter.														
44	P5	L0	2	72	8	40	60	balsam poplar & swamp aspen and swamp white birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
45	L0	L0	31			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
46	F5	F1	1	72	6	40	60	spruce-fir (uplands-including upland black spruce)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
48	A6	F1	36	72	8	80	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Stand will regenerate to mixed spp., mostly aspen.														
49	S5	S1	2	104	5	40	28	black spruce-swamp	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to small acreage														
50	A3	A0	20	8		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Finished portion of Pike Lk. Pocket. Good regen 5-6' tall. Scattered spruce and fir.														
52	D0	D0	250			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : Treed bog Black spruce filling in on the edges.														
53	L0	L0	27			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
54	A6	F2	10	72	9	80	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Cut with stands 39 & 48. Contact Dale Deibel et al about access. Stand will regenerate to mixed spp. Mostly aspen.														
55	L0	L0	6			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
56	S5	S1	1	104	5	50	28	black spruce-swamp	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
Too wet														
Blocked by other physical obstacle														
comnts Fmd : Leave for grouse cover, too wet and inaccessible														
57	S5	S1	2	104	5	50	28	black spruce-swamp	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
comnts Fmd : too wet and inaccessible														
58	P6	L0	1	91	6	90	22	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
comnts Fmd : Inaccessible														
59	C6	C2	5	109	8	120	29	cedar	immature	N		10-19 years	0	
comnts Fmd : Leave for deer cover.														
60	P6	L0	1	91	6	90	22	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
comnts Fmd : Inaccessible														
61	C6	C1	22	109	6	70	29	cedar	immature	N		20-29 years	0	
comnts Fmd : Quite a few pockets of L type through out.														
62	L0	L0	23			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
63	A3	A0	34	14		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Aspen is about 20ft tall and 3" in diameter. Thick regen														

Stand	Cover Type- Dnstry	Under Story- Stkng Level	Age	A c r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
64	M9	M3	9		14	100	55	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Try to get access through private to the north. If problems harvest w/stands 90,88,86, and 104 and access to from the south and out the east side of powerline. Thin out beech and poor quality maple poles to 70-70sqft/ac.														
65	S6	S1	5	104	6	80	28	black spruce-swamp	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Too wet														
66	B5	F1	8	75	6	60	50	paper birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
70	L0	L0	121				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
71	S5	S1	12	104	6	50	28	black spruce-swamp	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Too wet and not enough volume. Will be good partridge cover when st 48 is cut.														
72	P5	P2	17	76	7	40	47	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet Blocked by other physical obstacle														
comnts Fmd : Was a part of Whiskey Jug but was too wet to get to for such little volume. Try again next entry.														
73	P5	L0	6	76	7	50	47	balsam poplar & swamp aspen and swamp white birch	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Too wet to cut with Whiskey Jug. Thick tag alder understory.														
74	P4	L0	2	93	6	30	42	balsam poplar & swamp aspen and swamp white birch	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Too wet to cut w/ Whiskey Jug, some blowdown and lots of unmerchantable.														
75	P4	L0	1	93	6	30	42	balsam poplar & swamp aspen and swamp white birch	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Too wet to cut w/ Whiskey Jug, some blowdown and lots of unmerchantable.														
76	F0	F0	5	8			0	spruce-fir (uplands- including upland black spruce)	nonstocked	N		60-69 years	0	
comnts Fmd : sparse aspen/fir regen, cut w/ Whiskey Jug in 1997														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
77	P4	P2	35	93	6	40	50	balsam poplar & swamp aspen and swamp white birch	nonstocked	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Too wet to cut, BAM is dying out. Lots of Tag Alder.														
78	P4	L0	5	93	6	30	42	balsam poplar & swamp aspen and swamp white birch	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Too wet to cut w/ Whiskey Jug, some blowdown and lots of unmerchantable.														
79	P2	P0	164	8	1	0	44	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Part of Whiskey Jug, cut in 1997. Pockets of thick BAM and aspen regen. North end of stand is more wet and regen is more sparse.														
80	M6	M3	69		10	70	55	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : 50/50 mix of hard and soft maple. Porky damage through out stand. BA is low hold until next entry.														
81	B0	B0	29	8		0	60	paper birch	nonstocked	N		60-69 years	0	
comnts Fmd : Few pockets of light BAM regen, and a few R. maple stump sprouts.														
82	C6	C2	98	97	7	80	28	cedar	immature	N		20-29 years	0	
comnts Fmd : Keep for cover														
83	B5	F1	7	75	6	60	35	paper birch	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Cut with aspen stands to the north, Haul to the north if access from the north or out the the powerline to the east. Stand will regenerate to mixed spp.														
84	S5	S1	3	104	6	50	28	black spruce-swamp	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
85	L0	L0	17			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
86	A6	F3	16	72	9	110	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Access from the PVT prop to the north or out the powerline to the east. Leave some budding trees along stand 87. Stand will regenerate to mixed spp.														
87	A3	A0	16	14		0	67	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Aspen about 15' tall, 2" in diameter. Fairly thick regen. Quite a bit of B. Fir on south end of the stand														

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
88	F6	F3	10	81	8	70	60	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Stocking is low on west side and there is some cedar mixed in. Access from north private or from powerline to the east. Stand will regenerate to mixed spp.														
89	L0	L0	11			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
90	A6	F2	20	72	10	110	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Aspen 6-7 sticks tall!! Access from the north or out the powerline to the east. Leave some budding trees along stands 63 and 87. Stand will regenerate to mixed spp.														
91	C6	C1	8	97	7	70	28	cedar	immature	N		20-29 years	0	
comnts Fmd : Leave for cover, creek running through it.														
92	A2	A0	7	7		0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A2- cut w/ Bucket Seat Mix in 1998. Spotty regen, pockets of regen along st # 93														
93	M6	M2	15		10	100	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Thin out Beech and poor quality maple poles to 80 sqft/ac. Contact Northrop about access to the north. No problems in the past.														
94	A3	A0	11	16		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Regen 15-20' tall, some B. fir.														
95	A3	A0	25	5		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Scattered spruce and fir, thick regen 3-4' tall.														
96	A3	A0	27	16		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Regen 15-20' tall, some B. fir.														
98	M6	M2	2		10	90	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Hold for 10 yrs														
99	A3	A0	19	6		0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut in 1999 w/ Bucket Seat Mix. Decent regen, spotty in areas 3-4' tall.														
101	A3	A0	29	16		0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Regen 15-20' tall, some B. fir.														
102	C5	C1	5	97	6	50	28	cedar	immature	N		20-29 years	0	
comnts Fmd : Keep for cover.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type- Dnstry	Under Story- Stkng Level	Age	A c r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
103	N0	N0	6				0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Marsh with Creek running through it. Tag Alder on the edges.														
104	A6	F2	5	72	9	80	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Access from private road to the north or though the powerline to the east. Will regenerate to mixed spp.														
105	L0	L0	18				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland type, mostly tag alder throughout compartment.														
106	F5	F2	11	79	7	70	55	spruce-fir (uplands- including upland black spruce)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave cedar see if it will seed in. Access from the east end of the powerline or from the north through private.														
107	C5	Q2	25	111	6	50	19	cedar	immature	N		10-19 years	0	
comnts Fmd : Leave for cover and buffer for creek.														
108	C6	C2	10	126	7	80	26	cedar	mature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Leave for cover.														
109	S4	S1	17	104	5	30	22	black spruce-swamp	sparse	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
110	P5	L0	14	93			60	44 balsam poplar & swamp aspen and swamp white birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Too wet, leave for age class diversity. Some pockets of decent R. Maple, stand is wetter on the west side, lots of tag alder underneath.														
111	P2	P0	37	8	1	0	44	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Part of Whiskey Jug, cut in 1997. Pockets of thick BAM and aspen regen but overall regen is spotty.														
112	C6	C2	1	127	7	130	27	cedar	mature	N		20-29 years	0	
comnts Fmd : Leave for cover.														
113	C6	C2	28	127	7	140	27	cedar	mature	N		20-29 years	0	
comnts Fmd : Leave for cover.														
114	C6	E1	14	127	6	110	27	cedar	mature	N		20-29 years	0	
comnts Fmd : More of a P type along the edges of the clear cut. Leave for cover.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
400	G0	G0	1			0	60	grass	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with aspen and fir, not in too bad of shape.														
408	G0	G0	1			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Sand Pit to the south, cut w/ prison crew 3/16/95. Treat with dozer when harvesting st #6														
412	G0	G0	1			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Some aspen sprouts can be cleaned up when harvesting st #13.														
447	G0	G0	6			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Maintain when st 48 is harvested.														
451	G0	G0	1			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
467	G0	G0	1			0	50	grass	nonstocked	N		20-29 years	0	
comnts Fmd : Isands in bog, B. spruce on edges of openings.														
468	G0	G0	2			0	50	grass	nonstocked	N		20-29 years	0	
comnts Fmd : Isands in bog, B. spruce on edges of openings.														
469	G0	G0	1			0	50	grass	nonstocked	N		20-29 years	0	
comnts Fmd : Isands in bog, B. spruce on edges of openings.														
Total Acres.....													1839	