

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|--------|---------|-----------|-------------------|------------|---------------------|---------------|------------------|------------------|----------------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 1 | L 0 | L 0 | 4 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 2 | A 6 | W 2 | 17 | 48 | 9 | 70 | 45 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 2 | natural regeneration |
| comnts Fmd : Semi-open mix of aspen & white pine; with a few red pine, pockets of jack pine & red maple also present. The aspen & jack pine are mature and should be harvested, retaining the red & white pine. A mix of aspen/jack pine is likely to be regenerated. TSI for aspen regeneration may not be needed, but should be scheduled in case it does become necessary. Mixed pine logs includes red & white pine. | | | | | | | | | | | | | | |
| 3 | M 6 | M 2 | 27 | | 10 | 110 | 50 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Mixed hardwood logs include red maple & yellow birch. Mixed softwood pulp includes hemlock, white spruce & balsam fir. | | | | | | | | | | | | | | |
| 4 | W 5 | W 2 | 7 | | 10 | 60 | 40 | white pine | unevenaged | N | | 20-29 years | 0 | |
| comnts Fmd : Mixed pine logs include red & white pine. A few aspen and red maple are also present. | | | | | | | | | | | | | | |
| 5 | W 8 | W 2 | 2 | | 13 | 60 | 50 | white pine | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : White pine/aspen ridges surrounding Spring lake. | | | | | | | | | | | | | | |
| 6 | Z 0 | Z 0 | 10 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : SPRING LAKE | | | | | | | | | | | | | | |
| 7 | W 8 | W 2 | 11 | | 13 | 60 | 50 | white pine | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : White pine/aspen ridges surrounding Spring lake. | | | | | | | | | | | | | | |
| 8 | A 2 | W 2 | 77 | 10 | 1 | 20 | 50 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : Bigtooth aspen regen mixed with white pine, red maple and also a few oak seedlings. Residual white pine & red maple from the previous stand are present. | | | | | | | | | | | | | | |
| 9 | A 2 | W 2 | 31 | 10 | 1 | 20 | 50 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : Bigtooth aspen regen mixed with white pine, red maple and also a few oak seedlings. Residual white pine & red maple from the previous stand are present. The snowmobile trail runs along the NE side of this stand. | | | | | | | | | | | | | | |
| 10 | R 5 | W 1 | 20 | 55 | 9 | 60 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Low SI red pine with a few jack & white pines, red maple and oak. Stand density and composition are quite variable. Underplanting of red pine since last entry shows limited survival. Mixed pine logs include red & white pine. The snowmobile trail runs along the north edge of this stand. | | | | | | | | | | | | | | |
| 11 | R 6 | X 0 | 15 | 52 | 9 | 90 | 50 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Underplanted last entry - survival of rp seedlings extremely limited. The snowmobile trail runs along the south edge of this stand. | | | | | | | | | | | | | | |
| 12 | W 8 | W 2 | 11 | | 14 | 50 | 40 | white pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Slowly filling in with more white pine. Mixed pulpwood includes scattered oak, aspen, jack & red pine. | | | | | | | | | | | | | | |

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|------|-----|---------|-------------------|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | D | B | Tot. BA | | | | | | | |
| 13 | A5 | W1 | 34 | | 8 | 50 | 46 | aspen (upland) | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Aspen/white pine mix with scattered jack pine, red maple, etc. | | | | | | | | | | | | | | |
| 14 | R3 | X0 | 6 | 21 | 4 | 0 | 45 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 15 | R5 | X0 | 11 | 52 | 9 | 50 | 45 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Underplanted with more red pine last entry - a few seedlings are surviving. | | | | | | | | | | | | | | |
| 16 | R5 | X0 | 6 | 52 | 9 | 50 | 40 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Underplanted with more red pine last entry - a few seedlings are surviving. A few white pine & red maple are also present. | | | | | | | | | | | | | | |
| 17 | M6 | M3 | 9 | | 8 | 70 | 46 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Beech/red maple with BEECH BARK DISEASE present. A few white pine and balsam fir also present. | | | | | | | | | | | | | | |
| 18 | R5 | X0 | 9 | 52 | 9 | 50 | 40 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Underplanted with more red pine last entry - a few seedlings are surviving. A few white pine & red maple are also present. | | | | | | | | | | | | | | |
| 19 | R5 | W1 | 5 | 52 | 8 | 50 | 36 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows limited survival, but more white pine regen is present in the areas that were disturbed during the planting. | | | | | | | | | | | | | | |
| 20 | R6 | W1 | 26 | 55 | 10 | 100 | 45 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Red pine with some white pine logs & poles included. A few scattered merchantable red maple & oak also present. The understory is sparse but includes red & white pine and red maple saplings and a few oak & white pine seedlings. The snowmobile trail runs through this stand. | | | | | | | | | | | | | | |
| 21 | M4 | G0 | 18 | | 6 | 10 | 46 | northern hardwood | sparse | N | | 10-19 years | 0 | |
| comnts Fmd : Scattered red maple, brush & a few small pine over grass. Poor stocking makes site index unreliable. The snowmobile trail runs along the south edge of this stand. | | | | | | | | | | | | | | |
| 22 | R5 | W2 | 5 | 52 | 9 | 50 | 36 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows limited survival, but more white pine regen is present in the areas that were disturbed during the planting. The snowmobile trail runs along the south edge of this stand. | | | | | | | | | | | | | | |
| 23 | R5 | W1 | 3 | 52 | 8 | 50 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows some survival, but more white pine regen is present in the areas that were disturbed during the planting. The snowmobile trail runs along the north edge of this stand. | | | | | | | | | | | | | | |
| 24 | R6 | M1 | 9 | 55 | 10 | 70 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. Scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows little survival, but some white pine - aspen - red maple regen is present in the areas that were disturbed during the planting. The snowmobile trail runs along the north edge of this stand. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|-----------|-----|--------|---------|-----------|----------------|------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | Site Indx | | | | | | | |
| 25 | R 8 | X 0 | 3 | 52 | 12 | 40 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows little survival, but some white pine - aspen - red maple regen is present in the areas that were disturbed during the planting. The snowmobile trail runs along the north edge of this stand.</p> | | | | | | | | | | | | | | |
| 26 | R 6 | M 1 | 1 | 55 | 9 | 70 | 36 | red pine | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Low SI red pine.</p> | | | | | | | | | | | | | | |
| 27 | R 6 | M 1 | 5 | 55 | 9 | 70 | 36 | red pine | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Low SI red pine with a few white pine & red maple. Underplanting of red pine since last entry shows limited survival.</p> | | | | | | | | | | | | | | |
| 28 | R 5 | R 1 | 6 | 55 | 9 | 60 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : Low SI red pine with a few jack & white pines, red maple and oak. Stand density and composition are quite variable. Underplanting of red pine since last entry shows limited survival.</p> | | | | | | | | | | | | | | |
| 29 | R 6 | M 1 | 8 | 55 | 8 | 100 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : Low SI red pine with a few white pine & red maple. Stand density is variable.</p> | | | | | | | | | | | | | | |
| 30 | R 6 | M 1 | 7 | 55 | 7 | 100 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : Low SI red pine with a few white pine & red maple. Stand density is variable. Underplanting of red pine since last entry shows acceptable survival in the north half of the stand, but limited in the south.</p> | | | | | | | | | | | | | | |
| 31 | W 4 | A 2 | 3 | 55 | 7 | 20 | 36 | white pine | two aged | N | | 20-29 years | 0 | |
| <p>comnts Fmd : Scattered white pine poles and aspen/white pine regeneration</p> | | | | | | | | | | | | | | |
| 32 | R 6 | X 0 | 35 | 45 | 7 | 150 | 45 | red pine | immature | N | thinning | within 0-9 years | 2 | |
| <p>comnts Fmd : Red pine with a few white pine & red maple. Thin along with the adjacent red pine stands to the east in C.131. Leave basal area higher along the Fox River Pathway. Leave red maple, oak, cherry, and some super-canopy white pine unless removal is necessary for equipment access. Wld : Agree with FMFM comments, and leave red maple, oak, cherry, and some super-canopy white pine unless removal is necessary for equipment access.</p> | | | | | | | | | | | | | | |
| 33 | A 2 | A 2 | 45 | 21 | 2 | 0 | 50 | aspen (upland) | nonstocked | N | | 30-39 years | 0 | |
| <p>comnts Fmd : Aspen clones still expanding after being burned in 1987 Fox River Fire. Composition and density are variable. The Fox River Pathway runs through this stand.</p> | | | | | | | | | | | | | | |
| 34 | R 6 | X 0 | 45 | 47 | 8 | 90 | 45 | red pine | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : Thinning completed in 2004.</p> | | | | | | | | | | | | | | |
| 35 | W 6 | W 1 | 42 | 47 | 9 | 70 | 40 | white pine | two aged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Mix of red pine plantation and several size classes of white pine, along with pockets of grass, aspen and jack pine where the plantation failed. A few red maple and white pine logs are also scattered throughout. Healthy enough to hold the stand for now and cut it next entry. Site indices appear to be variable throughout.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acres | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|-------|-----|------------|---------|-----------|--|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 36 | L 0 | L 0 | 318 | | 0 | 0 | 45 | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Mixed upland grass/lowland brush/marsh/bog. Pockets of trees and aspen clones are scattered throughout. Access across the stand is poor. The Fox River Pathway runs through this stand. | | | | | | | | | | | | | | |
| 37 | V 0 | V 0 | 21 | | 0 | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 38 | S 6 | S 1 | 9 | 86 | 8 | 70 | 43 | black spruce-swamp | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Inoperable - no access across the wetlands | | | | | | | | | | | | | | |
| 39 | S 6 | S 1 | 4 | 86 | 7 | 70 | 40 | black spruce-swamp | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Spruce on wet ground. Inaccessible across the wet lowlands. | | | | | | | | | | | | | | |
| 40 | F 6 | F 1 | 11 | 78 | 7 | 70 | 35 | spruce-fir (uplands-including upland black spruce) | old growth (potential or actual) | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : HCVA - Fox River Balsam fir/spruce. Mixed hardwood includes red maple & paper birch. Inoperable - no access across the wetlands. | | | | | | | | | | | | | | |
| 41 | S 6 | S 1 | 4 | 86 | 7 | 70 | 40 | black spruce-swamp | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Spruce on wet ground. Inaccessible across the wet lowlands. | | | | | | | | | | | | | | |
| 42 | A 3 | E 1 | 20 | 21 | 2 | 0 | 50 | aspen (upland) | old growth (potential or actual) | N | | 30-39 years | 0 | |
| comnts Fmd : HCVA - Fox River Clones still expanding to fill in the open areas | | | | | | | | | | | | | | |
| 43 | A 3 | E 1 | 1 | 21 | 2 | 0 | 50 | aspen (upland) | old growth (potential or actual) | N | | 30-39 years | 0 | |
| comnts Fmd : HCVA - Fox River Clones still expanding to fill in the open areas | | | | | | | | | | | | | | |
| 44 | A 3 | E 1 | 2 | 21 | 2 | 0 | 50 | aspen (upland) | old growth (potential or actual) | N | | 30-39 years | 0 | |
| comnts Fmd : HCVA - Fox River Clones still expanding to fill in the open areas | | | | | | | | | | | | | | |
| 45 | V 0 | V 0 | 7 | | 0 | 0 | | bog or muskeg | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River bog/marsh along the Little Fox River | | | | | | | | | | | | | | |

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|--------|---------|-----------|--------------------|------------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 46 | S3 | S1 | 2 | 21 | 2 | 0 | 30 | black spruce-swamp | immature | N | | 60-69 years | 0 | |
| comnts Fmd : Spruce on boggy ground, but fully stocked and growing better than the adjacent D-type. Burned in 1987. | | | | | | | | | | | | | | |
| 47 | D0 | D0 | 5 | | | | 0 | 25 | treed bog | nonstocked | N | | not scheduled | 0 |
| comnts Fmd : Burned in 1987 - slowly regenerating. Enough trees present to call it an S2 but the site index appears to be very low. A few larger trees that survived the fire are also present. | | | | | | | | | | | | | | |
| 48 | R6 | M1 | 26 | 55 | 9 | 90 | 50 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : The Fox River Pathway runs through this stand. | | | | | | | | | | | | | | |
| 49 | A5 | M2 | 11 | | 9 | 50 | 48 | aspen (upland) | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Scenic values/visual values | | | | | | | | | | | | | | |
| comnts Fmd : Ridge of aspen with white pine & red maple. The Fox River Pathway follows the ridge. | | | | | | | | | | | | | | |
| 50 | M4 | M1 | 9 | | 6 | 10 | 46 | northern hardwood | sparse | N | | 10-19 years | 0 | |
| comnts Fmd : Red maple/upland brush & a few pine | | | | | | | | | | | | | | |
| 51 | R6 | M1 | 27 | 55 | 9 | 100 | 40 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 52 | R5 | R1 | 7 | 55 | 9 | 50 | 36 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows limited survival, but more white pine regen is present in the areas that were disturbed during the planting. | | | | | | | | | | | | | | |
| 53 | A5 | W2 | 8 | | 10 | 50 | 46 | aspen (upland) | unevenaged | N | final harvest | within 0-9 years | 2 | |
| comnts Fmd : Mature bigtooth aspen along with a few white pine poles and sawlogs. Many small grassy openings are included in this stand, and oak seedlings are present. Harvest the aspen and scattered red maple. Leave the pine and any oak encountered. The snowmobile trail runs along the south edge of this stand. | | | | | | | | | | | | | | |
| 54 | R5 | W1 | 10 | 52 | 9 | 50 | 36 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows limited survival, but more white pine regen is present in the areas that were disturbed during the planting. | | | | | | | | | | | | | | |
| 55 | M6 | M3 | 88 | | 7 | 70 | 46 | northern hardwood | unevenaged | N | improvement | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. | | | | | | | | | | | | | | |
| comnts Fmd : Mix of beech, red maple & white pine Grassy semi-open areas are included, and a few spruce & balsam are scattered throughout. Beech Bark Disease is present - appears to be on 100% of the merchantable beech stems regardless of size. Salvage the beech now.. The snowmobile trail and the Fox River Pathway both run through this stand. | | | | | | | | | | | | | | |
| Wld : Leave 2-3 beech per acre, and leave most remaining trees unless removal of some is necessary for equipment access. Leave hemlock, mature white pine, cherry, and oak. | | | | | | | | | | | | | | |

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|--------|---------|-----------|-------------------|----------------------------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 56 | R 5 | W 1 | 18 | 52 | 9 | 50 | 36 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Low SI red pine, but slowly maturing into sawlog-diameter trees. A few scattered merchantable red maple & white pine also present. Underplanting of red pine since last entry shows limited survival, but more white pine regen is present in the areas that were disturbed during the planting. | | | | | | | | | | | | | | |
| 57 | V 0 | V 0 | 7 | | 0 | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Marsh/bog The Fox River Pathway runs through this stand. | | | | | | | | | | | | | | |
| 58 | W 8 | W 1 | 21 | | 16 | 40 | 35 | white pine | unevenaged | N | | 20-29 years | 0 | |
| comnts Fmd : Semi-open mix of white pine/aspens/red maple/brush. Stand density & composition are quite variable. Site index may be unreliable due to weevil damage and the wide spacing of the larger trees (hard to get a true average) but it is generally low. | | | | | | | | | | | | | | |
| 59 | R 6 | M 1 | 3 | 52 | 8 | 120 | 50 | red pine | immature | N | thinning | within 0-9 years | 2 | |
| comnts Fmd : Thin now to release the best trees, then hold it through the rest of the rotation. A few white pine are also present. | | | | | | | | | | | | | | |
| 60 | R 6 | M 1 | 90 | 52 | 8 | 120 | 50 | red pine | immature | N | thinning | within 0-9 years | 2 | |
| comnts Fmd : Thin now to release the best trees, then hold it through the rest of the rotation. A few white pine are also present. The snowmobile trail and the Fox River Pathway both run through this stand. Leave red maple, oak, cherry, and some super-canopy white pine unless removal is necessary for equipment access. Wld : Agree with FMFM comments, and leave red maple, oak, cherry, and some super-canopy white pine unless removal is necessary for equipment access. | | | | | | | | | | | | | | |
| 61 | M 4 | G 0 | 9 | | 6 | 20 | 46 | northern hardwood | sparse | N | | 20-29 years | 0 | |
| comnts Fmd : Semi-open stand of white pine/red maple and grassy areas. The snowmobile trail runs along the south edge of this stand. | | | | | | | | | | | | | | |
| 62 | W 8 | W 2 | 83 | | 16 | 60 | 55 | white pine | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : 14-18" white pine logs, 6-10" white pine & red maple poles. The understory is a mix of both but generally favors the pine in most areas, while the red maple is more dominant near the clearcut. Stand density and composition vary throughout the stand. The snowmobile trail and the Fox River Pathway both run through this stand. | | | | | | | | | | | | | | |
| 63 | M 3 | M 3 | 22 | 25 | 3 | 0 | 50 | northern hardwood | nonstocked | N | | 30-39 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 64 | N 0 | N 0 | 27 | | 0 | 0 | | marsh | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Marsh/bog along the Little Fox Widewaters The snowmobile trail runs along the northeast side of this stand. | | | | | | | | | | | | | | |
| 65 | N 0 | N 0 | 1 | | 0 | 0 | | marsh | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Marsh/bog along the Little Fox Widewaters | | | | | | | | | | | | | | |

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 66 | N0 | N0 | 4 | | 0 | 0 | | marsh | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Marsh/bog along the Little Fox Widewaters | | | | | | | | | | | | | | |
| 67 | Z0 | Z0 | 6 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Little Fox Widewaters | | | | | | | | | | | | | | |
| 68 | W9 | F1 | 4 | 80 | 18 | 80 | 55 | white pine | old growth (potential or actual) | N | | 10-19 years | 0 | |
| comnts Fmd : HCVA - Fox River This is generally a mix of white pine, red maple, spruce and balsam fir. Somewhat lower & wetter with more spruce/fir (mixed softwood pulp) near the Little Fox Widewaters. | | | | | | | | | | | | | | |
| 69 | Q3 | S1 | 14 | 24 | 3 | 0 | 42 | mixed swamp conifer | old growth (potential or actual) | N | | 50-59 years | 0 | |
| comnts Fmd : HCVA - Fox River The snowmobile trail runs along the NE edge of this stand. | | | | | | | | | | | | | | |
| 70 | W9 | F1 | 81 | 80 | 18 | 100 | 55 | white pine | old growth (potential or actual) | N | | 10-19 years | 0 | |
| comnts Fmd : HCVA - Fox River Parts of this stand were thinned in the 80's or 90's. The understory is generally a mix of white pine, red maple, spruce and balsam fir. Composition, density and site indices all vary throughout the stand. Somewhat lower & wetter with more spruce/fir (mixed softwood pulp) near Stanley Lake. The Fox River Pathway and the snowmobile trail both run this stand. | | | | | | | | | | | | | | |
| 71 | N0 | N0 | 13 | | 0 | 0 | | marsh | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Marsh/bog/lowland brush | | | | | | | | | | | | | | |
| 72 | N0 | N0 | 2 | | 0 | 0 | | marsh | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Marsh/bog/lowland brush | | | | | | | | | | | | | | |
| 73 | W9 | W1 | 19 | 83 | 16 | 90 | 58 | white pine | old growth (potential or actual) | N | | 20-29 years | 0 | |
| comnts Fmd : HCVA - Fox River Stand of pine along the Fox River Pathway. Thinned last entry. | | | | | | | | | | | | | | |
| 74 | D0 | D0 | 24 | | 0 | 0 | 20 | treed bog | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Submerchantable spruce etc. | | | | | | | | | | | | | | |
| 75 | Q3 | S1 | 5 | 24 | 3 | 0 | 42 | mixed swamp conifer | immature | N | | 50-59 years | 0 | |
| comnts Fmd : The snowmobile trail runs along the southwest edge of this stand. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|------------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 76 | D 0 | D 0 | 2 | | 0 | 0 | 20 | treed bog | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : Submerchantable spruce etc. A few patches of somewhat larger, denser trees are included, but site indices are still too low for commercial management. The Fox River Pathway runs along the edge of the stand.</p> | | | | | | | | | | | | | | |
| 77 | W 8 | F 1 | 8 | 104 | 14 | 50 | 53 | white pine | immature | Y | | 10-19 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : Cut last entry. Fox River Pathway along the SW edge.</p> | | | | | | | | | | | | | | |
| 78 | W 9 | W 2 | 10 | 104 | 16 | 70 | 53 | white pine | old growth (potential or actual) | Y | | 10-19 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : HCVA - Fox River Buffer between Stanley Lake and the Fox River Pathway, which runs through the stand. Thinned last entry, and 4000 rp seedlings were handplanted. Survival is acceptable.</p> | | | | | | | | | | | | | | |
| 79 | V 0 | V 0 | 12 | | 0 | 0 | 20 | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : Bog/marsh/lowland brush and submerchantable trees</p> | | | | | | | | | | | | | | |
| 80 | W 6 | W 1 | 12 | | 10 | 70 | 50 | white pine | unevenaged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Mixed stand that includes pine logs & poles plus aspen, red maple, and a few spruce & fir. The Fox River Pathway runs along the SW side.</p> | | | | | | | | | | | | | | |
| 81 | V 0 | V 0 | 110 | | 0 | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : BLUEBERRY MANAGEMENT AREA.</p> | | | | | | | | | | | | | | |
| 82 | Q 6 | F 1 | 9 | 99 | 8 | 160 | 43 | mixed swamp conifer | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Local law or policy (identify in comments)</p> <p>comnts Fmd : HCVA - Fox River Buffer along the Little Fox River - maintain per the Fox River Plan.</p> | | | | | | | | | | | | | | |
| 83 | L 0 | L 0 | 16 | | 0 | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| <p>comnts Fmd : HCVA - Fox River</p> | | | | | | | | | | | | | | |
| 84 | D 0 | D 0 | 7 | | 0 | 0 | 20 | treed bog | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : Submerchantable spruce etc. A few patches of somewhat larger, denser trees are included, but site indices are still too low for commercial management. The Fox River Pathway runs along the edge of the stand.</p> | | | | | | | | | | | | | | |
| 85 | C 6 | F 1 | 14 | 99 | 8 | 140 | 35 | cedar | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Cedar/spruce mix</p> | | | | | | | | | | | | | | |
| 86 | V 0 | V 0 | 4 | | 0 | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : Boggy area with some lowland brush & scattered submerchantable trees.</p> | | | | | | | | | | | | | | |

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|----------|---------|-----------|---------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| 87 | C 6 | F 1 | 11 | 99 | 8 | 140 | 35 | cedar | old growth (potential or actual) | N | | 50-59 years | 0 | |
| comnts Fmd : HCVA - Fox River Cedar/spruce mix | | | | | | | | | | | | | | |
| 88 | N 0 | N 0 | 6 | | 0 | 0 | | marsh | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Marsh/bog/lowland brush along the Little Fox River | | | | | | | | | | | | | | |
| 89 | Q 6 | Q 2 | 2 | 99 | 8 | 90 | 40 | mixed swamp conifer | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments) | | | | | | | | | | | | | | |
| comnts Fmd : Retain for wildlife habitat | | | | | | | | | | | | | | |
| 90 | Q 5 | Q 2 | 7 | 99 | 8 | 60 | 30 | mixed swamp conifer | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments) | | | | | | | | | | | | | | |
| comnts Fmd : Very wet site - Retain for wildlife habitat | | | | | | | | | | | | | | |
| 401 | G 0 | G 0 | 305 | | 0 | 0 | 36 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Grassy areas including stump fields, scattered trees & pockets of trees, and small boggy inclusions. The Fox River Pathway runs through this stand. | | | | | | | | | | | | | | |
| 402 | G 0 | G 0 | 241 | | 0 | 0 | 36 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Grassy areas including stump fields, scattered trees & pockets of trees, and small boggy inclusions. The snowmobile trail runs through this stand. | | | | | | | | | | | | | | |
| 403 | G 0 | G 0 | 210 | | 0 | 0 | 36 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Grassy areas including stump fields, scattered trees & pockets of trees, and small boggy inclusions. The snowmobile trail (north end) and the Fox River Pathway (south end) both run through this stand. | | | | | | | | | | | | | | |
| 404 | G 0 | G 0 | 21 | | 0 | 0 | 45 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Grass/upland brush/scattered trees The Fox River Pathway runs through the stand. | | | | | | | | | | | | | | |
| 405 | G 0 | G 0 | 2 | | 0 | 0 | 45 | grass | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Grassy opening w/scattered trees near the Little Fox River. | | | | | | | | | | | | | | |
| 406 | G 0 | G 0 | 74 | | 0 | 0 | 36 | grass | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : HCVA - Fox River Grass/upland brush/scattered trees with some lower, wetter areas included The Fox River Pathway runs through this stand. | | | | | | | | | | | | | | |

SHINGLETON FOREST AREA

Stand Level Information

Compartment: 143 Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|----------|---------|-----------|---------|------------|---------------------|------------|---------------|------------------|---------------|
| 407 | G 0 | G 0 | 10 | | 0 | 0 | 50 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 408 | G 0 | G 0 | 2 | | 0 | 0 | 45 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Grass/brush/scattered white pine | | | | | | | | | | | | | | |
| 409 | G 0 | G 0 | 7 | | 0 | 0 | 50 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : The snowmobile trail and the Fox River Pathway both run through this stand. | | | | | | | | | | | | | | |
| Total Acres..... 2737 | | | | | | | | | | | | | | |