

TRAVERSE CITY FOREST MGT UNIT

Stand Level Information

Compartment: 266 Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	U 0	U 0	35		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 11/20/2006 Very hilly, scattered cherry. (Grieve)														
2	O 9	O 1	4	51	12	150	62	oak	immature	N	shelterwood-prep	within 0-9 years	2	
comnts Fmd : 12/11/2006 Oak stand. Needs a pre thinning release for regeneration. Could be negotiated sale. To small for exclusion area. Looking for oak or hardwood regeneration. (Grieve)														
3	A 3	M 1	10	21	3	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : 12/11/2006 A-3 with oak residual & M-1 red maple. Small one acre exclusion stand of oak on north side which could be treated with oak stand to the north. (Grieve)														
4	U 2	U 2	4		0	0		upland brush	immature	N		20-29 years	0	
comnts Fmd :														
5	R 6	R 1	26	38	8	130	62	red pine	immature	N		10-19 years	0	
comnts Fmd : 11/20/2006 Let go for ten years. (Grieve) TS# 66-99-1														
6	M 9	M 1	99		12	80	50	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : 11/20/2006 Selectively cut ten years ago. Looks good, cut in ten years. (Grieve) 2/18/2003 TS# 073-99-1 (Grieve)														
7	R 6	M 1	2	38	8	200	62	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/20/2006 Needs thinning, may need to be marked. Very hilly on east side. (Grieve)														
8	U 2	U 2	12		0	0		upland brush	immature	N		not scheduled	0	
comnts Fmd : 11/20/2006 Scattered cherry. (Grieve)														
9	R 6	M 1	87	49	8	170	51	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 11/20/2006 Nice looking stand, ready for 2nd thinning. Mark job. (Grieve)														
10	R 6	M 1	4	38	8	150	62	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 11/20/2006 Let go for ten years. (Grieve) TS# 66-99-1														
11	U 0	U 0	7		0	0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 11/20/2006 Frost pocket, deep valley. (Grieve)														
12	R 6	R 1	42	44	8	220	51	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/20/2006 Ready for first thinning. May have to cut across rows. (Grieve) 1997 very hilly.(Lemmien)														
13	M 6	M 1	10		8	110	60	northern hardwood	unevenaged	N	thinning	within 0-9 years	2	
comnts Fmd : 12/11/2006 Selection cut, negotiated sale no exclusions, to small. Top of hill is an M3. (Grieve)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
14	R 6	M 1	6	38	8	200	62	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/20/2006 Needs thinning, may need to be marked. Very hilly on east side. (Grieve)														
15	W 6	W 2	6		8	100	56	white pine	unevenaged	N		10-19 years	0	
comnts Fmd : 11/22/2006 Natural stand Some weevil, should grow out of it. Thinning this time around. But this is to small to sell. (Grieve)														
16	A 3	A 3	2	6	1	0	80	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 11/22/2006 Five years old, was a small clone cut in a larger hardwood stand. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
17	M 6	M 2	140		8	90	80	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : 12/11/2006 Lots of beech coming in. Look at in ten years. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
18	A 3	A 3	3	6	1	0	80	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 11/22/2006 Five years old, was a small clone cut in a larger hardwood stand. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
19	W 9	W 1	2		12	150	56	white pine	unevenaged	N	thinning	within 0-9 years	3	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
Inferior quality														
Timber contractors not available														
comnts Fmd : 11/22/2006 Natural stand Some weevil, should grow out of it. Thinning this time around. But this is to small to sell. (Grieve)														
20	R 6	R 1	1	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
22	U 0	U 0	4		0	0		upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : 11/11/2006 Scattered hardwood pulpwood, very hilly. (Grieve)														
23	R 6	M 1	17	46	8	200	73	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Ready for next thinning. (Grieve)														
24	U 0	U 0	3		0	0		upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : 11/11/2006 Scattered hardwood pulpwood, very hilly. (Grieve)														
25	U 0	U 0	25		0	0		upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : 11/11/2006 Scattered hardwood pulpwood, very hilly. (Grieve)														
26	W 9	M 1	4		14	120	61	white pine	unevenaged	N		10-19 years	0	
comnts Fmd : 12/11/2006 Really bad white pine weevil damage. (Grieve)														
27	M 9	M 2	28		14	80	73	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : 12/11/2006 Vast amounts of ironwood coming in from the last cut. Selection cut in 10 years. (Grieve) 2/18/2003 TS# 001-00-1 (Grieve)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B	Tot. BA							
28	R 6	M 1	33	46	8	200	73	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Ready for next thinning. (Grieve)														
30	R 6	M 1	26	46	8	200	73	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Ready for next thinning. (Grieve)														
31	M 9	M 1	3		14	100	56	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : 12/18/2006 Lots of ironwood & oak. Look at in ten years. (Grieve)														
32	R 6	M 1	5	46	8	200	73	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Ready for next thinning. (Grieve)														
33	R 6	M 1	4	46	8	200	73	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Ready for next thinning. (Grieve)														
34	M 6	M 1	166		8	100	80	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : 11/26/2006 Look at in ten years. Looks good. Still has lots of blackberry. (Grieve) 2/18/2003 TS# 001-00-1 (Grieve)														
35	R 6	M 1	1	1	8	170	60	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Thinned ten years ago. Ready for next thinning. (Grieve) ts 48-99-1														
Wld : This stand, following treatment, should be allowed to regenerate naturally to expand the aspen type and acreage.														
36	R 3	R 3	5	1	1	0	60	red pine	immature	N		30-39 years	0	
comnts Fmd : 11/26/2006 Was planted to red pine. (Grieve) ts 48-99-1														
Wld : This stand, following treatment, should be allowed to regenerate naturally to expand the aspen type and acreage.														
37	M 9	M 1	12		14	80	55	northern hardwood	unevenaged	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Too steep														
Water quality/bmps														
comnts Fmd : 12/18/2006 Bluff. Stand along Hayes Lake. Mixed stand, looks like old home stead. To close & to steep next to lake. Best to not treat this one. (Grieve)														
38	R 6	M 1	1	1	8	170	60	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 11/26/2006 Thinned ten years ago. Ready for next thinning. (Grieve) ts 48-99-1														
Wld : This stand, following treatment, should be allowed to regenerate naturally to expand the aspen type and acreage.														
39	R 3	R 3	4	1	1	0	60	red pine	immature	N		30-39 years	0	
comnts Fmd : 11/26/2006 Was planted European larch. Am coding as red pine for lack of any other letter to use. (Grieve) ts 48-99-1														
Wld : This stand, following treatment, should be allowed to regenerate naturally to expand the aspen type and acreage.														
40	R 6	R 1	9	49	8	140	71	red pine	immature	N		10-19 years	0	
comnts Fmd : 11/26/2006 Let go for ten years, open canopies. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve) There is a geodectic elevation marker within this stand.														

TRAVERSE CITY FOREST MGT UNIT

Stand Level Information

Compartment: 266 Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	H								
42	A 3	A 3	7	6	1	0	80	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 11/22/2006 Five years old, was a small clone cut in a larger hardwood stand. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
43	R 6	R 1	1	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
44	R 6	R 1	4	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
45	R 6	M 1	1	46	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 Thinned once, ready again, mark job. (Grieve)														
46	R 6	R 1	1	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
47	R 6	R 1	1	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
48	R 6	R 1	1	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
49	R 6	R 1	1	46	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 This stand has never been thinned. Needs a thinning. (Grieve)														
50	R 6	M 1	2	46	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 Thinned once, ready again, mark job. (Grieve)														
51	R 9	M 1	5		14	90	58	red pine	unevenaged	N		10-19 years	0	
comnts Fmd : 12/18/2006 Natural red pine. (Grieve)														
52	R 6	M 1	9	46	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 Thinned once, ready again, mark job. (Grieve)														
53	R 6	M 1	4	46	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 Thinned once, ready again, mark job. (Grieve)														
54	M 6	M 1	2	51	8	100	58	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : 12/18/2006 Small island of hardwoods, look at in ten years. (Grieve)														
55	A 3	A 3	8	18	3	0	68	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 12/17/2006 Looks good. (Grieve)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B	Tot. BA							
56	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 These are a group of pond that are called Haynes Lake. When the water table is high, they join together to form one lake more or less. At this writing the water table is low. (Grieve)														
57	N 0	N 0	9			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 At a low water table, like it is at this writing, this is a marsh. When the water table is high it is Haynes Lake. (Grieve)														
58	Z 0	Z 0	2			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 These are a group of pond that are called Haynes Lake. When the water table is high, they join together to form one lake more or less. At this writing the water table is low. (Grieve)														
59	Z 0	Z 0	6			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 These are a group of pond that are called Haynes Lake. When the water table is high, they join together to form one lake more or less. At this writing the water table is low. (Grieve)														
60	Z 0	Z 0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 This is one of a group of ponds that are called Haynes Lake. (Grieve)														
61	W 6	M 1	38	47	8	150	51	white pine	immature	N		10-19 years	0	
comnts Fmd : 12/17/2006 Thinned once & badly weeviled. Treat in ten years. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
62	A 3	A 3	3	8	1	0	59	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 12/17/2006 White pine residual. (Grieve)														
63	U 0	U 0	1			0		upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Small openning. (Grieve)														
64	M 6	M 2	71		8	80	63	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : 12/17/2006 repro mostly beech. (Grieve) 3/4/2004 TS# 064-00-1 (Grieve)														
65	W 9	W 1	5		14	100	56	white pine	unevenaged	N		10-19 years	0	
comnts Fmd : 12/18/2006 Very badly weeviled. Looks like old homestead area. (Grieve)														
66	R 6	M 1	8	46	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : 12/17/2006 Thinned once, ready again, mark job. (Grieve)														
67	A 3	A 3	76	18	3	0	68	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 12/17/2006 Looks good. (Grieve)														
68	U 0	U 0	1			0		upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Trees moving in from all sides.. (Grieve)														
69	M 6	M 1	30		8	120	61	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : 12/18/2006 Very hilly area, selection cut needed. (Grieve)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
70	V 0	V 0	2		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 Some white pine starting to grow in middle of bog. Looks very unhealthy. (Grieve)														
72	M 6	M 1	1		8	110	61	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : 12/20/2006 Very small out of the way stand. Be good for negotiated sale only. (Grieve)														
73	R 6	R 1	2	43	6	220	60	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/18/2006 Was missed last time around. Needs a thinning, 3rd row. Do with white pine stand which is on three sides of this stand. (Grieve)														
74	W 6	W 1	51	47	8	180	51	white pine	high risk	Y	thinning	within 0-9 years	1	
comnts Fmd : 12/18/2006 Starting to have some die off. High Risk, 3rd row thinning now. (Grieve)														
75	R 6	W 1	9	43	8	140	60	red pine	immature	N		10-19 years	0	
comnts Fmd : 12/18/2006 Let this stand go for another ten years. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve) The part of the stand that is on the west side of Dockery Road may not be ready to thin so it is possible that that area will be left out of treatment.														
76	U 0	U 0	3			0		upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 U-type & grass. (Grieve)														
77	M 6	M 1	3		8	120	61	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : 12/18/2006 Very hilly area, selection cut needed. (Grieve)														
78	R 6	W 1	10	43	8	140	60	red pine	immature	N		10-19 years	0	
comnts Fmd : 12/18/2006 Let this stand go for another ten years. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve) The part of the stand that is on the west side of Dockery Road may not be ready to thin so it is possible that that area will be left out of treatment.														
79	A 2	A 2	9	5	1	0	69	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : 12/18/2006 Low area in this stand. (Grieve) 2/18/2003 TS# 054-99-1 (Grieve)														
80	O 9	M 1	13	84	16	110	65	oak	immature	N		10-19 years	0	
comnts Fmd : 12/20/2006 No regeneration coming back from last cut. Cut more to open up stand. This should turn to a northern hardwood stand, but if it comes back to oak, that would be great. (Grieve)2/18/2003 TS# 054-99-1 (Grieve) 9/26/2007 Wildlife would like to hold off on cutting thinning this stand for another 10 years. In some of the bigger openings & along the skidder trails there is some oak reproduction. He would like this to become more established. I agree. (Grieve)														
81	M 6	M 1	1		8	120	61	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : 12/18/2006 Very hilly area, selection cut needed. (Grieve)														
82	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 At a low water table, like it is at this writing, this is a marsh. When the water table is high it is Smith's Lake. (Grieve)														
83	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : 12/18/2006 At a low water table, like it is at this writing, this is a marsh. When the water table is high it is Smith's Lake. (Grieve)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
84	Z 0	Z 0	7			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : 12/20/2006 Smith's Lake. 1/2 in state ownership. The south 1/2 is in two ownerships. The one to the SW is landlocked. (Grieve)														
85	M 6	M 1	72		8	90	59	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : 12/20/2006 TS#___ Very much to oak on the ridges. Heavy to aspen in the valley. Popular camping spots along lake. All of the stand is moving to hardwoods. East side faster than west side. (Grieve)														
86	R 6	M 1	22	43	8	110	60	red pine	immature	N		10-19 years	0	
comnts Fmd : 12/20/2006 Mixed stand of red & white pine. Look at in ten years. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
87	O 9	M 2	77	72	16	80	69	oak	immature	N		10-19 years	0	
comnts Fmd : 12/18/2006 Low area in this stand. (Grieve) 2/18/2003 TS# 054-99-1 (Grieve)														
88	A 5	A 3	10	31	5	40	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 12/20/2006 Good looking stand. Moving from A3 to A6. (Grieve)														
89	R 6	R 1	8	46	6	130	70	red pine	immature	N		10-19 years	0	
comnts Fmd : 12/20/2006 This is the same stand as is in Compartment 166 stand 69. It was added to the sale in Compartment 166, which as of this writing has been sold but not harvested. It will be a 3rd row thinning. (Grieve)														
90	A 6	A 2	8	31	5	90	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : 12/20/2006 Good looking stand. Just moving from A3 to A6. (Grieve)														
91	H 9	H 1	5		16	130	52	hemlock	unevenaged	Y		not scheduled	0	
Treatment Limiting Factors: Water quality/bmps Influence zones Scenic values/visual values														
comnts Fmd : 12/20/2006 This stand is the headwaters of Barker Creek. Numerous springs through out stand. Popular stop for locals. (Grieve) 1997 This stand has a spring in it. (Lemmien)														
92	R 6	M 1	1	43	8	140	60	red pine	immature	N		10-19 years	0	
Treatment Limiting Factors: Inadequate volume due to small acreage														
comnts Fmd : 12/20/2006 Mixed stand of red & white pine. Look at in ten years. (Grieve) 2/18/2003 TS# 057-00-1 (Grieve)														
401	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : 11/20/2006 And it still is an abandon well site. Pine starting to move in. Very little knapweed. (Grieve) 1997 Abandon well site. (Lemmien)														
402	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/17/2006 Old landing. (Grieve)														
403	G 0	G 0	35			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 11/20/2006 Scattered white pine & cherry. Old Elk Rapids High School party spot. Been cleaned up. (Grieve)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
404	G 0	G 0	5			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 11/26/2006 Long narrow pot hole valley. Bracken fern, trees creeping in from the side. (Grieve)														
405	G 0	G 0	15			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 11/26/2006 Grass with scattered jack pine & other species. (Grieve)														
406	G 0	G 0	2			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 11/26/2006 Pot Hole. Bracken fern, white pine creeping in from the side. (Grieve)														
407	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Small opening. Some bracken & white & red pine moving in. (Grieve)														
408	G 0	G 0	10			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 stand on both sides of the road. White pine moving in. Good looking grass. (Grieve)														
409	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Stand on both sides of the road. White pine moving in. Good looking grass. (Grieve)														
410	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Small opening. Popular camping area. (Grieve)														
411	G 0	G 0	3			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 12/18/2006 Grass with some trees starting to move in. (Grieve)														
412	G 0	G 0	2			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 12/18/2006 Grass with some trees starting to move in. Some of this stand was used as a landing. (Grieve)														
414	G 0	G 0	2			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 12/18/2006 Grass with some trees starting to move in. (Grieve)														
415	G 0	G 0	5			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 White pine starting to move in. (Grieve)														
416	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Frost pocket, large depression. (Grieve)														
417	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Frost pocket, large depression. (Grieve)														
418	G 0	G 0	1			0		grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/17/2006 Old landing. (Grieve)														

TRAVERSE CITY FOREST MGT UNIT

Stand Level Information

Compartment: 266 Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	avg.		Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				D B H	Tot. BA							
419	G 0	G 0	1		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/20/2006 Small openning. (Grieve)												
420	G 0	G 0	3		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Grass area alnog road. (Grieve)												
421	G 0	G 0	1		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Small openning alnog private land. (Grieve)												
423	G 0	G 0	1		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Small openning. (Grieve)												
424	G 0	G 0	2		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/20/2006 Small openning. (Grieve)												
425	G 0	G 0	3		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Looks like an old wildlife opening. White pine moving in. "Mountain man Cabin" has been built in SE corner of stand. Does not look like it has been used for sometime. Looks like a kids structure. (Grieve)												
426	G 0	G 0	3		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Good grass. White pine moving in. (Grieve)												
427	G 0	G 0	2		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Old orchard & old homestead site. Good grass. (Grieve) 12/18/2006 Looks like an old wildlife opening. White pine moving in. "Mountain man Cabin" has been built in SE corner of stand. Does not look like it has been used for sometime. Looks like a kids structure. (Grieve)												
428	G 0	G 0	1		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/20/2006 12/20/2006 More reindeer lichen than grass. West aspect. White pine moving in & small oak regeneration. Looks like it is being browsed heavily. (Grieve)												
429	G 0	G 0	1		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/20/2006 On top of ridge. Old deer blind in disrepair. . (Grieve)												
431	G 0	G 0	2		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/20/2006 Nice looking grass stand. (Grieve)												
432	G 0	G 0	2		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/20/2006 Grass along the road. (Grieve)												
433	G 0	G 0	3		0	grass	nonstocked	N		20-29 years	0	
comnts Fmd : 12/18/2006 Frost pocket. Pot hole, bracken. (Grieve)												

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
434	G 0	G 0	3			0		grass	nonstocked	N		20-29 years	0	

comnts Fmd : 12/20/2006 Grass next to road. Starting to close in. (Grieve)

Total Acres..... 1586