

This page was intentionally left blank.

Appendix C

Distribution Maps of Fish Species

Known past and present fish distributions in the Tittabawassee River system. Distribution of fishes were compiled from records located at the University of Michigan's Museums Fisheries Library, Michigan Department of Natural Resources' Institute for Fisheries Research, and Michigan Department of Natural Resources' Bay City Operations Service Center. For species that are listed under Michigan's Endangered Species Act (Part 365, Endangered Species Protection, of the Natural Resource and Environmental Protection Act, Act 451 of the Public Acts of 1994), their status follows their scientific name. Categories are declining, rare, threatened, endangered, extinct, and locally extinct.


Habitat descriptions were compiled from the Fishes of Ohio (Trautman 1981), Freshwater Fishes of Canada (Scott and Crossman 1973), Fishes of Wisconsin (Becker 1983), Fishes of Missouri (Pflieger 1975), and Fishes of the Great Lakes Region (Hubbs and Lagler 1947).

APPENDIX C INDEX

Alewife.....	340	Least darter.....	423
American brook lamprey	335	Longnose dace	365
Black bullhead	379	Longnose gar.....	338
Blackchin shiner.....	354	Longnose sucker	369
Black crappie	418	Mimic shiner	359
Blacknose shiner	355	Mottled sculpin	404
Black redhorse	375	Muskellunge.....	388
Blackside darter	427	Northern hog sucker.....	372
Bluegill.....	412	Northern logperch	426
Bluntnose minnow	363	Northern longear sunfish.....	414
Bowfin.....	339	Northern pearl dace.....	348
Brassy minnow.....	346	Northern pike	387
Brook silverside	402	Northern redbelly dace.....	361
Brook stickleback.....	403	Pirate perch	400
Brook trout.....	397	Pugnose shiner	352
Brown bullhead.....	381	Pumpkinseed.....	410
Brown trout.....	396	Quillback.....	368
Central mudminnow.....	389	Rainbow darter	420
Central stoneroller.....	342	Rainbow smelt	390
Channel catfish.....	382	Rainbow trout.....	394
Chinook salmon	395	Redear sunfish.....	413
Cisco	391	River chub.....	350
Coho salmon	392	Rock bass	408
Common carp.....	345	Rosyface shiner.....	357
Common shiner.....	347	Round goby	430
Creek chub	367	Sand shiner.....	358
Emerald shiner	353	Sea lamprey.....	336
Fantail darter	422	Shorthead redhorse.....	377
Fathead minnow	364	Silver lamprey	334
Finescale dace	362	Silver redhorse	373
Flathead catfish	385	Slimy sculpin	405
Freshwater drum	429	Smallmouth bass	415
Gizzard shad.....	341	Spotfin shiner	344
Golden redhorse	376	Spottail shiner	356
Golden shiner	351	Stonecat.....	383
Goldfish.....	343	Suckermouth minnow	360
Grass pickerel.....	386	Tadpole madtom	384
Greater redhorse	378	Trout-perch	399
Greenside darter	419	Walleye	428
Green sunfish	409	Warmouth	411
Hornyhead chub	349	Western blacknose dace	366
Iowa darter	421	White bass	407
Johnny darter.....	424	White crappie	417
Lake chubsucker	371	White perch	406
Lake sturgeon	337	White sucker	370
Lake trout	398	Yellow bullhead	380
Largemouth bass	416	Yellow perch	425

Northern brook lamprey *Ichthyomyzon fossor***Habitat:**


- feeding - young: low gradient, substrate with bars and beds of mixed sand and organic debris
- moderately warm water
- spawning - clear, high gradient streams (<15 feet wide)
- riffles with sand or gravel substrate



Silver lamprey *Ichthyomyzon unicuspis*


Habitat:

- feeding
 - young: sand, muck, or organic debris substrate
 - adults: clear river water with prey species
- spawning
 - gravel and sand substrate
 - moderate gradient
 - moderate size stream
 - cannot tolerate silt
 - no dams
- winter refuge
 - ammocetes burrow for 4 to 7 years in mud and silt at river margins



American brook lamprey *Lampetra appendix***Habitat:**


- feeding
 - young: low gradient, substrate with bars and beds of mixed sand and organic debris
 - clear cool stream water, sensitive to turbidity
- spawning
 - clear, high gradient streams (>15 feet wide)
 - cold water
 - gravel substrate
- winter refuge
 - sand or silt substrate for ammocetes



Sea lamprey *Petromyzon marinus*


Habitat:

- feeding
 - young: substrate with beds of sand mixed with organic debris
 - cannot tolerate silt
 - adults: clear cool water of Lake Huron
- spawning
 - no dams
 - riffles with sand and gravel substrates



Lake sturgeon *Acipenser fulvescens* - threatened**Habitat:**


- feeding
 - shoal areas of large rivers, lakes, and impoundments
 - gravel, sand, rock substrates
- spawning
 - in or before rapids, at the base of dams in rivers
 - in 2-15 feet of water
 - swift current
 - rocky ledges or around rocky islands in Great Lakes



Longnose gar *Lepisosteus osseus*


Habitat:

- feeding
 - adults: in deeper water
 - young: in shallows
 - clear water, low-gradient streams, lakes, and impoundments
 - will feed in moderate current
 - aquatic vegetation preferred, but not necessary
 - open water fish
- spawning
 - warm shallow water of lakes or streams over vegetation



Bowfin *Amia calva***Habitat:**


- feeding
 - clear water
 - abundant rooted aquatic vegetation
 - low gradient streams, lakes, and impoundments
 - tolerate only small amount of silt
- spawning
 - need vegetated water, 1 to 2 feet deep
 - can spawn under logs, stumps, or bushes
- winter refuge
 - gravelly pockets among aquatic vegetation



Alewife *Alosa pseudoharengus*


Habitat:

- feeding
 - adults: deep water of Lake Huron
 - young: shallow water of Lake Huron
 - prefers warmer waters
- spawning
 - streams or shallow beaches of lake
 - sand or gravelly substrate
- winter refuge
 - deep water



Gizzard shad *Dorosoma cepedianum***Habitat:**


- feeding - large streams with low gradient, impoundments, and Lake Huron
- tolerant of clear and turbid water
- spawning - shallow areas of ponds, lakes, and large rivers
- low gradient



Central stoneroller *Campostoma anomalum pullam*


Habitat:

- feeding
 - moderate to high gradients
 - rocky riffles
 - somewhat tolerant of turbidity
 - riffles and adjacent pools of warm, clear, shallow streams
 - gravel or cobble substrate
- spawning
 - riffles



Goldfish *Carassius auratus***Habitat:**


- feeding - vegetation
- low gradient, shallow, warm water streams, rivers, lakes, and impoundments
- tolerates some turbidity and siltation
- spawning - warm, weedy shallows



Spotfin shiner *Cyprinella spiloptera*


Habitat:

- feeding
 - clear water tolerant of turbidity and siltation
 - some current
 - shallow depths
 - medium sized streams, lakes, and impoundments
 - clear sand or gravel substrate
- spawning
 - swift current
 - crevice spawner or on underside of submerged logs and roots



Common carp *Cyprinus carpio***Habitat:**


- feeding - low gradient fertile streams, rivers, lakes, and impoundments
- abundance of aquatic vegetation or organic matter
- tolerant of all substrates and clear to turbid water
- spawning - weedy or grassy shallows



Brassy minnow *Hybognathus hankinsoni*


Habitat:

- feeding - cool acidic streams
- slow to moderate current
- sand or gravel substrate



Common shiner *Luxilus cornutus***Habitat:**


- feeding - small, clear, high-gradient streams and rivers, or shores of clear water lakes and impoundments
- gravel substrate
- can tolerate some submerged aquatic vegetation
- not very tolerant of turbidity or silted waters
- spawning - gravel nests of other fish, especially those at the head of a riffle



Northern pearl dace *Margariscus nachtriebi*

Habitat:


- feeding
 - cool, neutral to acidic streams and lakes
 - clear to slightly turbid water
- spawning
 - males are territorial
 - clear water, 18-24 inches deep
 - sand or gravel substrate
 - weak to moderate current



Hornyhead chub *Nocomis biguttatus*

Habitat:

- feeding - adults: near riffles
- young: near vegetation
- clear water, does not tolerate turbidity
- gravel substrate
- low gradient streams that are tributaries to large streams
- spawning - large stones and pebbles present
- often below a riffle in shallow water
- gravel substrate



River chub *Nocomis micropogon*

Habitat:

- feeding
 - moderate to large streams
 - moderate to high gradient
 - gravel, boulder, or bedrock substrate
 - little to no aquatic vegetation
 - cannot tolerate turbidity or siltation

