

Compartment Review Presentation

Gaylord Forest Management Unit

Compartment 52169 Entry Year 2017 Acreage: 1,946

County Cheboygan

Management Area: Cheboygan Lake Plain

Revision Date: 2015-05-19

Stand Examiner: Shannon Harig

Legal Description:

T34N R02W Sec. 4,5,6,8,9

Identified Planning Goals:

To provide for the protection, integrated management, and responsible use of a healthy, productive, and undiminished forest resource base for the social, recreational, environmental, and economic benefit of the State of Michigan.

Soil and topography:

Soils in the north 1/2 of the compartment are primarily Grayling-Rubicon association while the south 1/2 leans more toward the Rubicon-Blue Lake association. Topography is rolling throughout the compartment.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

State ownership in the compartment is fairly contiguous. Residential development is light in the areas adjacent to this compartment.

Unique Natural Features:

Potential for Alleghany Plum and Wood Turtle.

Archeological, Historical, and Cultural Features:

None known

Special Management Designations or Considerations:

None

Watershed and Fisheries Considerations:

This compartment contains the Little Sturgeon River, a high priority designated trout stream, and Crumley Creek. Best management practices should be followed to avoid erosion and sedimentation, and a buffer zone (no clear-cutting) should be provided to discourage early successional species such as aspen. The no-clear cut buffer next to Little Sturgeon River should be a minimum of 300 feet.

Wildlife Habitat Considerations:

Treatments in this compartment will maintain age class diversity in aspen and oak while creating early successional habitat benefiting deer, grouse, wild turkey and woodcock. Oak clumps and/or large crowned oak will be left where appropriate for hard mast. Openings are prescribed to be maintained and supplemented with hard and soft mast plantings benefiting deer, grouse, wild turkey, and woodcock.

Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of ice-contact outwash sand and gravel, lacustrine sand and gravel, and dune sand. The glacial drift thickness varies between 10 and 200 feet. The Devonian Antrim Shale and Traverse Group subcrop below the glacial drift. The Traverse and Antrim are used for stone and cement products, and Afton Quarry is located two miles to the east. Gravel pits are located two miles to the south and there is good potential. The nearest significant oil and gas production, the Antrim Shale gas play, is located 12 miles to the south. The Antrim Shale is thin to missing in this area. Parcels in sections 5 and 6 are currently under lease for oil and gas development, but based on previous drilling done by Encana in this area, potential is limited.

Vehicle Access:

Good access to most of the compartment.

Survey Needs:

None

Recreational Facilities and Opportunities:

ORV Route runs through the compartment.

Fire Protection:


Additional Compartment Information:


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details


The following information is displayed, where pertinent, on the attached compartment maps: Base feature information, stand boundaries, cover types, and numbers


Proposed treatments
Site condition boundaries
Details on the road access system

















Gaylord Mgt. Unit

Compartment 169 Year of Entry 2017

Shannon Harig: Examiner



Age Class

	Aor Aor	Jos /	3 / 2	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\$\frac{\display}{\chi_{\chi}{\chi_{\chi}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi}\ti}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\ti}}\chi\ti}\chi_{\chi_{\chi}\chi_{\chi_{\chi}\chi_{\chi_{\chi}\ti}\ti}\chi_{\chi_{\chi}\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\ti}\ti}\chi\ti}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi}\chi_{\chi}\chi\ti}\chi_{\chi_{\chi}\chi}\chi_{\chi}\chi_{\chi}\chi}\chi_{\chi}\chi_{\chi}\chi}\chi_{\chi}\chi}\chi\chi_{\chi}\chi}\chi\chi_{\chi}\chi}\chi_{\chi}\chi_{\chi}\chi}\chi\chi}\chi\chi\chi}\chi\chi\chi\chi}\chi\chi\chi\chi\chi}\chi\chi\chi\chi\chi\chi\chi\chi\chi\ti\ti}\chi\chi\chi\chi\chi\chi\chi\chi\chi\chi	8 / 4	18 18 18 18 18 18 18 18 18 18 18 18 18 1	3 / 8	\$ /Q	10 A	\$ 8°	\$ \\ \bar{\gamma}	80,20,20,20,20,20,20,20,20,20,20,20,20,20	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	& / B	N. S.	ž Juo	Se To
Aspen	0	35	204	179	0	95	113	96	39	0	0	0	0	0	0	0	0	0	761
Cedar	0	0	1	0	0	0	0	0	0	0	10	19	0	108	0	0	0	0	138
Herbaceous Openland	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
Jack Pine	0	0	108	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	110
Low-Density Trees	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
Lowland Conifers	0	0	0	0	0	7	4	0	0	0	0	0	0	0	0	0	0	11	22
Lowland Shrub	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12
Lowland Spruce/Fir	0	0	0	0	0	0	0	0	0	0	0	11	0	0	0	0	0	0	11
Mixed Upland Deciduous	0	0	38	0	0	0	0	0	0	20	45	0	0	0	0	0	0	0	103
Natural Mixed Pines	0	0	0	0	0	37	0	0	0	0	0	0	0	0	0	0	0	13	50
Oak	0	59	0	0	0	0	0	0	0	0	236	199	0	0	0	0	0	0	494
Planted Mixed Pines	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
Red Pine	0	0	0	15	0	0	31	0	0	0	0	0	48	15	0	0	7	0	116
Upland Mixed Forest	0	0	0	0	0	0	0	27	0	0	0	18	0	0	0	0	0	0	45
Urban	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8
White Pine	0	0	1	0	0	0	0	0	30	6	0	0	0	0	0	0	0	3	40
Total	47	94	352	205	0	139	150	123	69	26	291	247	48	123	0	0	7	27	1948



Report 2 – Treatment Summary


Gaylord Mgt. Unit Year of Entry: 2017

Acres of Harvest


Compartment 169
Total Compartment Acres: 1,946

Commercial Harvest - 341 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 15

Cover Type by Harvest Method



Proposed and Next Step Treatments by Harvest Method



Regen:

Old next step comments: Other

Comment:

Proposed Start Date: 10/1 /2016

52169014-CC 69.2 4139 - Aspen, Sawtimber 68 81-110 Clearcut with Harvest 413 - Aspen Even-Aged Proposal

Retention

Mixed Deciduous Site Condition: None

Prescription Clearcut to 2"DBH. Leave retention in pockets. Leave oak. Mark to leave some large red and white pine. Keep sale boundary 300' from stream

due to High Priority Trout Stream SCA on the Little Sturgeon River corridor. Protect MCCCT trail during harvest operations. Specs:

Next Step **Treatments:**

Habitat Cut: No

Acceptable Minimum stocking of aspen, maple and pine.

Regen:

Other Old next step comments:

Comment:

Proposed Start Date: 10/1 /2016

Habitat Cut: No

Specs: Crumley Creek corridor.

Next Step

Treatments:

Acceptable Minimum stocking of aspen and pine.

Regen:

Other Old next step comments:

Comment:

Proposed Start Date: 10/1 /2016

52169044-CC 13.1 4191 - Mixed Sawtimber 98 81-110 Harvest Clearcut with 4199 - Other Even-Aged Proposal **Upland Deciduous** \/\ell Retention Mixed Upland

with Conifer

Habitat Cut: No Site Condition: None

Prescription Clearcut to 2" DBH, leave retention in pocket(s). Mark several large red and white pine per acre to leave.

Specs:

Next Step **Treatments:**

Acceptable Minimum stocking of red maple, aspen, pine and balsam fir.

Regen:

Other Old next step comments:

Comment:

Proposed Start Date: 10/1 /2016 Deciduous

Gaylord Mgt. Unit Report 4 -- Treatments Compartment: 169 s Year of Entry: 2017 t а **Treatment** Stand Size Stand BA **Treatment Treatment Cover Type** Acres Age **Approval** n Name CoverType Density Age Range Type Method Objective Structure **Status** d 412 - Oak Types Even-Aged 52169047-CC 20.1 4123 - Red Oak Sawtimber Clearcut 47 93 111-Harvest Proposal Well 140 **Habitat Cut: No** Site Condition: None Prescription Clearcut to 2" DBH, no retention. Specs: Next Step Treatments: Acceptable Minimum stocking of oak, red maple and pine. Regen: Old next step comments: Other Comment: **Proposed Start Date:** 10/1 /2016 52169055-CC 62.1 98 4123 - Red Oak Sawtimber 81-110 Harvest Clearcut 4121 - Oak, Even-Aged Proposal Well Aspen **Habitat Cut: No** Site Condition: None Prescription Clearcut to 2"DBH. Mark 1 to 2 clumps per 5 acres of 3 to 5 oak per clump. West part of stand on inoperable steep slope can serve as retention. Specs: Next Step Treatments: Minimum stocking of oak, aspen and white pine. Acceptable Regen: Other Old next step comments: Comment: **Proposed Start Date:** 10/1 /2016 52169058-CC 4191 - Mixed Sawtimber 93 Harvest 4199 - Other 31.6 111-Clearcut with Even-Aged Proposal **Upland Deciduous** Well 140 Retention Mixed Upland with Conifer Deciduous **Habitat Cut: No Site Condition:** None Prescription Clearcut to 2" DBH, leave retention in pocket(s). Mark several large red and white pine per acre to leave. Specs: Next Step **Treatments:** Acceptable Minimum stocking of red maple, aspen, pine and balsam fir. Regen: Other Old next step comments:

Comment:

Proposed Start Date: 10/1 /2016

402 52169402-NF 0.7 31029 - Grass (OI) Nonstocked Unspec NonForestMgt Other - Specify 310 -Proposal

ified

Herbaceous Openland

Habitat Cut: Yes Site Condition: None

Prescription Brush, mow, plant and/or herbicide to maintain opening. Planting of hard and soft mast.

Specs:

Next Step **Treatments:**

<u>Acceptable</u>

Regen:

Other Old next step comments:

Comment:

Proposed Start Date: 10/1 /2016

Gaylord Mgt. Unit Report 4 -- Treatments Compartment: 169 s Year of Entry: 2017 t а **Cover Type Treatment** Acres Stand Size Stand BA **Treatment Treatment** Age **Approval** n Method Objective Status Density Structure d Name CoverType Age Range Type 52169403-NF 13.1 3303 - Mixed Low Nonstocked Unspec NonForestMgt Other - Specify 310 -403 Proposal **Density Trees** ified Herbaceous Openland **Habitat Cut: Yes** Site Condition: None Prescription Brush, mow, plant, burn and/or herbicide to maintain opening. Planting of hard and soft mast. Specs: Next Step Treatments: Acceptable Regen: Other Old next step comments:

Total Treatment 355.7 Acreage Proposed:

10/1 /2016

Comment:

Proposed Start Date:

Compartment: 169

Gaylord Mgt. Unit

Shannon Harig : Examiner Year of Entry: 2017

Dominant Site Conditions

2G	3A	3J	5A	5C
		13		110
19		10		
		0		
		2		
		0		
			11	
		10		
		11		
				20
		2		13
		3		318
	48			21
		0		
		6		
19	48	58	11	482
	19	19	13 19 10 0 2 0 10 10 11 11 2 3 48 0 6	13

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	14	Unspecified	Unspecified	Unspecified	Unspecified
C	omments:						
2	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	19	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
C	omments:						

Report 5 – Site Conditions

Gaylord Mgt. Unit Shannon Harig : Examiner

3	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	16	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
	Comments:						
4	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	7	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
5	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	20	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
6	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	110	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
7	Unavailable	5A: Not able to obtain desirable regeneration	11	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
8	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	31	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

Report 5 – Site Conditions

Gaylord Mgt. Unit Shannon Harig : Examiner

9	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	28	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: High Priority Trout	Stream SCA					
10	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	39	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						
11	Unavailable	3A: Potential old growth / biodiversity	48	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						
12	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	13	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						
13	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	15	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						
14	Unavailable	2F: Too steep	29	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						

Report 5 – Site Conditions

Gaylord Mgt. Unit Shannon Harig : Examiner

Available	5C: Delay treatment for age/size class diversity or exceptional site quality	17	Unspecified	Unspecified	Unspecified	Unspecified
comments:						
Available	5C: Delay treatment for age/size class diversity or exceptional site quality	114	Unspecified	Unspecified	Unspecified	Unspecified
comments:						
Available	5C: Delay treatment for age/size class diversity or exceptional site quality	66	Unspecified	Unspecified	Unspecified	Unspecified
comments:						
Available	5C: Delay treatment for age/size class diversity or exceptional site quality	51	Unspecified	Unspecified	Unspecified	Unspecified
comments:						
Unavailable comments:	2F: Too steep	3	Unspecified	Unspecified	Unspecified	Unspecified
	Available Comments: Available Comments: Available Comments: Unavailable	age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments:	age/size class diversity or exceptional site quality formments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality formments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality formments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality formments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality formments:	age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Unspecified Unspecified Unspecified	age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Available 5C: Delay treatment for age/size class diversity or exceptional site quality Comments: Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified Unspecified	age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 5C: Delay treatment for age/size class diversity or exceptional site quality Available 2F: Too steep 3 Unspecified Un

Mgt. Unit

Compartment: #Type! Year of Entry:



Report 6 – PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Gaylord Mgt. Unit Compartment: 169
Year of Entry 2017



Report 7 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservatior Area	туре	Description	HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxy stocked trout populations and those of other coldwater year to year. Coldwater streams in Michigan typically p contributions of groundwater to their stream flows. Suc designated as trout resources by Fisheries Order 210.	fish species (e.g., slimy sculpin) to persist from rovide these conditions due to substantial
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosinfluences the aquatic ecosystem and vice-versa. Becastreams and open water wetlands, riparian areas harbocommunities are ecologically and socially significant in as aesthetics, habitat, bank stability, timber production.	ause of the unique conditions adjacent to lakes, or a high diversity of plants and wildlife. Riparian their effects on water quality and quantity, as well

S t	Gaylord	I Mgt. Unit		Report 8	– Forested	Stands Compartment: 169 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
1	4191 - Mixed Upland Deciduous with Conifer	Sapling Well	22.0	17	Immature	Red and White Oak are represented in all size classes from sapling up to large 20"+ DBH. Oak aspen and pine regeneration all look great.
3	4133 - Aspen, Mixed Pine	Sawtimber Well	20.0	74	81-110	Aspen is showing signs of decline.
4	4130 - Aspen	Sapling Well	24.0	17	Immature	Some scattered white and red oak. Aspen regeneration looks good.
5	4130 - Aspen	Poletimber Well	34.9	25	1-50	Regeneration looks great.
6	42110 - Planted Red Pine	Sapling Well	15.0	25	1-50	Mix of planted red pine and volunteer jack pine. PArVHa.
7	4139 - Aspen, Mixed Deciduous	Sawtimber Well	19.1	73	111-140	Aspen is showing signs of decline. A few large red pine and jack pine in the southern part of the stand.
8	4130 - Aspen	Sapling Well	41.8	18	Immature	A few small areas of sparse regeneration but overall the stand looks good.
9	4130 - Aspen	Poletimber Well	21.0	25	51-80	Regen looks good. Just moving into pole size stand.
10	42140 - Planted Mixed Pine	Sapling Well	11.3	25	1-50	Mix of planted red pine and volunteer jack pine.
12	4132 - Aspen, Jack Pine	Poletimber Well	14.6	68	81-110	Aspen and jack pine beginning to lose vigor.
13	4123 - Red Oak	Sawtimber Well	17.1	98	111-140	Looks healthy. On the side of a north facing slope.
14	4139 - Aspen, Mixed Deciduous	Sawtimber Well	81.0	68	81-110	A lot of the aspen is starting to lose vigor. A couple pockets of white pine understory.
15	4199 - Other Mixed Upland Deciduous	Sawtimber Well	19.5	83	81-110	Some scattered hemlock and large white and red pine.
18	4130 - Aspen	Poletimber Well	3.1	53	81-110	
19	42201 - Natural White Pine, Mixed Deciduous	Sawtimber Well	5.8	85	111-140	Some white pine regeneration. Oak looks good. A lot of this stand is on a steep west facing slope.
21	4130 - Aspen	Poletimber Well	13.3	27	1-50	In transition to pole stand.
22	4130 - Aspen	Poletimber Well	1.8	46	81-110	

s t	Gaylord	d Mgt. Unit		Report 8	Forested	Stands Compartment: 169 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
23	42200 - Natural White Pine	Sawtimber Medium	30.0	72	1-50	Oak, aspen, red maple and jack pine are regenerating.
24	4133 - Aspen, Mixed Pine	Sapling Well	54.6	16	Immature	Regeneration looks good.
25	4123 - Red Oak	Sapling Medium	58.9	2	Immature	Good looking oak regeneration.
26	42110 - Planted Red Pine	Sawtimber Well	30.6	54	141-170	
27	42290 - Natural Mixed Pine	Poletimber Well	37.5	48	81-110	Aspen and jack pine are showing signs of decline. The red and white pine look good. PArVAa
28	6120 - Lowland Cedar	Sawtimber Well	9.8	97	111-140	Crumley Creek runs through this stand.
29	42220 - Natural Jack Pine	Poletimber Well	2.4	51	51-80	
30	4130 - Aspen	Poletimber Well	56.6	48	81-110	
31	4133 - Aspen, Mixed Pine	Poletimber Well	110.4	55	81-110	Multiple size classes of aspen though they are all roughly the same age.
32	6120 - Lowland Cedar	Sawtimber Well	50.7	123	201+	Healthy, nice looking stand.
33	6127 - Lowland Pine	Sawtimber Well	10.9	178	141-170	Natural stand composed primarily of large white pine. Cored a 20" WP, 154 yrs old. There were larger, apparently older trees that were too large to core with the borer I have.
34	42210 - Natural Red Pine	Sawtimber Well	14.6	120	171-200	Natural stand.
35	6120 - Lowland Cedar	Sapling Well	1.3	19	Immature	Very nice regeneration. Fully stocked.
36	6128 - Lowland Coniferous, Mixed Deciduous	Sapling Well	6.7	43	Immature	Fully stocked, healthy regeneration.
37	6120 - Lowland Cedar	Sawtimber Well	19.0	129	201+	Heavy CWD throughout stand. Looks Healthy.
38	42200 - Natural White Pine	Sawtimber Well	2.6	178	141-170	Nice natural stand of old white pine.
39	4130 - Aspen	Poletimber Well	50.4	27	51-80	Nice regeneration just moving into pole class.

S t	Gaylord	d Mgt. Unit		Report 8	Forested	Stands Compartment: 169 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
40	4123 - Red Oak	Sawtimber Well	39.0	98	51-80	Red maple and aspen were removed from this stand approximately 14 years ago.
41	6120 - Lowland Cedar	Sawtimber Well	37.9	129	201+	Heavy CWD throughout stand. Looks healthy.
42	4123 - Red Oak	Sawtimber Well	31.3	100	51-80	
43	4139 - Aspen, Mixed Deciduous	Sapling Well	59.5	26	1-50	Good looking, diverse regeneration.
44	4191 - Mixed Upland Deciduous with Conifer	Sawtimber Well	13.1	98	81-110	Transition between upland oak and cedar stand.
45	4123 - Red Oak	Sawtimber Well	3.2	100	111-140	Oak looks good. Very steep north facing slope.
46	4319 - Mixed Upland Forest	Sawtimber Well	27.0	62	81-110	Stand of large white pine, wet ion places.
47	4123 - Red Oak	Sawtimber Well	20.1	93	111-140	
48	4123 - Red Oak	Sawtimber Well	113.5	102	111-140	Stand looks healthy. White pine regen throughout stand as well as some oak regen. PArVHa.
49	42260 - Natural Pine, Mixed Deciduous	Sawtimber Well	13.1	121	111-140	Natural stand of large white pine.
50	4123 - Red Oak	Sawtimber Well	66.0	96	81-110	Some small oak regen. Stand looks healthy.
51	42120 - Planted Jack Pine	Sapling Well	97.5	15	Immature	OPIC - FMD: 2000-LEAVE DEAD WOOD AND SNAGS, SEEDED IN 1999, then followed up with a planting because of a failure in the seeding, hand planted 4/2000. 2004-Regen looks good.
52	42120 - Planted Jack Pine	Sapling Well	10.0	15	Immature	
53	4130 - Aspen	Sapling Well	67.0	15	1-50	Good regeneration, nice looking mixed stand.
54	4123 - Red Oak	Sawtimber Well	50.9	100	81-110	Stand looks healthy. Very nice white pine regen throughout stand. Hilly terrain. Long term MO is for pine/oak forest. PArVHa.
55	4123 - Red Oak	Sawtimber Well	94.0	98	81-110	Stand looks healthy. Very nice white pine regen throughout stand. Hilly terrain. Long term MO is for pine/oak forest. PArVHa.
56	6122 - Black Spruce	Sawtimber Well	10.8	106	81-110	Some coarse woody debris, looks pretty healthy.

/s	OF NATURAL	\ \
PARIME	DNR	
10	MICHIGAN .	0

S t	Gaylord Mgt. Unit			Report 8	– Forestea :	Stands Compartment: 169 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
58	4191 - Mixed Upland Deciduous with Conifer	Sawtimber Well	31.6	93	111-140	Transition stand between upland oak and swamp.
59	42210 - Natural Red Pine	Sawtimber Well	48.1	111	141-170	Soils are transition between Roscommon Muck and Rubicon sand. PArVCo/PArVHa.
60	4191 - Mixed Upland Deciduous with Conifer	Sapling Well	15.9	17	1-50	Regenerating to mix of oak, red maple and pine.
61	4130 - Aspen	Sapling Well	4.8	17	Immature	
63	6120 - Lowland Cedar	Sawtimber Well	19.1	109	201+	Crumley Creek runs through this stand.
64	42210 - Natural Red Pine	Sawtimber Well	6.6	154	111-140	Nice natural stand of red pine and white pine.
67	4130 - Aspen	Poletimber Well	36.6	42	51-80	Regeneration looks great.
69	4130 - Aspen	Sapling Well	12.0	17	Immature	Some scattered white and red oak. Aspen regeneration looks good.
70	6124 - Lowland Spruce- Fir	Poletimber Well	3.7	56	141-170	
71	4319 - Mixed Upland Forest	Sawtimber Well	18.2	100	81-110	
148	4130 - Aspen	Sapling Medium	35.1	6	Immature	Decent regeneration, mostly aspen.
408	42200 - Natural White Pine	Sapling Poor	1.0	10	Immature	
						_



Cover Type	Acres	Managed Site	General Comments:
122 - Road/Parking Lot	6.0	No	OPIC - FMD: Brudy Road and pipeline ROW
6299 - Lowland Shrub (OI)	10.2	No	Tag alder in the north end of the stand thins out to the south. Some standing dead cedar and fir. The south tip of the stand contains some red maple and balsam fir poles with a heavy balsam fir understory.
310 - Herbaceous Openland	1.1	No	Starting to fill in with cherry, red maple and pine.
6299 - Lowland Shrub (OI)	1.9	No	Tag alder.
122 - Road/Parking Lot	0.7	No	Hatch Road
310 - Herbaceous Openland	1.1	No	Powerline
122 - Road/Parking Lot	1.1	No	OPIC - FMD: 1995-LEAVE ALL OAK 2004-Good regen, some residual oak, red pine and white pine. PVCd.
31029 - Grass (OI)	1.3	No	OPIC - FMD: PArVHa.
31029 - Grass (OI)	1.2	No	OPIC - FMD: PArVHa.
31029 - Grass (OI)	0.7	No	Starting to fill in with a little pine.
3303 - Mixed Low Density Trees	13.1	No	Scattered cherry and white pine and clumps of maple and aspen.
310 - Herbaceous Openland	1.9	No	OPIC - FMD: 2004-Pipeline
310 - Herbaceous Openland	1.3	No	OPIC - FMD: 2004-Pipeline
310 - Herbaceous Openland	3.4	No	OPIC - FMD: 2004-Pipeline
310 - Herbaceous Openland	1.6	No	OPIC - FMD: Power line.
	122 - Road/Parking Lot 6299 - Lowland Shrub (OI) 310 - Herbaceous Openland 6299 - Lowland Shrub (OI) 122 - Road/Parking Lot 310 - Herbaceous Openland 122 - Road/Parking Lot 31029 - Grass (OI) 31029 - Grass (OI) 31029 - Grass (OI) 31029 - Grass (OI) 3101029 - Grass (OI) 31029 - Grass (OI) 31029 - Grass (OI) 31029 - Grass (OI) 31029 - Grass (OI)	122 - Road/Parking Lot 6.0 6299 - Lowland Shrub (OI) 10.2 310 - Herbaceous Openland 1.1 6299 - Lowland Shrub (OI) 1.9 122 - Road/Parking Lot 0.7 310 - Herbaceous Openland 1.1 122 - Road/Parking Lot 1.1 31029 - Grass (OI) 1.3 31029 - Grass (OI) 1.2 31029 - Grass (OI) 1.2 31029 - Grass (OI) 1.2 31029 - Grass (OI) 1.3	122 - Road/Parking Lot 6.0 No 10.2 No 10.2 No 10.2 No 10.2 No 10.2 No 10.2 No 10.3 No 10.4 Herbaceous Openland 1.1 No 10.2 Road/Parking Lot 1.1 No 10.3 No 1