

### **Compartment Review Presentation**

**Gaylord Forest Management Unit** 

Compartment 52210

Entry Year 2017

Acreage: 2,214

County Cheboygan

Management Area: Cheboygan Basin Moraines

Revision Date: 2015-05-11

Stand Examiner: John Scheele

**Legal Description:** 

T35N - R01E, Sections 28-34

#### **Identified Planning Goals:**

To provide for the protection, integrated management and responsible use of a healthy, production, and undiminished forest resource base for the social, recreational, environmental, and economic benefit of the State of Michigan.

#### Soil and topography:

This compartment consist of four major soil type classifications. The far western portion of the compartment (Sections 29, 30, and 31) is part of the Cheboygan-Blue Lake association which is comprised of nearly level terrain with well drained to moderately well drained sandy soils. The Fairport-Onaway association is in sections 30, 31, 33, and 34 and consist of level to rolling terrain, having well drained loamy soils. Sections 29, 32, and 28 are part of the Grayling-Rubicon association with gently rolling terrain and excessively well drained sandy soils. The western half of sections 28 and 33 are comprised of the Detour-Brevort association having level terrain and poorly drained loamy-sandy loam soils.

#### Ownership Patterns, Development, and Land Use in and Around the Compartment:

State ownership in this compartment is relatively uniform with only three isolated 80 acre parcels. There is one 55 acre piece of privately owned land in the center of the compartment which includes the hydro-powered Kleber Dam. The remainder of the state-owned land is contiguous, with the exception of a several small parcels of private ownership near Kleber Lake. There are a few permanent and seasonal residences scattered within the compartment. Visual management is a concern along the well used county roads and along the shores of Kleber Lake. There are numerous camping and fishing sites around the Kleber Lake.

#### **Unique Natural Features:**

The Bald Eagle, Wood Turtle, and Eastern Pond Mussel have been documented in this compartment. There is potential for red-shouldered hawk, goshawk, eagle, osprey, and great blue heron rookery.

#### **Archeological, Historical, and Cultural Features:**

No known occurrences.

#### **Special Management Designations or Considerations:**

There are 2 small nominated Special Conservation Areas (SCA) in the compartment including 1 Natural Red Pine Type 2 Old-Growth Area and 1 Habitat Corridor Area.

### **Watershed and Fisheries Considerations:**

This compartment contains portions of Milligan Creek and the Upper Black River as well as Kleber Pond, an impoundment of the Upper Black River. The Upper Black River is a designated trout stream downstream of Kleber Dam, and supports a population of lake sturgeon, a threatened species. Best Management practices should be followed to avoid erosion and sedimentation as well as for visual management. Protection of water quality near the sturgeon spawning grounds (downstream of Kleber Dam) should be identified in the compartment comments. Standard no clearcut buffers should be maintained adjacent to Kleber Pond, these buffers are not identified in the treatment comments.

#### Wildlife Habitat Considerations:

Timber management in this compartment should promote a diversity of forest age classes including early successional habitat for deer, turkey, grouse, and woodcock. Waterfowl and furbearers also are common.

#### Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of coarse-textured till and minor dune sand. The glacial drift thickness varies between 0 and 50 feet. The Devonian Traverse Group subcrops below the glacial drift. The Traverse is used for cement and stone elsewhere in the state. A gravel pit is located one mile to the southwest. Due to the thin glacial till and abundance of clay in the area, sand and gravel potential may be limited. The nearest oil and gas production, the Niagaran Reef Trend, is located ten miles

to the south. There is no known oil and gas potential in the area, although there are active leases jus tto the south.

#### **Vehicle Access:**

This compartment has very good access to most stands. There are several county and seasonal county roads, as well as state owned two-tracks within the compartment. The isolated parcels are accessible from county roads.

#### **Survey Needs:**

No survey needs needed at this time.

#### **Recreational Facilities and Opportunities:**

The compartment has an abundance of recreational opportunities including hunting and fishing. There are also 3 designated ORV/Cycle trail/routes within the boundaries of the compartment. these included the Michigan Cross County Cycle Trail, the Red Bridge ORV trail, and the Red Bridge ORV Route. There is also a public boat ramp at the end of Twin School Road.

#### **Fire Protection:**

There is minimal risk for a significant wildfire in the compartment due to the overall soil types and the number of nature fire breaks including water bodies, rivers, creeks, and streams. There is a moderate risk for smaller scale wildfires due to the number of recreational camping sites and private ownerships within the compartment and surrounding area.


#### **Additional Compartment Information:**


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details


The following information is displayed, where pertinent, on the attached compartment maps:


Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system

















Compartment 210 Year of Entry 2017

John Scheele : Examiner

Gaylord Mgt. Unit



#### Age Class

|                             | ¥og | 40° |     | 0. / ° | \$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Ø / V | Se Se | ,<br>,<br>,<br>,<br>,<br>,<br>, |     | ,   | 8, 8, | \$ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 70, | ,  | , | OF S | L. L. | St Jug | A LOS |
|-----------------------------|-----|-----|-----|--------|--|-------|-------|---------------------------------|-----|-----|-------|---|-----|----|---|------|-------|--------|-------|
| Aspen                       | 0   | 85  | 86  | 39     | 32                                       | 48    | 0     | 24                              | 122 | 309 | 17    | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 762   |
| Bare/Sparsely Vegetated     | 15  | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 15    |
| Cedar                       | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 37                                      | 0   | 0  | 0 | 0    | 0     | 0      | 37    |
| Herbaceous Openland         | 58  | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 58    |
| Low-Density Trees           | 11  | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 11    |
| Lowland Aspen/Balsam Poplar | 0   | 12  | 38  | 9      | 33                                       | 0     | 0     | 0                               | 0   | 9   | 17    | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 118   |
| Lowland Conifers            | 0   | 0   | 0   | 6      | 0  | 0     | 0     | 27                              | 0   | 0   | 80    | 35                                      | 22  | 13 | 0 | 0    | 0     | 0      | 183   |
| Lowland Deciduous           | 0   | 0   | 0   | 17     | 15                                       | 0     | 0     | 9                               | 11  | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 52    |
| Lowland Mixed Forest        | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 7   | 0  | 0 | 0    | 0     | 0      | 7     |
| Lowland Shrub               | 63  | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 63    |
| Lowland Spruce/Fir          | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 25    | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 25    |
| Marsh                       | 7   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 7     |
| Mixed Upland Deciduous      | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 4                               | 25  | 19  | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 48    |
| Natural Mixed Pines         | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 5   | 8   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 13    |
| Northern Hardwood           | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 12  | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 12    |
| Oak                         | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 73  | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 73    |
| Planted Mixed Pines         | 0   | 20  | 0   | 0      | 0  | 0     | 7     | 13                              | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 40    |
| Red Pine                    | 0   | 0   | 0   | 0      | 0  | 0     | 92    | 196                             | 22  | 0   | 37    | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 347   |
| Upland Conifers             | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 30  | 17    | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 47    |
| Upland Mixed Forest         | 0   | 20  | 0   | 0      | 0  | 15    | 0     | 0                               | 22  | 8   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 65    |
| Upland Spruce/Fir           | 0   | 0   | 0   | 0      | 0  | 5     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 5     |
| Urban                       | 29  | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 29    |
| Water                       | 193 | 0   | 0   | 0      | 0  | 0     | 0     | 0                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 193   |
| White Pine                  | 0   | 0   | 0   | 0      | 0  | 0     | 0     | 3                               | 0   | 0   | 0     | 0                                       | 0   | 0  | 0 | 0    | 0     | 0      | 3     |
| Total                       | 376 | 137 | 124 | 71     | 80                                       | 68    | 99    | 276                             | 207 | 468 | 193   | 72                                      | 29  | 13 | 0 | 0    | 0     | 0      | 2213  |



# **Report 2 – Treatment Summary**

# Gaylord Mgt. Unit Year of Entry: 2017

**Acres of Harvest** 

Compartment 210
Total Compartment Acres: 2,214

Commercial Harvest - 578 Harvests with Site Condition - 5. Next Step Harvest - 0 Habitat Cut - 155

### **Cover Type by Harvest Method**

|                        |       | _   | _ |   |   |    |  |   | / &  |   |     | <del></del> |
|------------------------|-------|-----|---|---|---|----|--|---|--|---|-----|-------------|
|                        |       |     |   |   |   |    | On of the second |   | To the state of th |   |     | Note /      |
|                        |       |     |   |   |   |    |  |   |  |   |     |             |
| Aspen                  |       | 376 | 0 | 0 | 0 | 0  | 0  | 0 | 0  | 0 | 376 |             |
| Mixed Upland Deciduous |       | 29  | 0 | 0 | 0 | 0  | 0  | 0 | 0  | 0 | 29  |             |
| Planted Mixed Pines    |       | 13  | 0 | 0 | 0 | 0  | 0  | 0 | 0  | 0 | 13  |             |
| Red Pine               |       | 26  | 0 | 0 | 0 | 20 | 57   | 0 | 0  | 0 | 103 |             |
| Upland Conifers        |       | 30  | 0 | 0 | 0 | 0  | 0  | 0 | 0  | 0 | 30  |             |
| Upland Mixed Forest    |       | 30  | 0 | 0 | 0 | 0  | 0  | 0 | 0  | 0 | 30  |             |
| White Pine             |       | 0   | 0 | 0 | 0 | 3  | 0  | 0 | 0  | 0 | 3   |             |
|                        | Total | 503 | 0 | 0 | 0 | 23 | 57   | 0 | 0  | 0 | 583 |             |

#### **Proposed and Next Step Treatments by Harvest Method**

|           |       |     |     |  | ,       |        |    |          |            |    |        |  |
|-----------|-------|-----|-----|--|---------|--------|----|----------|------------|----|--------|--|
|           |       | /.  |     | , d. | Outro C | Sign / |    | OD THE W | ojijojijo, |    | 40 / 3 |  |
| Current   |       | 583 | 0   | 0  | 0       | 0      | 0  | 138      | 0          | 16 | 738    |  |
| Next Step |       | 0   | 105 | 52                                       | 0       | 0      | 52 | 579      | 0          | 0  | 789    |  |
|           | Total | 583 | 105 | 52                                       | 0       | 0      | 52 | 718      | 0          | 16 | 1527   |  |

**Proposed Start Date:** 10/1 /2016

52210029-CC

Unspec Mixed Conifer Medium ified

Harvest

Clearcut

413 - Aspen

Even-Aged

60

Sawtimber

**Habitat Cut: No** Site Condition: None

4136 - Aspen,

6.4

Prescription Harvest stand to regenerate. No cut oak and White Pine. No stand retention due to small stand size.

Specs:

Next Step

**Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and deciduous species.

Regen: Other

Need to cross a small low area from the north to reach stand. Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016 Proposal

S



Compartment: 210

Year of Entry: 2017

| a<br>n<br>d | Treatment<br>Name | Acres | Stand<br>CoverType               | Size<br>Density   | Stand<br>Age | BA<br>Range     | Treatment<br>Type | Treatment<br>Method        | Cover Type<br>Objective | Age<br>Structure | Approval<br>Status |
|-------------|-------------------|-------|----------------------------------|-------------------|--------------|-----------------|-------------------|----------------------------|-------------------------|------------------|--------------------|
| 31          | 52210031-<br>CCWR | 10.0  | 4139 - Aspen,<br>Mixed Deciduous | Sawtimber<br>Well | 60           | Unspec<br>ified | Harvest           | Clearcut with<br>Retention | 413 - Aspen             | Even-Aged        | Proposal           |

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. Leave pine and oak species.

Next Step

Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and deciduous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210033-19.5 4131 - Aspen, Oak Sawtimber 80 Unspec Harvest Clearcut with 413 - Aspen Even-Aged Proposal **CCWR** Well ified Retention

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. Expand cut area into the adjacent Red Pine stand to cut any aspen and poorer quality Red Pine where needed.

Specs: Leave the few larger diameter Red Pine within the stand and mark a couple oaks per acre to leave.

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen, deciduous and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210038-54.7 42110 - Planted Sawtimber 57 141-Harvest Low Thinning 4211 - Planted Even-Aged Proposal **RPThinning** Red Pine Well 170 Red Pine

**Habitat Cut:** No **Site Condition:** None

Prescription Mark down to 100 - 120 BA. Mark double stems and poorly formed trees to cut.

Specs:

Next Step

**Treatments:** 

<u>Acceptable</u> Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210048-CC 5.3 4130 - Aspen Sawtimber 85 Unspec Harvest Clearcut 413 - Aspen Even-Aged Proposal

Well ified

**Habitat Cut: No** Site Condition: Age-Class or Site Quality

Prescription Harvest stand to regenerate. No cut pine or oak. No retention due to small stand size. Keep treatment boundary away from edge of ridge to

Specs: avoid any potential erosion problems.

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen: Other

Include stand with stands 50 and 60 when setting up sale. Old next step comments:

Comment:

Report 4 -- Treatments

Compartment: 210

Year of Entry: 2017

| t<br>a<br>n<br>d | Treatment<br>Name | Acres  | Stand<br>CoverType            | Size<br>Density   | Stand<br>Age | BA<br>Range     | Treatment<br>Type | Treatment<br>Method        | Cover Type<br>Objective        | Age<br>Structure | Approval<br>Status | 6/ |
|------------------|-------------------|--------|-------------------------------|-------------------|--------------|-----------------|-------------------|----------------------------|--------------------------------|------------------|--------------------|----|
| 50               | 52210050-<br>CCWR | 29.6 4 | 29 - Mixed Upland<br>Conifers | Sawtimber<br>Well | r 86         | Unspec<br>ified | Harvest           | Clearcut with<br>Retention | 429 - Mixed<br>Upland Conifers | Even-Aged        | Proposal           |    |
|                  | 4-4-0-4-11        |        | 014 - 0 1141                  |                   |              |                 |                   |                            |                                |                  |                    |    |

Site Condition: None **Habitat Cut: No** 

Prescription Harvest stand to regenerate. No cut Red Pine and oak. Mark some White Pine to leave. Permission to access to stand through private property along west side of the rearing facility has been obtained. Cut in winter.

Next Step

Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of coniferous and deciduous species.

Regen:

Other Include stands 60 and 48 is sale. Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210051-CC 25 1 4191 - Mixed Sawtimber 70 111-Harvest Clearcut with 4199 - Other Even-Aged Proposal **Upland Deciduous** Mixed Upland Well 140 Retention with Conifer Deciduous

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. No cut Red Pine, White Pine, or oak. Put stand retention in low ground areas.

Specs:

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of deciduous species.

Regen:

**Other** Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210055-Cut 74.5 4134 - Aspen, Sawtimber 70 Unspec Harvest Clearcut 413 - Aspen Even-Aged Approved Spruce/Fir Well ified Proposal

**Habitat Cut: No** Site Condition: None

Prescription Within payment units 1, 2, and 3, cut all trees that are 2 inches or more at dbh except all ash, cedar, hemlock, cherry, and oak. In addition, white

pine and red pine are not to be cut in unit 3. Specs:

Next Step

Treatments:

Acceptable Acceptable regeneration will satisfy the minimum stocking levels of aspen.

Regen: **Other** 

Stands 30 and 57 were completed in 2014. Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210060-42210 - Natural 15.0 Sawtimber 81-110 Harvest Shelterwood with 4221 - Natural Even-Aged Proposal **SWR** Red Pine Well Retention Red Pine

**Habitat Cut: No Site Condition:** None

Prescription Harvest stand to regenerate. Cut all species except oak and the currently teal-marked Red Pine trees. Also mark some large DBH White Pine to leave. Goal should be to have 30 - 50 feet of Red and White Pine residual BA. Winter cut to avoid access problems around rearing facility. Specs:

Include with stands 48 and 50 when setting up sale.

Next Step Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of pine and deciduous species.

Regen:

Stand was previously prescribed to cut but was not because of access problems. Individual leave trees are still marked with teal paint. Very **Other** nice, tall Red Pine. Some larger than 18" DBH White Pine are scattered throughout stand. Stand BA is 110. Old next step comments: Comment:

Unspec Even-Aged **CCWR** Mixed Deciduous Well ified Retention

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. Leave oak, Red Pine, and larger diameter White Pine. Put retention in east part of stand around pocket of lower ground containing larger diameter White Pine trees. Maintain a 50 feet buffer along waters edge instead of 100 feet. This is to make stand more Specs:

economically feasible to cut.

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

<u>Other</u> Old next step comments:

Comment:

10/1 /2016 **Proposed Start Date:** 

Natural Regen

(Re-Inventory)

6112 - Lowland

Aspen

Even-Aged

Next Step **Treatments:** 

Specs:

Regen: Other

Comment:

**Proposed Start Date:** 

**Habitat Cut: Yes** 

52210093-

Monitor

Acceptable Minimum stocking of aspen. Regen:

Old next step comments:

Prescription Regeneration survey during inventory

10/1 /2016

6112 - Lowland

Aspen

Site Condition: None

Sapling

Well

Immatu

re

Monitoring

**Other** Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016 Draft Field

Boundary

| DNR DURCHIGAN |
|---------------|
|---------------|

| a<br>n<br>d | Treatment<br>Name | Acres | Stand<br>CoverType          | Size<br>Density   | Stand<br>Age | BA<br>Range     | Treatment<br>Type | Treatment<br>Method     | Cover Type<br>Objective | Age<br>Structure | Approval<br>Status |
|-------------|-------------------|-------|-----------------------------|-------------------|--------------|-----------------|-------------------|-------------------------|-------------------------|------------------|--------------------|
| 95          | 52210095-<br>CCWR | 12.4  | 4134 - Aspen,<br>Spruce/Fir | Sawtimber<br>Well | 80           | Unspec<br>ified | Harvest           | Clearcut with Retention | 413 - Aspen             | Even-Aged        | Proposal           |

Site Condition: None **Habitat Cut: No** 

Prescription Harvest stand to regenerate. No cut Red or White Pine. Stay out of low ground areas.

Next Step

Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210099-Unspec 14.9 4134 - Aspen, Sawtimber 80 Harvest Clearcut with 413 - Aspen Even-Aged Proposal **CCWR** Well Spruce/Fir ified Retention

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. No cut White Pine or hemlock. Put retention around drainage and low area along west edge of stand.

Specs:

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

42140 - Planted 101 52210101-Cut 13.2 Sawtimber 62 111-Harvest Clearcut 4211 - Planted Even-Aged Proposal Mixed Pine Red Pine

Well 140

**Habitat Cut: No Site Condition:** None

Prescription Harvest stand and replant to Red Pine. Cut all trees greater than 2 inch diameter except oak and chip tops. Cut in summer so stumps are cut

Specs: low to ground.

1 - SitePrep, Roller Chopping; 2 - SitePrep, Trenching; 3 - Pesticide, Aerial; 4 - Planting, Initial Plant; 5 - Monitoring, Artificial Regen(1yr) Next Step

Treatments:

Acceptable Well stocked level of Red Pine.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

102 52210102-4211 - Planted 18.0 42210 - Natural Sawtimber 75 81-110 Harvest Clearcut with Even-Aged Proposal Red Pine Well Retention Red Pine **RPCC** 

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand and replant to Red Pine. Cut all trees greater that 2 inch diameter except oak and chip tops. Cut in summer so stumps are cut

Specs: low to ground.

Next Step 1 - SitePrep, Roller Chopping; 2 - SitePrep, Trenching; 3 - Pesticide, Aerial; 4 - Planting, Initial Plant; 5 - Monitoring, Artificial Regen(1yr)

**Treatments:** 

Acceptable Well stocked level of Red Pine.

Regen:

Other Old next step comments:

Comment:

Compartment: 210 Year of Entry: 2017

| a<br>n<br>d | Treatment<br>Name | Acres | Stand<br>CoverType          | Size<br>Density | Stand<br>Age | BA<br>Range  | Treatment<br>Type | Treatment<br>Method        | Cover Type<br>Objective    | Age<br>Structure | Approval<br>Status |
|-------------|-------------------|-------|-----------------------------|-----------------|--------------|--------------|-------------------|----------------------------|----------------------------|------------------|--------------------|
| 103         | 52210103-Cut      | 13.7  | 4133 - Aspen,<br>Mixed Pine | Sapling<br>Well | 5            | Immatu<br>re | Harvest           | Clearcut with<br>Retention | 4211 - Planted<br>Red Pine | Even-Aged        | Proposal           |
|             |                   |       |                             |                 |              |              |                   |                            |                            |                  |                    |

**Habitat Cut: No** Site Condition: None

Prescription Clear cut residual white pine from harvest last entry to prepare the site for planting efforts this YOE with adjacent stands. Specs:

Next Step 1 - SitePrep, Roller Chopping; 2 - SitePrep, Trenching; 3 - Pesticide, Aerial; 4 - Planting, Initial Plant; 5 - Monitoring, Artificial Regen(1yr) Treatments:

Acceptable Well stocked planted RP

Regen:

Old next step comments: Other

Comment:

**Proposed Start Date:** 10/1 /2016

52210105-42210 - Natural Even-Aged Proposal 105 7.5 Sawtimber 90 51-80 Harvest Clearcut with 4211 - Planted **CCWR** Red Pine Medium Retention Red Pine

**Habitat Cut: No Site Condition:** None

Prescription Harvest stand and replant to Red Pine. Cut all trees greater than 2 inch diameter except oak and chip tops. Place retention area between stand 105 and 103. Include some of the large Red Pine within the retention area. Also mark a few scattered Red Pine trees to leave. Cut in summer Specs:

so stumps are cut low to ground.

Next Step 1 - SitePrep, Roller Chopping; 2 - SitePrep, Trenching; 3 - Pesticide, Aerial; 4 - Planting, Initial Plant; 5 - Monitoring, Artificial Regen(1yr)

**Treatments:** 

Acceptable Well stocked level of Red Pine.

Regen:

Other Old next step comments:

Comment:

Proposed Start Date: 10/1 /2016

111 52210111-CC 7.9 4311 - Pine, Aspen Sawtimber 4319 - Mixed 80 81-110 Harvest Clearcut Even-Aged Proposal Mix Medium **Upland Forest** 

**Habitat Cut: No** None Site Condition:

Prescription Harvest stand to regenerate. No cut oak. Mark a few Red Pine to leave. No stand retention due to small stand size. Cut in summer to Specs:

encourage scarification and natural regeneration. May want to add stand to timber sale to the south.

Next Step

**Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

4211 - Planted Draft Field 113 52210113-20.4 4311 - Pine, Aspen Sapling Immatu Monitoring Artificial Even-Aged Well Red Pine Regen(3yr) Boundary Monitor Mix re

**Habitat Cut: Yes** Site Condition: None

Prescription Regeneration survey

Specs:

Next Step Treatments:

Acceptable Medium to well stocked level of Red Pine.

Regen:

Other Old next step comments:

Comment:

Compartment: 210 Year of Entry: 2017

| a<br>n<br>d | Treatment<br>Name | Acres | Stand<br>CoverType          | Size<br>Density   | Stand<br>Age | BA<br>Range     | Treatment<br>Type | Treatment<br>Method        | Cover Type<br>Objective | Age<br>Structure | Approval<br>Status | 9 |
|-------------|-------------------|-------|-----------------------------|-------------------|--------------|-----------------|-------------------|----------------------------|-------------------------|------------------|--------------------|---|
| 116         | 52210116-<br>CCWR | 43.6  | 4133 - Aspen,<br>Mixed Pine | Sawtimber<br>Well | 80           | Unspec<br>ified | Harvest           | Clearcut with<br>Retention | 413 - Aspen             | Even-Aged        | Proposal           |   |
| 11-6:       | 4-4 04. 11.       |       | 0:4- 0                      |                   |              |                 |                   |                            |                         |                  |                    |   |

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. No cut oak, cedar, White or Red Pine. Mark some Red Pine to leave. Keep equipment out of the drainages which run west to east. These areas can be use as possible stand retention areas.

Next Step

Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210118-118 15.4 4133 - Aspen, Sawtimber 80 Unspec Harvest Clearcut with 413 - Aspen Even-Aged Proposal CCWR Mixed Pine Well ified Retention

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. Mark 20 - 30 BA of Red and White Pine to leave. Leave a 100 feet no cut area from the waters edge in the north

Specs: part of the stand. I

Next Step Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

119 52210119-CC 5.8 4133 - Aspen. Sawtimber 80 Unspec Harvest Clearcut 413 - Aspen Even-Aged Proposal

Mixed Pine Medium ified

**Habitat Cut: No Site Condition:** None

Prescription Harvest stand to regenerate. No cut oak, White Pine or large diameter Red Pine. No retention due to small stand size. Maintain a 100 feet no

clear cut buffer along waters edge and include any campsite within the buffer. Specs:

Next Step

Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

125 52210125-CC 4199 - Other 4.3 4191 - Mixed Sawtimber 60 111-Harvest Clearcut Even-Aged Proposal **Upland Deciduous** Well 140 Mixed Upland Deciduous

with Conifer

Site Condition: None

Prescription Harvest stand to regenerate. No cut oak, hemlock, or cedar. No stand retention due to small stand size.

Specs:

Next Step

**Treatments:** 

**Habitat Cut:** No

Acceptable Acceptable regeneration includes a moderate to well-stock mix of aspen and deciduous species.

Regen:

Other Old next step comments:

Comment:

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. Expand treatment boundary line to the north along the private boundary line when setting up the sale if possible.

Specs: Do not expand if it becomes too wet.

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and deciduous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

25.7 Sawtimber 137 52210137-4134 - Aspen, 85 Unspec Clearcut with Harvest 413 - Aspen Even-Aged Proposal **CCWR** Spruce/Fir Well ified Retention

**Habitat Cut: No** Site Condition: None

Prescription Harvest stand to regenerate. No cut cedar or oak. Mark some Red Pine to leave. Put retention along east side of stand along the wet drainage Specs:

area. Also keep equipment out of drainage area in center of stand. This is another good area for possible stand retention.

Next Step Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210143-2.8 42200 - Natural Sawtimber 60 1-50 Harvest Shelterwood with 4220 - Natural Even-Aged Proposal Well

White Pine Retention White Pine **SWWR** 

**Habitat Cut: No** Site Condition: None

Prescription Mark stand to 30 - 50 BA. Include all multi-stemmed trees to cut when marking. No cut any oak trees.

Specs:

Next Step **Treatments:** 

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of pine and aspen species.

Regen:

Other Old next step comments:

Comment:

s t

Compartment: 210 Year of Entry: 2017



а **Treatment** Acres Stand Size Stand BA **Treatment Treatment Cover Type Approval** Age n Method Objective Name CoverType Density Age Range Type Structure **Status** d 146 52210146-5.4 42210 - Natural Sawtimber 90 81-110 Shelterwood with 4221 - Natural Even-Aged Proposal Harvest **RPSW** Red Pine Well Retention Red Pine

Site Condition: None **Habitat Cut: No** 

Prescription Harvest stand to regenerate. Thin Red Pine to 30 - 50 BA. Leave Red Pine tops and cut in summer to encourage scarification and natural

regeneration. Specs:

Next Step Treatments:

Acceptable Acceptable regeneration includes a moderate to well-stocked mix of aspen and coniferous species.

Regen:

Old next step comments: **Other** 

Comment:

**Proposed Start Date:** 10/1 /2016

154 52210154-58 1.7 42210 - Natural Sawtimber 141-Harvest Crown Thinning 4221 - Natural Even-Aged Proposal Red Pine

Red Pine **RPCT** Well 170

**Habitat Cut: No** Site Condition: None

Prescription Mark to 100 - 110 BA. Mark poor quality stems and concentrate marking on the White Pine.

Specs:

Next Step **Treatments:** 

Acceptable Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

52210160-42210 - Natural Crown Thinning 4221 - Natural 160 0.6 Sawtimber 70 171-Harvest Even-Aged Proposal **RPCT** Red Pine Well 200 Red Pine

**Habitat Cut:** No **Site Condition:** None

Prescription Mark Red Pine to 100 - 120 BA. Mark defective and multi-stemmed trees to cut. .

Specs:

Next Step

Treatments:

<u>Acceptable</u> Regen:

<u>Other</u> Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

**Total Treatment** 737.9 **Acreage Proposed:** 

Compartment: 210

Gaylord Mgt. Unit

John Scheele : Examiner Year of Entry: 2017

#### **Dominant Site Conditions**

3A 3J 5C

|                             | 3A | 3J  | 5C  |
|-----------------------------|----|-----|-----|
| Aspen                       |    |     | 188 |
| Bare/Sparsely Vegetated     |    |     |     |
| Cedar                       |    |     |     |
| Herbaceous Openland         |    |     |     |
| Low-Density Trees           |    |     |     |
| Lowland Aspen/Balsam Poplar |    | 9   |     |
| Lowland Conifers            |    | 115 | 1   |
| Lowland Deciduous           |    |     |     |
| Lowland Mixed Forest        |    |     |     |
| Lowland Shrub               |    |     |     |
| Lowland Spruce/Fir          |    |     |     |
| Marsh                       |    |     |     |
| Mixed Upland Deciduous      |    |     | 19  |
| Natural Mixed Pines         |    |     | 8   |
| Northern Hardwood           |    |     |     |
| Oak                         |    |     | 73  |
| Planted Mixed Pines         |    |     |     |
| Red Pine                    | 10 |     |     |
| Upland Conifers             |    | 17  |     |
| Upland Mixed Forest         |    |     |     |
| Upland Spruce/Fir           |    |     |     |
| Urban                       |    |     |     |
| Water                       |    |     |     |
| White Pine                  |    |     |     |
| Total Forested Acres        | 10 | 141 | 289 |
| Relative Percent            |    |     |     |
|                             |    |     |     |

\*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

|   | Dominant Site Cond Availability | Dominant Site Condition                              | Acres | Other Site Condition | Other Site Condition  | Other Site Condition | Other Site Condition |
|---|---------------------------------|--|-------|----------------------|---|----------------------|----------------------|
| 1 | Unavailable                     | 3J: Water quality / BMPs<br>(stream, river, or lake) | 17    | 2F: Too steep        | 2G: Too wet (sensitive soils, does not include access issues) | Unspecified          | Unspecified          |
|   | Comments:                       |  |       |                      |   |                      |                      |

Gaylord Mgt. Unit John Scheele : Examiner

| 2 | Unavailable | 2G: Too wet (sensitive soils, does not include access issues)                | 10 | 3J: Water quality /<br>BMPs (stream, river, or<br>lake)       | Unspecified | Unspecified | Unspecified |
|---|-------------|--|----|---|-------------|-------------|-------------|
|   | Comments:   |  |    |   |             |             |             |
| 3 | Available   | 5C: Delay treatment for age/size class diversity or exceptional site quality | 6  | Unspecified   | Unspecified | Unspecified | Unspecified |
|   | Comments:   |  |    |   |             |             |             |
| 4 | Unavailable | 3J: Water quality / BMPs<br>(stream, river, or lake)                         | 9  | 2G: Too wet (sensitive soils, does not include access issues) | Unspecified | Unspecified | Unspecified |
|   | Comments:   |  |    |   |             |             |             |
| 5 | Unavailable | 3J: Water quality / BMPs<br>(stream, river, or lake)                         | 4  | 2G: Too wet (sensitive soils, does not include access issues) | Unspecified | Unspecified | Unspecified |
|   | Comments:   |  |    |   |             |             |             |
| 6 | Unavailable | 2G: Too wet (sensitive soils, does not include access issues)                | 7  | 3A: Potential old growth / biodiversity                       | Unspecified | Unspecified | Unspecified |
|   | Comments:   |  |    |   |             |             |             |

Gaylord Mgt. Unit John Scheele : Examiner

| 7  | Unavailable | 3J: Water quality / BMPs<br>(stream, river, or lake)                         | soils, does not incl |               | 2G: Too wet (sensitive soils, does not include access issues) | Unspecified | Unspecified |
|----|-------------|--|----------------------|---------------|---|-------------|-------------|
| C  | Comments:   |  |                      |               |   |             |             |
| 8  | Unavailable | 3J: Water quality / BMPs<br>(stream, river, or lake)                         | 12                   | 2F: Too steep | 2G: Too wet (sensitive soils, does not include access issues) | Unspecified | Unspecified |
| C  | Comments:   |  |                      |               |   |             |             |
| 9  | Unavailable | 2G: Too wet (sensitive soils, does not include access issues)                | 11                   | Unspecified   | Unspecified   | Unspecified | Unspecified |
| C  | Comments:   |  |                      |               |   |             |             |
| 10 | Unavailable | 2G: Too wet (sensitive soils, does not include access issues)                | 6                    | Unspecified   | Unspecified   | Unspecified | Unspecified |
| C  | Comments:   |  |                      |               |   |             |             |
| 11 | Available   | 5C: Delay treatment for age/size class diversity or exceptional site quality | 17                   | Unspecified   | Unspecified   | Unspecified | Unspecified |
| C  | Comments:   |  |                      |               |   |             |             |
| 12 | Unavailable | 2G: Too wet (sensitive soils, does not include access issues)                | 14                   | Unspecified   | Unspecified   | Unspecified | Unspecified |
| C  | Comments:   |  |                      | _             |   |             |             |
|    |             |  |                      |               |   |             |             |

Gaylord Mgt. Unit

John Scheele : Examiner

| 13 | Available   | 5C: Delay treatment for<br>age/size class diversity or<br>exceptional site quality                                | 21 | Unspecified Unspecified                                       |             | Unspecified | Unspecified |
|----|-------------|---|----|---|-------------|-------------|-------------|
| С  | omments:    |   |    |   |             |             |             |
| 14 | Unavailable | 2G: Too wet (sensitive soils, does not include access issues)   | 25 | Unspecified   | Unspecified | Unspecified | Unspecified |
| С  | omments:    |   |    |   |             |             |             |
| 15 | Available   | Available 5C: Delay treatment for 73 Unspecified Unspecified age/size class diversity or exceptional site quality |    | Unspecified   | Unspecified | Unspecified |             |
| С  | omments:    |   |    |   |             |             |             |
| 16 | Unavailable | 3J: Water quality / BMPs<br>(stream, river, or lake)  | 77 | 2G: Too wet (sensitive soils, does not include access issues) | Unspecified | Unspecified | Unspecified |
| С  | omments:    |   |    |   |             |             |             |
| 17 | Available   | 5C: Delay treatment for age/size class diversity or exceptional site quality                                      | 11 | Unspecified   | Unspecified | Unspecified | Unspecified |
| С  | omments:    |   |    |   |             |             |             |
| 18 | Available   | 5C: Delay treatment for age/size class diversity or exceptional site quality                                      | 19 | Unspecified   | Unspecified | Unspecified | Unspecified |
| С  | omments:    |   |    |   |             |             |             |

Gaylord Mgt. Unit

John Scheele : Examiner

| 19 | Unavailable                  | 3A: Potential old growth / biodiversity                                      | 10 | 0 Unspecified Unspecified |             | Unspecified | Unspecified |
|----|------------------------------|--|----|---------------------------|-------------|-------------|-------------|
|    | Comments:<br>Coded as a SCA. | Type 2 Old Growth.   |    |                           |             |             |             |
| 20 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality | 28 | Unspecified               | Unspecified | Unspecified | Unspecified |
|    | Comments:                    |  |    |                           |             |             |             |
| 21 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality | 3  | Unspecified               | Unspecified | Unspecified | Unspecified |
|    | Comments:                    |  |    |                           |             |             |             |
| 22 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality | 11 | Unspecified               | Unspecified | Unspecified | Unspecified |
|    | Comments:                    |  |    |                           |             |             |             |
| 23 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality | 7  | Unspecified               | Unspecified | Unspecified | Unspecified |
|    | Comments:                    |  |    |                           |             |             |             |
| 24 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality | 22 | Unspecified               | Unspecified | Unspecified | Unspecified |
|    | Comments:                    |  |    |                           |             |             |             |
|    |                              |  |    |                           |             |             |             |

Gaylord Mgt. Unit

John Scheele : Examiner

| 25 | Available                    | 5C: Delay treatment for<br>age/size class diversity or<br>exceptional site quality | 4  | Unspecified | Unspecified | Unspecified | Unspecified |
|----|------------------------------|--|----|-------------|-------------|-------------|-------------|
| C  | omments:                     |  |    |             |             |             |             |
| 26 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality       | 5  | Unspecified | Unspecified | Unspecified | Unspecified |
| C  | omments:                     |  |    |             |             |             |             |
| 27 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality       | 7  | Unspecified | Unspecified | Unspecified | Unspecified |
| C  | omments:                     |  |    |             |             |             |             |
| 28 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality       | 13 | Unspecified | Unspecified | Unspecified | Unspecified |
| C  | omments:                     |  |    |             |             |             |             |
| 29 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality       | 31 | Unspecified | Unspecified | Unspecified | Unspecified |
|    | omments:<br>n eagle nest has | also been reported to be in stan   | d. |             |             |             |             |
| 30 | Available                    | 5C: Delay treatment for age/size class diversity or exceptional site quality       | 8  | Unspecified | Unspecified | Unspecified | Unspecified |
| C  | omments:                     | _  |    |             |             |             |             |
|    |                              |  |    |             |             |             |             |

Gaylord Mgt. Unit

John Scheele : Examiner

| 155 | Unavailable | 2G: Too wet (sensitive soils, does not include access issues) | 2 | Unspecified | Unspecified | Unspecified | Unspecified |
|-----|-------------|---|---|-------------|-------------|-------------|-------------|
| Co  | omments:    |   |   |             |             |             |             |

Gaylord Mgt. Unit

Compartment: 210 Year of Entry: 2017



### Report 6 - PROPOSED SPECIAL CONSERVATION AREA\* (SCA) DETAILS

\* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

| SCA Name  | SCA Category                          | Detail Type   | Recommendation                        | Acres |  |  |  |  |  |  |
|---|---------------------------------------|---|---------------------------------------|-------|--|--|--|--|--|--|
| Factor Limited - Too Wet  | Other SCA                             |   | SCA Removal                           | 2     |  |  |  |  |  |  |
| Comments  |                                       |   |                                       |       |  |  |  |  |  |  |
| Swamp Hardwood stand with very large old WP as a super canopy component. Understory is Q type, thick with BF and Hemlock, a few white spruce. Small acreage. Was excluded from adjacent harvest. Has PVT ownership to the south. Let stand develop natura |                                       |   |                                       |       |  |  |  |  |  |  |
| Natural Red Pine Stand  | Type 1 or Type 2 Old Growth           | Verified Type 2 Old Growth Area   | Proposed SCA                          | 11    |  |  |  |  |  |  |
| Comments  |                                       |   |                                       |       |  |  |  |  |  |  |
| ,   | • • • • • • • • • • • • • • • • • • • | ket. Stand has small two track leading sing the road. Wet soils will cause a pr | · · · · · · · · · · · · · · · · · · · | а ВМР |  |  |  |  |  |  |
| Natural Red Pine Stand  | Other SCA                             |   | SCA Removal                           | 6     |  |  |  |  |  |  |
| Comments  |                                       |   |                                       |       |  |  |  |  |  |  |
| Small pocket of large natural RP that is 100+ years old. Nice stand bordering lowland and swamp conifer. Lots of use by deer for day bedding. Leave stand alone, let RP mature as is for age class diversity and big tree management. D.H. 03/04/2005     |                                       |   |                                       |       |  |  |  |  |  |  |

Gaylord Mgt. Unit Compartment: 210
Year of Entry 2017



# Report 7 – EXISTING SPECIAL CONSERVATION AREA DETAILS

\* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

| Conservation | on Type                       | Description  | ERA = Ecological Reference Area<br>HCVA = High Conservation Value Area<br>SCA = Special Conservation Area   |
|--------------|-------------------------------|--|---|
| SCA          | Cold Water Lake               | A coldwater lake has temperature and dissolved oxygen condition stocked trout populations and those of other coldwater fish specific conditions for coldwater fishes may occur in Michigan lakes if the groundwater inflows, or are located in colder (northern) areas of Director's action and designated as trout resources by Fisheries   | ies to persist from year to year. Suitable<br>ey are relatively deep, have substantial<br>the state. Such lakes are established by  |
| SCA          | Cold Water<br>Stream          | A coldwater stream has temperature and dissolved oxygen cond stocked trout populations and those of other coldwater fish speci year to year. Coldwater streams in Michigan typically provide the contributions of groundwater to their stream flows. Such streams designated as trout resources by Fisheries Order 210.  | ies (e.g., slimy sculpin) to persist from see conditions due to substantial   |
| SCA          | Potential Old<br>Growth Areas | This category contains stands were identified for a broad range of database as stand condition 8 as potential old growth (POG). A identified through the Operations Inventory (OI)/Compartment Re Entry 2008 and forward, potential old growth is managed for the through the Biodiversity Conservation Planning Process (BCPP) objective (as an ERA, HCVA, or other type of SCA) and is releast designation; or 2) it is released from the potential old growth desprocess. | Approximately 310,000 acres have been eview process. For stands in Year of identified objective until it is: 1) vetted and given a specific designation and sed from the potential old growth |
| SCA          | Riparian Area                 | A transitional area between aquatic and terrestrial ecosystems in influences the aquatic ecosystem and vice-versa. Because of the streams and open water wetlands, riparian areas harbor a high communities are ecologically and socially significant in their efferas aesthetics, habitat, bank stability, timber production, and their   | e unique conditions adjacent to lakes,<br>liversity of plants and wildlife. Riparian<br>cts on water quality and quantity, as well  |

| S                | Gaylord  | Gaylord Mgt. Unit   |       |              | - Forested  | Stands Compartment: 210 Year of Entry: 2017  |
|------------------|--|---------------------|-------|--------------|-------------|--|
| t<br>a<br>n<br>d | Level 4<br>Cover Type                            | Size<br>Density     | Acres | Stand<br>Age | BA<br>Range | General<br>Comments:   |
| 1                | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Medium | 104.8 | 67           | 81-110      | Thinned in 1997 with all Jack pine removed. Red Pine is 4 to 5 sticks tall, branchy, with average quality. The latest growth rings are getting tighter. Pockets of full aspen and Jack Pine regeneration. Pockets of heavy understory. BA is 100.        |
| 2                | 6112 - Lowland Aspen                             | Poletimber<br>Well  | 33.0  | 36           | Unspecified | Heavy deer browse on the Red Osier Dogwood.  |
| 4                | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 3.5   | 53           | 111-140     | Thinned in 2010. BA is 140.  |
| 6                | 4130 - Aspen                                     | Sapling Well        | 24.3  | 5            | Immature    | Balsam Fir blowing over.   |
| 8                | 6112 - Lowland Aspen                             | Sawtimber<br>Medium | 5.6   | 90           | Unspecified | Heavy EAB. Too wet.  |
| 9                | 4130 - Aspen                                     | Sapling Well        | 9.3   | 5            | Immature    |  |
| 10               | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 13.4  | 75           | Unspecified | Larger aspen beginning to break off. Some log-sized DBH cedar in stand. Drainage in east part of stand flowing northwest to river. High, dry ground in northeast corner of stand.  |
| 13               | 6112 - Lowland Aspen                             | Sawtimber<br>Well   | 9.1   | 80           | Unspecified | Factor limit. Too wet and along river. Heavy deer browse on the dogwood.   |
| 14               | 4130 - Aspen                                     | Sapling Well        | 14.7  | 17           | Immature    |  |
| 16               | 4130 - Aspen                                     | Poletimber<br>Well  | 29.5  | 26           | Immature    |  |
| 18               | 6112 - Lowland Aspen                             | Sapling<br>Medium   | 5.1   | 17           | Immature    | Heavy deer browse on the dogwood.  |
| 19               | 6111 - Lowland Balsam<br>Poplar                  | Poletimber<br>Well  | 8.6   | 26           | Immature    | EAB D-holes present. Drainage in stand flowing to the southeast.   |
| 21               | 4311 - Pine, Aspen Mix                           | Sawtimber<br>Well   | 22.0  | 70           | 81-110      | Aspen is poorer quality. Variety of Red Pine diameters with the tops dying in the older pines. West side of stand gets wetter. Access stand through private property to the east or from the north off of Twin School Road. Cut with stand to the north. |
| 23               | 6115 - Lowland Ash                               | Poletimber<br>Well  | 9.3   | 60           | Unspecified | Heavy EAB with stand dying out.  |
| 24               | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 2.2   | 65           | 111-140     | Alternate rows of Red and Jack Pine. Jack Pine dying and breaking off. BA is 130.  |
| 25               | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous | Poletimber<br>Well  | 77.2  | 90           | Unspecified |  |

| s<br>t      | Gaylord  | l Mgt. Unit         |       | Report 8     | - Forested  | Stands Compartment: 210 Year of Entry: 2017   |
|-------------|--|---------------------|-------|--------------|-------------|---|
| a<br>n<br>d | Level 4<br>Cover Type                            | Size<br>Density     | Acres | Stand<br>Age | BA<br>Range | General Comments:   |
| 26          | 4191 - Mixed Upland<br>Deciduous with Conifer    | Sawtimber<br>Well   | 19.4  | 85           | 51-80       | Oak is multi-stemmed with some aspen dying out.   |
| 27          | 4123 - Red Oak                                   | Sawtimber<br>Medium | 72.7  | 80           | 51-80       | Very high deer activity under the oak within the stand. BA is 51.   |
| 28          | 6118 - Lowland<br>Deciduous with Cedar           | Poletimber<br>Well  | 15.3  | 30           | Immature    | Excessive blow down. White Cedar tops are dying and blowing over.   |
| 29          | 4136 - Aspen, Mixed<br>Conifer                   | Sawtimber<br>Medium | 6.4   | 60           | Unspecified |   |
| 30          | 4133 - Aspen, Mixed<br>Pine                      | Sapling Well        | 11.9  | 1            | Immature    | Cut in 2014.  |
| 31          | 4139 - Aspen, Mixed<br>Deciduous                 | Sawtimber<br>Well   | 10.0  | 60           | Unspecified |   |
| 32          | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 14.5  | 55           | 81-110      | Thinned in 2010. BA is 110. A lot of deer trails through the stand.   |
| 33          | 4131 - Aspen, Oak                                | Sawtimber<br>Well   | 16.9  | 80           | Unspecified | Some Pockets of younger aspen. Some individually larger diameter Red Pine.  |
| 34          | 4133 - Aspen, Mixed<br>Pine                      | Poletimber<br>Well  | 11.2  | 49           | Unspecified | West side of stand was planted to Red Pine but had poor survival and poor growth. The black oak is multi-stemmed with large crowns and poor form. Leave for next YOE.   |
| 35          | 42141 - Planted Mixed<br>Pine, Mixed Deciduous   | Poletimber<br>Well  | 7.3   | 55           | 111-140     | Red Pine survival rate is poor from planting. Slow growth rate per year of Red Pine. Jack Pine dying out. Larger, better quality natural Red Pine to the east. BA is 130 including oak, aspen, and Jack Pine. |
| 36          | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 14.7  | 65           | 81-110      | Thinned in 1994. BA is 81.  |
| 37          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 31.3  | 85           | Unspecified | Blow down beginning to occur. Cedar is short with tops dying. Higher spot is center of the stand and along the east edge of stand. Use barbed wired fence along east edge of stand as boundary line.          |
| 38          | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 54.7  | 57           | 141-170     | Thinned in 1997. BA is 153. There is a few small openings of deciduous regeneration within the stand.   |
| 39          | 4136 - Aspen, Mixed<br>Conifer                   | Sawtimber<br>Well   | 21.8  | 70           | Unspecified |   |
| 41          | 6112 - Lowland Aspen                             | Sapling Well        | 33.0  | 17           | Immature    | Cut in 1997. High ground along the west edge of stand.  |
| 42          | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous | Poletimber<br>Poor  | 6.1   | 25           | Immature    |   |

| S                | Gaylord  | Gaylord Mgt. Unit    |       |              | - Forested  | Stands Compartment: 210 Year of Entry: 2017  |
|------------------|--|----------------------|-------|--------------|-------------|--|
| t<br>a<br>n<br>d | Level 4<br>Cover Type                            | Size<br>Density      | Acres | Stand<br>Age | BA<br>Range | General<br>Comments:   |
| 43               | 6120 - Lowland Cedar                             | Sawtimber<br>Well    | 9.1   | 100          | Unspecified | Areas of blow down with very high Balsam Fir regeneration.   |
| 46               | 6127 - Lowland Pine                              | Sawtimber<br>Well    | 7.1   | 100          | 81-110      | Very unique stand of large diameter White Pine that are very tall and straight.  |
| 47               | 4130 - Aspen                                     | Poletimber<br>Well   | 20.7  | 49           | Unspecified | Higher amount of Balsam Fir in the south part of stand. Leave for next YOE.  |
| 48               | 4130 - Aspen                                     | Sawtimber<br>Well    | 5.3   | 85           | Unspecified | Tall aspen in north part of stand. Developing trunk rot. South part of stand is younger aspen with an average of 8" DBH which may have been cut in 1965.   |
| 49               | 6129 - Mixed<br>Coniferous Lowland<br>Forest     | Sawtimber<br>Well    | 12.9  | 120          | Unspecified | Some individual White Pine, White Spruce, and cedar that are greater than 18" DBH. Leave as an 'un cut' buffer along the Black River. EAB is present.  |
| 50               | 429 - Mixed Upland<br>Conifers                   | Sawtimber<br>Well    | 29.6  | 86           | Unspecified | Mixed stand north of the Sturgeon rearing facility. Some balsam Fir and larger aspen falling over . some larger DBH White and Red Pine trees. Access stand through private property just east of the facility.   |
| 51               | 4191 - Mixed Upland<br>Deciduous with Conifer    | Sawtimber<br>Well    | 25.1  | 70           | 111-140     | Balsam Fir beginning to blow down. Oak tops are dying. Leave pine species and oak if cutting.  |
| 52               | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous | Poletimber<br>Medium | 24.0  | 60           | Unspecified |  |
| 53               | 42290 - Natural Mixed<br>Pine                    | Sawtimber<br>Well    | 8.1   | 80           | 111-140     | Jack Pine dying out. BA is 120 including all species.  |
| 55               | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well    | 47.6  | 70           | Unspecified | Part of sale #52-113-11-01. Pocket of cedar in southwest part of stand.  |
| 60               | 42210 - Natural Red<br>Pine                      | Sawtimber<br>Well    | 15.0  | 90           | 81-110      | Stand was previously prescribed to cut but was not because of access problems. Individual leave trees are still marked with teal paint. Very nice, tall Red Pine. Some larger than 18" DBH White Pine are scattered throughout stand. Stand BA is 110. |
| 62               | 4130 - Aspen                                     | Sapling Well         | 13.1  | 17           | Immature    |  |
| 63               | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well    | 16.4  | 67           | 111-140     | Jack Pine removed in 1997. Red Pine rows are more obvious to see than in stand to the south. BA is 120.  |
| 64               | 42111 - Planted Red<br>Pine, Mixed Deciduous     | Poletimber<br>Well   | 5.7   | 58           | 111-140     | Thinned in 2010. BA is 123.  |
| 65               | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous | Sawtimber<br>Well    | 21.7  | 110          | Unspecified | Some larger White Cedar trees 14 DBH and larger. Steep hill down to Milligan Creek and Black River. Leave as a 'no cut' area or retention.   |

| s<br>t      | Gaylord Mgt. Unit                                |                     |       | Report 8     | B – Forested | Stands Compartment: 210 Year of Entry: 2017  |
|-------------|--|---------------------|-------|--------------|--------------|--|
| a<br>n<br>d | Level 4<br>Cover Type                            | Size<br>Density     | Acres | Stand<br>Age | BA<br>Range  | General<br>Comments:   |
| 68          | 6120 - Lowland Cedar                             | Poletimber<br>Poor  | 11.5  | 100          | Unspecified  | Some areas of significant blow down. Poor quality cedar with a lot of dead cedar overstory.                              |
| 69          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Medium | 3.4   | 60           | Unspecified  | Cut with adjacent sale.  |
| 72          | 4130 - Aspen                                     | Sapling Well        | 2.3   | 17           | Immature     |  |
| 76          | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 17.7  | 65           | 141-170      | Nice stand with little understory competition. Thinned in 1994. BA is 150.   |
| 78          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 11.5  | 83           | Unspecified  | Wettest portion is in the north part of stand.   |
| 79          | 4139 - Aspen, Mixed<br>Deciduous                 | Sawtimber<br>Well   | 18.6  | 85           | Unspecified  | Some larger DBH aspen of better quality near the water. Smaller DBH timber with more Red Maple along west edge of stand. |
| 80          | 4133 - Aspen, Mixed<br>Pine                      | Sawtimber<br>Well   | 11.1  | 90           | Unspecified  | Aspen is over mature and beginning to fall apart. Some larger DBH White and Red Pine trees.                              |
| 81          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 27.6  | 70           | Unspecified  | Some area of heavy Balsam Fir blow down and some area of smaller DBH aspen.  |
| 86          | 42141 - Planted Mixed<br>Pine, Mixed Deciduous   | Sapling Well        | 19.9  | 5            | Immature     | Cut in 2010 and planted in 2012 with 2-0 stock.  |
| 87          | 4130 - Aspen                                     | Sapling Well        | 7.8   | 4            | Immature     |  |
| 88          | 6120 - Lowland Cedar                             | Poletimber<br>Poor  | 16.8  | 100          | Unspecified  | Canopy closure is closer to 25%. Very thick understory. Cedar tops are dying out.  |
| 90          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 10.9  | 80           | Unspecified  | Balsam Fir breaking off and creating slash. Higher Balsam Fir<br>amount along Milligan Creek.                            |
| 91          | 6115 - Lowland Ash                               | Sapling Well        | 7.3   | 25           | Immature     | EAB D-holes present.   |
| 93          | 6112 - Lowland Aspen                             | Sapling Well        | 8.4   | 4            | Immature     |  |
| 94          | 4130 - Aspen                                     | Sapling Well        | 14.4  | 4            | Immature     |  |
| 95          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 12.4  | 80           | Unspecified  |  |
| 96          | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous | Sawtimber<br>Well   | 2.3   | 90           | Unspecified  | Leave as diversity, habitat, or retention.   |

| S<br>t      | Gaylord  | Gaylord Mgt. Unit   |       |              | B – Forested | Stands Compartment: 210 Year of Entry: 2017   |
|-------------|--|---------------------|-------|--------------|--------------|---|
| a<br>n<br>d | Level 4<br>Cover Type                            | Size<br>Density     | Acres | Stand<br>Age | BA<br>Range  | General<br>Comments:  |
| 97          | 4130 - Aspen                                     | Sapling Well        | 24.4  | 17           | Immature     |   |
| 99          | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well   | 14.9  | 80           | Unspecified  | Some Balsam Fir and aspen over mature and falling over. Very small drainage in west-center of the stand. Larger individual Red Pine located in south part of stand. Barbed-wire fence along the south line of stand. Put retention around the lower area in the south part of stand including some of the Red and White Pine.  Do not cross drainage during timber harvest. |
| 100         | 4130 - Aspen                                     | Sapling Well        | 12.4  | 17           | Immature     | Some individual x-sized DBH Red Pine trees.   |
| 101         | 42140 - Planted Mixed<br>Pine                    | Sawtimber<br>Well   | 13.2  | 62           | 111-140      | Small individual blocks of Red and Jack Pine. Jack Pine dying out and breaking off. Red Pine was thinned in 2010. BA for Red Pine is 133.   |
| 102         | 42210 - Natural Red<br>Pine                      | Sawtimber<br>Well   | 21.3  | 75           | 81-110       | Select cut in 1997. BA is 100. Campsites along the water.   |
| 103         | 4133 - Aspen, Mixed<br>Pine                      | Sapling Well        | 13.7  | 5            | Immature     |   |
| 105         | 42210 - Natural Red<br>Pine                      | Sawtimber<br>Medium | 7.5   | 90           | 51-80        | Cut in 1997. Pockets of Red Pine and White Pine with higher BA's which could be thinned. Current BA is 60.  |
| 106         | 6117 - Lowland<br>Deciduous, Mixed<br>Coniferous | Sapling Well        | 7.3   | 20           | Immature     |   |
| 108         | 42110 - Planted Red<br>Pine                      | Sawtimber<br>Well   | 13.6  | 67           | 81-110       | Thinned in 1997 and 2010. BA is 100.  |
| 111         | 4311 - Pine, Aspen Mix                           | Sawtimber<br>Medium | 8.0   | 80           | 81-110       | Some x-sized Red Pine and aspen trees with the aspen dying and falling over. Adjacent stand in Compartment 211 is prescribed for cutting. BA is 90.   |
| 112         | 42210 - Natural Red<br>Pine                      | Sawtimber<br>Well   | 10.0  | 90           | 171-200      | Some x-sized Red and White Pine. Small drainage in center of stand. Possible wildlife corridor or drainage protection stand. BA is 190.   |
| 113         | 4311 - Pine, Aspen Mix                           | Sapling Well        | 20.4  | 3            | Immature     | Harvested in 2010. Planted in spring of 2014.   |
| 114         | 4133 - Aspen, Mixed<br>Pine                      | Sawtimber<br>Well   | 6.7   | 70           | Unspecified  | Poor quality aspen with trunk rot. Jack Pine dying out.   |
| 115         | 4133 - Aspen, Mixed<br>Pine                      | Sawtimber<br>Well   | 5.0   | 70           | Unspecified  |   |
| 116         | 4133 - Aspen, Mixed<br>Pine                      | Sawtimber<br>Well   | 43.6  | 80           | Unspecified  | Low drainage in center of stand flowing to the east. Wetter area in north part of stand. Small pocket of Red Pine along northwest part of stand. Old fence line/cut line along north boundary.  |

| s<br>t      | Gaylord Mgt. Unit                                      |                      |       | Report 8     | B – Forested | Stands Compartment: 210 Year of Entry: 2017  |
|-------------|--|----------------------|-------|--------------|--------------|--|
| a<br>n<br>d | Level 4<br>Cover Type                                  | Size<br>Density      | Acres | Stand<br>Age | BA<br>Range  | General<br>Comments:   |
| 117         | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous       | Sawtimber<br>Well    | 9.8   | 100          | Unspecified  | EAB is ash. Stream buffer.   |
| 118         | 4133 - Aspen, Mixed<br>Pine                            | Sawtimber<br>Well    | 15.4  | 80           | Unspecified  | Mixed-sized, poor quality aspen. Stand transitions into lower ground toward Milligan Creek to the west.  |
| 119         | 4133 - Aspen, Mixed<br>Pine                            | Sawtimber<br>Medium  | 8.1   | 80           | Unspecified  | Some large diameter Red Pine and aspen in center of stand with aspen over mature and falling over. Campsites along the water edge.   |
| 120         | 42110 - Planted Red<br>Pine                            | Sawtimber<br>Well    | 18.9  | 67           | 111-140      | Thinned in 1997. Nice quality Red Pine. Larger, better quality trees around stand 107. Pockets of very little to very high Jack Pine understory. BA is 115.  |
| 121         | 42110 - Planted Red<br>Pine                            | Sawtimber<br>Well    | 7.3   | 67           | 111-140      | Thinned in 1997. Nice quality, 5-stick high. BA is 120.  |
| 122         | 4133 - Aspen, Mixed<br>Pine                            | Sawtimber<br>Well    | 4.3   | 60           | Unspecified  | White Pine is fairly short, very branchy with large crowns. Poor quality aspen.  |
| 123         | 4319 - Mixed Upland<br>Forest                          | Poletimber<br>Well   | 14.9  | 40           | Unspecified  |  |
| 124         | 6122 - Black Spruce                                    | Poletimber<br>Well   | 25.4  | 90           | Unspecified  | Some larger than 12" diameter cedar scattered in stand.  |
| 125         | 4191 - Mixed Upland<br>Deciduous with Conifer          | Sawtimber<br>Well    | 4.3   | 60           | 111-140      | Balsam Fir breaking off and falling over. Hemlock is very short. A small drainage is on the east side of stand flowing to the northwest.   |
| 126         | 6123 - Lowland Fir                                     | Poletimber<br>Medium | 3.2   | 60           | Unspecified  | Some past beaver activity in this stand.   |
| 127         | 4130 - Aspen   | Poletimber<br>Well   | 31.6  | 36           | Unspecified  |  |
| 128         | 4130 - Aspen   | Sapling Well         | 11.6  | 17           | Immature     |  |
| 129         | 4134 - Aspen,<br>Spruce/Fir                            | Sawtimber<br>Well    | 72.7  | 80           | Unspecified  | There is variability in DBH within stand. Some small pockets of smaller aspen and pockets of larger aspen. Accessing the east part of the stand is best by going east, just south of the private property line. Avoid the drainage in the center of the stand which runs from the private property north of the stand to Milligan Creek. |
| 131         | 42380 - Non Pine<br>Upland Conifer, Mixed<br>Deciduous | Sawtimber<br>Well    | 17.1  | 95           | Unspecified  | Steep slope leading down to the Milligan Creek.  |
| 132         | 42110 - Planted Red<br>Pine                            | Sawtimber<br>Well    | 11.8  | 53           | 111-140      | Thinned in 2010. BA is 140.  |

| s<br>t      | Gaylord Mgt. Unit                                |                      |       | Report 8     | - Forested  | Stands Compartment: 210 Year of Entry: 2017  |
|-------------|--|----------------------|-------|--------------|-------------|--|
| a<br>n<br>d | Level 4<br>Cover Type                            | Size<br>Density      | Acres | Stand<br>Age | BA<br>Range | General<br>Comments:   |
| 133         | 42330 - Upland Fir                               | Poletimber<br>Well   | 5.4   | 49           | Unspecified | White birch dying out. Some larger DBH trees along the road. Leave for next YOE.   |
| 134         | 4134 - Aspen,<br>Spruce/Fir                      | Sapling Well         | 9.3   | 26           | Immature    |  |
| 135         | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well    | 7.0   | 80           | Unspecified |  |
| 136         | 4136 - Aspen, Mixed<br>Conifer                   | Sawtimber<br>Well    | 14.4  | 80           | Unspecified | Some Balsam Fir falling over. Lattice stake and old survey line along east boundary of stand.  |
| 137         | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well    | 25.7  | 85           | Unspecified | Balsam Fir starting to fall over. Pocket of Red Pine in north central part of stand. Lowland drainage along the east part of stand and in center of stand. |
| 139         | 6112 - Lowland Aspen                             | Sapling Well         | 3.9   | 6            | Immature    |  |
| 140         | 6112 - Lowland Aspen                             | Sawtimber<br>Poor    | 11.2  | 90           | Unspecified | Aspen falling over and over mature. Too Wet.   |
| 141         | 4134 - Aspen,<br>Spruce/Fir                      | Sawtimber<br>Well    | 6.0   | 90           | Unspecified | Some larger X-sized DBH aspen which is over mature and beginning to die and fall over. Cut if access is granted from adjacent private landowner.           |
| 143         | 42200 - Natural White<br>Pine                    | Sawtimber<br>Well    | 2.8   | 60           | 1-50        | Very tall, branchy White Pine. Some trees are multi-stemmed. BA is 146.  |
| 144         | 6117 - Lowland<br>Deciduous, Mixed<br>Coniferous | Poletimber<br>Medium | 10.7  | 70           | Unspecified | Poor quality stand with a higher water table. Aspen dying out and EAB present. No cut recommended.   |
| 145         | 42260 - Natural Pine,<br>Mixed Deciduous         | Sawtimber<br>Well    | 5.4   | 75           | 51-80       | BA is 77.  |
| 146         | 42210 - Natural Red<br>Pine                      | Sawtimber<br>Well    | 5.4   | 90           | 81-110      | BA is 100.   |
| 147         | 4130 - Aspen                                     | Sapling Well         | 3.1   | 4            | Immature    |  |
| 149         | 6115 - Lowland Ash                               | Sapling<br>Medium    | 2.2   | 20           | Immature    | Poor quality ash.  |
| 150         | 6124 - Lowland Spruce-<br>Fir                    | Sawtimber<br>Well    | 4.0   | 100          | Unspecified | Blow down starting to occur. Heavy EAB present. Leave for stream protection.   |
| 151         | 4130 - Aspen                                     | Poletimber<br>Well   | 2.1   | 17           | Immature    |  |
| 152         | 4112 - Maple, Beech,<br>Cherry Association       | Sawtimber<br>Medium  | 11.9  | 80           | 1-50        | Mostly multi-stemmed clumps of Red Maple trees. Very poor quality trees.   |

| S<br>t<br>a<br>n<br>d | Gaylord Mgt. Unit                                |                    |       | Report 8     | - Forested  | Stands Compartment: 210 Year of Entry: 2017  |
|-----------------------|--|--------------------|-------|--------------|-------------|--|
|                       | Level 4<br>Cover Type                            | Size<br>Density    | Acres | Stand<br>Age | BA<br>Range | General<br>Comments:   |
| 153                   | 6132 - Mixed Lowland<br>Forest with Cedar        | Sawtimber<br>Well  | 6.5   | 110          | Unspecified | Blow down beginning to occur.  |
| 154                   | 42210 - Natural Red<br>Pine                      | Sawtimber<br>Well  | 1.7   | 58           | 141-170     | Tall, nice quality Red Pine. White Pine is tall but some are multi-<br>stemmed. BA is 160.                                 |
| 156                   | 4131 - Aspen, Oak                                | Sapling Well       | 5.2   | 15           | Immature    | Stand is younger than the stand to the south.  |
| 158                   | 6128 - Lowland<br>Coniferous, Mixed<br>Deciduous | Sawtimber<br>Well  | 14.3  | 100          | Unspecified | Some large diameter White Cedar in center of stand which is relatively short (5 sticks). Large Balsam Fir is falling over. |
| 159                   | 4134 - Aspen,<br>Spruce/Fir                      | Poletimber<br>Well | 16.7  | 49           | Unspecified | Leave for next YOE.  |
|                       |  |                    |       |              |             |  |

171-200

Nice, tall, good quality Red Pine.

Sawtimber Well

0.6

70

42210 - Natural Red

Pine

160



| Stand | Cover Type                     | Acres | Managed<br>Site | General Comments:      |
|-------|--------------------------------|-------|-----------------|------------------------|
| 3     | 622 - Lowland Shrub            | 28.9  | No              |                        |
| 5     | 330 - Low-Density Trees        | 4.9   | No              |                        |
| 7     | 500 - Water                    | 2.7   | No              |                        |
| 11    | 310 - Herbaceous Openland      | 1.1   | No              |                        |
| 12    | 122 - Road/Parking Lot         | 2.6   | No              |                        |
| 15    | 310 - Herbaceous Openland      | 2.5   | No              |                        |
| 17    | 310 - Herbaceous Openland      | 0.8   | No              |                        |
| 20    | 622 - Lowland Shrub            | 2.7   | No              |                        |
| 22    | 622 - Lowland Shrub            | 4.2   | No              |                        |
| 40    | 310 - Herbaceous Openland      | 4.7   | No              |                        |
| 44    | 3303 - Mixed Low Density Trees | 6.2   | No              |                        |
| 45    | 122 - Road/Parking Lot         | 0.9   | No              |                        |
| 54    | 622 - Lowland Shrub            | 1.0   | No              |                        |
| 56    | 310 - Herbaceous Openland      | 0.6   | No              |                        |
| 57    | 760 - Non-stocked Forest       | 15.0  | No              | Cut in winter of 2014. |
| 58    | 122 - Road/Parking Lot         | 3.1   | No              |                        |
| 59    | 500 - Water                    | 5.3   | No              |                        |
| 61    | 310 - Herbaceous Openland      | 6.0   | No              |                        |
|       |                                | •     |                 |                        |



| Stand | Cover Type                | Acres | Managed<br>Site | General Comments: |
|-------|---------------------------|-------|-----------------|-------------------|
| 66    | 510- Water (OI)           | 1.0   | No              |                   |
| 67    | 122 - Road/Parking Lot    | 14.8  | No              |                   |
| 70    | 310 - Herbaceous Openland | 17.0  | Yes             |                   |
| 71    | 122 - Road/Parking Lot    | 1.9   | No              |                   |
| 73    | 310 - Herbaceous Openland | 0.8   | Yes             |                   |
| 74    | 622 - Lowland Shrub       | 3.0   | No              |                   |
| 75    | 622 - Lowland Shrub       | 9.4   | No              |                   |
| 77    | 500 - Water               | 162.9 | No              |                   |
| 82    | 310 - Herbaceous Openland | 6.9   | No              |                   |
| 83    | 122 - Road/Parking Lot    | 6.0   | No              |                   |
| 84    | 310 - Herbaceous Openland | 6.0   | No              |                   |
| 85    | 310 - Herbaceous Openland | 2.1   | No              |                   |
| 89    | 500 - Water               | 4.7   | No              |                   |
| 92    | 622 - Lowland Shrub       | 0.7   | No              |                   |
| 98    | 310 - Herbaceous Openland | 0.5   | No              |                   |
| 104   | 500 - Water               | 16.7  | No              |                   |
| 107   | 622 - Lowland Shrub       | 2.6   | No              |                   |
| 109   | 622 - Lowland Shrub       | 1.9   | No              |                   |
|       |                           |       |                 |                   |

# Report 9 - Nonforested Stands



| Stand | Cover Type                | Acres | Managed<br>Site | General Comments: |
|-------|---------------------------|-------|-----------------|-------------------|
| 110   | 310 - Herbaceous Openland | 8.8   | No              |                   |
| 130   | 622 - Lowland Shrub       | 2.1   | No              |                   |
| 138   | 623 - Emergent Wetland    | 1.4   | No              |                   |
| 142   | 622 - Lowland Shrub       | 2.6   | No              |                   |
| 148   | 623 - Emergent Wetland    | 5.3   | No              |                   |
| 155   | 622 - Lowland Shrub       | 3.6   | No              |                   |