

Compartment Review Presentation

Baraga Forest Management Unit

Compartment 11058 Entry Year 2023

Acreage: 627

County Houghton

Management Area: Keweenaw

Stand Examiner: Brad Carlson

Legal Description:

T53N, R33W, Sections 1, 2 and 12. T55N, R32W, Sections 19, 20, 29 and 31.

T55N, R33W, Sections 8.

Identified Planning Goals:

Central Keweenaw.

This compartment is a loose collection of small state owned parcels. The majority of this land is managed for recreational purposes and water protection.

Soil and topography:

The terrain is primairily level with a few hills along historic beach lines. Soils are Trimountain-Paavola-Waiska, Munising-Abbaye-Kalkaska complex, Dawson and Loxley peats, Tawas-Roscommon muck, Gay muck, AuGres-Roscommon complex and Skanee-Gay complex.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

The majority of the adjacent lands are owned by small private individuals. There are many year-round homes adjacent to state land.

Unique Natural Features:

Great Lakes Marsh is located in the compartment.

Archeological, Historical, and Cultural Features:

The Torch Lake Shipping Canal and the Portage Lake Shipping Canal were developed to ship copper out of the Keweenaw both border this compartment.

Special Management Designations or Considerations:

Boston Pond is a designated water access site. Fish Division maintains the dam.

Watershed and Fisheries Considerations:

Boston Pond Dam is maintained by Fish Division.

Wildlife Habitat Considerations:

Deer migrating to and from traditional deeryards on the eastern side of the Keweenaw to the spine of the Keweenaw use this compartment as a travel corridor.

Mineral Resource and Development Concerns and/or Restrictions

There is no known mineral activity in the area of the parcels in T53N-R33W and those around Torch Lake, and the parcels have limited mineral potential. The parcels in Sec 8 are in the middle of the Keweenaw Copper Range. Numerous abandoned copper mines are in the area, and most of the easily accessible copper has been mined out of this region. However, there may still be some remaining potential. There has been no recent mineral leasing activity in this area, and there is no known interest. Mine waste rock in the region has been used as a source of construction aggregate, and glacial drift is actively being mined for aggregate west of the compartment. However, there does not appear to be much surface mining potential within the compartment. There is no potential for economic oil and gas production in the UP. The state does not own all the mineral rights within the compartment. Because the mineral estate is the dominant estate, reasonable access to the surface must be provided to private owners if they choose to explore or develop their mineral rights.

Vehicle Access:

Vehicle access to the Boston Pond is good. Access the rest of the compartment is poor.

Survey Needs:

Some survey work will need to be done for timber harvest activities.

Recreational Facilities and Opportunities:

The Hancock to Calumet Rail-Trail crosses the Boston Pond parcel. There are canoe campsites on the Torch Lake cuts in Section 19 and on the Portage River in Section 12.

Fire Protection:

This is not a fire prone area.


Additional Compartment Information:


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details


The following information is displayed, where pertinent, on the attached compartment maps:


Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system


























Baraga Mgt. Unit

Brad Carlson: Examiner

ga Mgt. Unit

Compartment 58 Year of Entry 2023



Age Class

	No.	Sold C	3° / 2	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		3 / \$		8 /8		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			70,	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			By A	\$ Just	TO TO
Bog	93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	92
Cedar	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	38	38
Lowland Conifers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	53
Lowland Mixed Forest	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	13
Lowland Shrub	130	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	130
Lowland Spruce/Fir	0	0	0	0	0	0	0	0	0	0	0	0	39	0	0	0	0	0	38
Marsh	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32
Mixed Upland Deciduous	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	14	23
Northern Hardwood	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	36	36
Oak	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	8
Sand, Soil	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Tamarack	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0	0	0	69
Upland Conifers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24	24
Water	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
Total	327	0	0	0	0	0	0	0	17	0	0	0	39	69	0	0	0	178	628




Report 2 – Treatment Summary

Baraga Mgt. Unit


Compartment 58 Year of Entry: 2023 **Acres of Harvest Total Compartment Acres: 627**

> Commercial Harvest - 31 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

Cover Type by Harvest Method



Proposed and Next Step Treatments by Method



s t а

n

d

Treatment Name

Acres

Stand CoverType

Size Density Stand Age

BA Range **Treatment** Type

Treatment Method

Cover Type Objective

Compartment: 58

Year of Entry: 2023

Age Structure Habitat Cut

No

Approved Treatments:

11058005.2 N 2.6 4199 - Other Mixed Sawtimber 77 81-110 NonForestMgt **Brush Cutting** 3102 - Grass Upland Deciduous Well

Prescription Brushing and herbicide application to maitain the dam impoundment.

Specs:

Next Step Treatments:

Acceptable grasses

Regen:

Old next step comments: repeat annually. Other 1 4 1

Comment:

Site Condition BMPs

Proposed Start Date: 1 /15/2016

4123 - Red Oak Natural Regen 4123 - Red Oak Even-Aged 11058006.4 M 6.9 Sawtimber 79 1-50 Monitoring No onitor Well (Re-Inventory)

Prescription Specs:

Next Step Treatments:

Acceptable Any combination of the present over story species.

Regen:

Other Percent to Treat = 100%

Comment:

Site Condition

Proposed Start Date: 10/1 /2020

25 11058025_Cut 4119 - Mixed Sawtimber 86 81-110 Harvest Clearcut with 411 - Northern Even-Aged 5.7 No Hardwood Northern Hardwoods Retention

Prescription Harvest all species down to 4.6" DBH except white pine, cedar, hemlock and red oak. Harvest operations are only to occur between

December 1st and March 31st due to deer yard.WLD would prefer to have large tops left intact to protect regeneration from deer browse. Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Any combination of the original stand overstory species. A higher component of early successional species such as aspen and paper birch Acceptable

is expected. Regen:

Other The goal is the overwhelm the deer with regeneration so they cannot browse it all. The land owner will allow access for harvest. There

are no survey corners on record for this area. Comment:

Site Condition

Proposed Start Date: 10/1 /2022

S t a	Baraga	Mgt. Unit		Repo	rt 3 [·]	Treatments		Compartmen Year of Entry		OF NATURAL DIRECTION OF NATURA
n Treatn d Nan		Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
26 110580	26_Cut 24.9	4112 - Maple, Beech, Cherry Association	Sawtimbe Well	er 86	81-110	Harvest	Clearcut with Retention	411 - Northern Hardwood	Even-Aged	l No
Prescription Specs:	•						d oak. Harvest ope tops left intact to p	,		
Next Step Treatments:	Monitoring, Natura	al Regen (Re-Invei	ntory)							
Acceptable Regen:	Any combination expected.	of the original stan	ds overstor	y specie	es. I high	er component of	f early successiona	al species such as	aspen and b	oirch is
Other Comment:	The goal is to ove	rwhelm the deer w	rith regener	ation so	they car	not browse all o	f it.The land owner	r will allow access	for logging.	
Site Conditio	<u>n</u>									

Total Treatment Acreage Proposed: 40.1

Proposed Start Date: 10/1 /2022

Baraga Mgt. Unit

Brad Carlson: Examiner

Compartment: 58
Year of Entry: 2023

Availa	ability for	Managemer	nt					
Total	Acres	Acres Avail	Acres		Domina	nt Site	e Con	ditions
Acres	Available	With Condition	Not Available		2A	2G	3J	3L
92	1	0	92	Bog		92		
38	0	0	38	Cedar	0	38		
53	3	0	50	Lowland Conifers		49		0
13	0	0	13	Lowland Mixed Forest		13		
130	2	0	128	Lowland Shrub		126	2	0
38	0	0	38	Lowland Spruce/Fir		38		
32	28	0	4	Marsh			4	
23	6	0	18	Mixed Upland Deciduous	7	1	9	
36	35	0	0	Northern Hardwood		0		
8	8	0	1	Oak			1	
4	0	0	4	Sand, Soil			4	
69	0	0	69	Tamarack		69		
24	6	0	18	Upland Conifers		0		18
68	11	0	56	Water			56	
628	100		528	Total Forested Acres	7	427	76	18
	16%		84%	Relative Percent				

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	137	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
	Comments:						
2	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	39	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

Report 4 – Site Conditions

Baraga Mgt. Unit
Brad Carlson: Examiner

3	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	121	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
5	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	92	3J: Water quality / BMPs (stream, river, or lake)	3A: Conservation Values incompatible with harvest at this time	Unspecified	Unspecified
	Comments:						
6	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	76	1C: Other dept or div proc/practices	Unspecified	Unspecified	Unspecified
	Comments: Boston Pond Acces	s Site					
7	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	40	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
15	Unavailable	3L: Other wildlife concerns	18	2D: Portable Bridge Needed (Dept. bridge will be adequate)	2G: Too wet (sensitive soils, does not include access issues)	3J: Water quality / BMPs (stream, river, or lake)	Unspecified
	Comments: WLD does not pern	nit cutting in stand of this speci	es com	position (Hemlock, Cedar,	White Pine).		
16	Unavailable	2A: Adjacent landowner denied access	7	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

Mgt. Unit

Compartment: #Type!
Year of Entry:



Report 5 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Baraga Mgt. Unit Compartment: 58
Year of Entry 2023



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservati Area	on Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxygen conditions stocked trout populations and those of other coldwater fish spec conditions for coldwater fishes may occur in Michigan lakes if the groundwater inflows, or are located in colder (northern) areas of Director's action and designated as trout resources by Fisheries	ey are relatively deep, have substantial the state. Such lakes are established by
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen condistocked trout populations and those of other coldwater fish specyear to year. Coldwater streams in Michigan typically provide the contributions of groundwater to their stream flows. Such streams designated as trout resources by Fisheries Order 210.	ies (e.g., slimy sculpin) to persist from ese conditions due to substantial
SCA	Habitat Area	An area that provide some specific need for the life cycle of wildland Waterfowl Production Areas, deer wintering complexes in lo openings and savannas. Habitat areas are distinct from critical hendangered or threatened species (such as Kirtland's warbler or general in nature, are not primarily associated with threatened o covered by species recovery plans that are developed in cooper	wiland conifer communities, grassland nabitat designated for recovery of r piping plover areas) in that they are more r endangered species, and are not
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosystems in influences the aquatic ecosystem and vice-versa. Because of the streams and open water wetlands, riparian areas harbor a high communities are ecologically and socially significant in their effer as aesthetics, habitat, bank stability, timber production, and their	e unique conditions adjacent to lakes, diversity of plants and wildlife. Riparian ects on water quality and quantity, as well
SCA	Visual Management Area	An area of general social appreciation that is managed to recogn Examples of these areas include scenic vistas, scenic or natural	
ERA	Ecological Reference Areas	Ecological Reference Areas (ERAs) are high quality examples of identified as Element Occurrences (EOs) by the Michigan Natural context of their natural community classification system. Elemen (Excellent) or B (Good) and a Global (G) or State (S) element (rathreatened (2), or rare (3) serve as an initial base of ERAs. They the State. The system is comprised of individual or associations managed for restoration and maintenance of natural ecological public submit recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendations for lands as ERAs using the DNR Content of the Michigan Natural ecological public recommendatio	al Features Inventory (MNFI) within the at Occurrences with viability ranks of A arity) ranking of endangered (1), and may be located upon any ownership in of natural community types that are processes and values. The public may



Stand	Level 4 Co	ver Type	S	ize De	nsity	Acres Stand Ag	je BA Range	Managed S	iite	General Comments
1	623 - Emerç	gent Wetla	nd	Nonsto	cked	4.3	Unspecified	No		Transferred to PRD in Dec 2020.
2	500 -	Water		Nonsto	cked	56.4	Unspecified	No		Transferred to PRD in Dec 2020.
3	622 - Low	land Shrub		Nonsto	cked	1.6	Unspecified	No		Transferred to PRD in Dec 2020.
4	710 - Sa	and, Soil		Nonsto	cked	3.6	Unspecified	No		Transferred to PRD in Dec 2020.
5	4199 - Other Mixed	l Upland D	eciduous Sa	awtimb	er Well	9.3 77	81-110	N/A		Transferred to PRD in Dec 2020.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Spec	cies Density	Avg. Height	Size	
	Red Oak	50	Log	10	77	Mountain Ash	Low	10 - 20 feet	Sapling	
	Paper Birch	10	Pole	6		Sugar Maple	High	>20 feet	Sapling	
	Red Maple	5	Sapling/Pole	4		Ironwood	Medium	>20 feet	Sapling	
	White Pine	2	XLog/Log	18		Red Maple	Medium	>20 feet	Sapling	
	Sugar Maple	5	Sapling/Pole	4		·				
C	Quaking Aspen	10	Pole	9						
	Paper Birch	13	Log	11						
	Sugar Maple	5	Log	16						
^	4123 - F	Red Oak	Sa	awtimb	er Well	7.5 79	1-50	N/A		cut in winter 2015. "Boston Reserve".
6					0	1.5				
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Spec	cies Density	Avg. Height	Size	Transferred to PRD in Dec 2020
(Canopy Species Sugar Maple	% Cover	Size Class Sapling/Pole	DB H			Density High	Avg. Height >20 feet	Size Sapling	Transferred to PRD in Dec 2020.
(Age	Sub-Canopy Spec				Transferred to PRD in Dec 2020.
(Sugar Maple	24	Sapling/Pole	4	Age	Sub-Canopy Spec	High	>20 feet	Sapling	Transferred to PRD in Dec 2020.
(Sugar Maple White Pine	24	Sapling/Pole Log	4 16	Age	Sub-Canopy Spee Sugar Maple Red Oak	High Low	>20 feet 10 - 20 feet	Sapling Sapling	Transferred to PRD in Dec 2020.
(Sugar Maple White Pine Ironwood	24 1 5	Sapling/Pole Log Sapling/Pole	4 16 4	Age 23	Sub-Canopy Spee Sugar Maple Red Oak	High Low	>20 feet 10 - 20 feet	Sapling Sapling	Transferred to PRD in Dec 2020.
(Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla	24 1 5 10 60	Sapling/Pole Log Sapling/Pole Pole/Log Log	4 16 4 9 14	23 8	Sub-Canopy Spec Sugar Maple Red Oak Ironwood	High Low	>20 feet 10 - 20 feet	Sapling Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent
11	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla	24 1 5 10 60 nd Deciduo	Sapling/Pole Log Sapling/Pole Pole/Log Log	4 16 4 9 14	Age 23 8 79	Sub-Canopy Spec Sugar Maple Red Oak Ironwood	High Low Medium	>20 feet 10 - 20 feet >20 feet	Sapling Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the
11	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla	24 1 5 10 60 nd Deciduo	Sapling/Pole Log Sapling/Pole Pole/Log Log Dus with Pole	4 16 4 9 14	Age 23 8 79 er Well	Sub-Canopy Spec Sugar Maple Red Oak Ironwood	High Low Medium	>20 feet 10 - 20 feet >20 feet N/A	Sapling Sapling Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the property should the state ever dispose of it.
11	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla Cor	24 1 5 10 60 nd Deciduo nifer % Cover	Sapling/Pole Log Sapling/Pole Pole/Log Log Dus with Pole Size Class	4 16 4 9 14 Deletimb	Age 23 8 79 er Well	Sub-Canopy Spec Sugar Maple Red Oak Ironwood	High Low Medium 81-110 cies Density Low	>20 feet 10 - 20 feet >20 feet N/A Avg. Height	Sapling Sapling Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the property should the state ever dispose of it.
11	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla Cor Canopy Species Red Oak	24	Sapling/Pole Log Sapling/Pole Pole/Log Log Dus with Pole Size Class Log	4	Age 23 8 79 er Well	Sub-Canopy Specific Sugar Maple Red Oak Ironwood 8.3 95 Sub-Canopy Specific Sub-Cano	High Low Medium 81-110 cies Density Low	>20 feet 10 - 20 feet >20 feet N/A Avg. Height 5 - 10 feet	Sapling Sapling Sapling Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the property should the state ever dispose of it.
11	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla Cor Canopy Species Red Oak Paper Birch	24	Sapling/Pole Log Sapling/Pole Pole/Log Log Dus with Pole Size Class Log Pole	4	Age 23 8 79 er Well	Sub-Canopy Spect Sugar Maple Red Oak Ironwood 8.3 95 Sub-Canopy Spect Tag Alder Northern White Ce	High Low Medium 81-110 cies Density Low dar Low	>20 feet 10 - 20 feet >20 feet N/A Avg. Height 5 - 10 feet Variable	Sapling Sapling Sapling Size Tall Shrub Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the property should the state ever dispose of it.
11	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla Cor Canopy Species Red Oak Paper Birch Quaking Aspen	24	Sapling/Pole Log Sapling/Pole Pole/Log Log Dus with Pole Size Class Log Pole Pole/Log	4	Age 23 8 79 er Well	Sub-Canopy Spectors Sugar Maple Red Oak Ironwood 8.3 95 Sub-Canopy Spectors Alder Northern White Ceyellow Birch	High Low Medium 81-110 cies Density Low dar Low Low	>20 feet 10 - 20 feet >20 feet N/A Avg. Height 5 - 10 feet Variable Variable	Sapling Sapling Sapling Size Tall Shrub Sapling Pole Sapling	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the property should the state ever dispose of it.
11 C	Sugar Maple White Pine Ironwood Red Maple Red Oak 4191 - Mixed Upla Cor Canopy Species Red Oak Paper Birch Quaking Aspen Balsam Fir	24 1 5 10 60 md Decidue nifer	Sapling/Pole Log Sapling/Pole Pole/Log Log Dus with Pole Size Class Log Pole Pole/Log Pole	4	Age 23 8 79 er Well	Sub-Canopy Spectors Sugar Maple Red Oak Ironwood 8.3 95 Sub-Canopy Spectors Alder Northern White Ceyellow Birch Red Maple	81-110 Cies Density Low dar Low Low Low	>20 feet 10 - 20 feet >20 feet >20 feet N/A Avg. Height 5 - 10 feet Variable Variable 10 - 20 feet	Sapling Sapling Sapling Size Tall Shrub Sapling Pole	This stand is ready for harvest but access was denied by the adjacent land owner. This stand has no legal overland access. The adjacent property owners to the south and west is interested in acquiring the property should the state ever dispose of it.



tand	Level 4 Co	over Type		Size De	ensity	Acres	Stand Age E	BA Range	Managed 9	Site	General Comments
12	6120 - Lov	wland Ceda	ır F	Poletimb	er Well	38.0	100	81-110	N/A		This stand was clearcut a long time ago. No legal overland access. adjacent Property owner to the south and west is interested in this pa
Canop	y Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	if the state were to dispose of it.
Northern V	Vhite Cedar	53	Pole	5	100	Ta	ng Alder	High	5 - 10 feet	Tall Shrub	
Tam	arack	2	Pole	8		Northerr	White Cedar	Medium	>20 feet	Sapling	
White	e Pine	2	Log/Pole	10							
Yellov	v Birch	2	Pole/Sapling	6							
Red	Maple	2	Pole/Sapling	j 4							
Blac	k Ash	2	Pole	5							
Balsa	am Fir	5	Pole	6							
Pape	r Birch	2	Pole	6							
Black	Spruce	30	Pole	6							
13 42390	- Mixed Non-	Pine Uplan	d Conifers F	Poletimb	er Well	18.2	107	111-140	N/A		Access for inventory is from land owner to the east. Land owner to the
Canop	y Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	north has denied the state access. Driveway from land owner to the north is in trespass. Trespass specialist will handle this trespass. No
Balsa	am Fir	2	Pole	8		Northerr	White Cedar	Low	Variable	Sapling	legal overland access. The current easement of 66' is in section 19 a
Black	Spruce	2	Pole	8		Ва	lsam Fir	Medium	Variable	Sapling	does not mention section 18 therefor only sharing a common section
Pape	r Birch	5	Pole	8		Ta	ng Alder	Low	5 - 10 feet	Tall Shrub	corner. That alone does not provide for legal access.
Northern V	Vhite Cedar	16	Pole	8		Н	emlock	Low	Variable	Sapling	
Red	Maple	10	Log	12				'			•
Hen	nlock	45	Log/Pole	12	107						
White	e Pine	5	XLog/Log	22							
White	Spruce	5	Log/Pole	14							
Quakin	g Aspen	10	Log	12							
14 6132 -	Mixed Lowla	ınd Forest v	vith Cedar F	Poletimb	er Well	13.2	110	51-80	N/A		No legal overland access. The adjacent property owner to the south a
Canop	y Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	west is interested in this parcel if the state would dispose of it.
Balsa	am Fir	2	Pole	6		Northerr	White Cedar	High	Variable	Sapling	
White	Spruce	5	Pole/Log	12		Bl	ack Ash	Medium	Variable	Sapling	
Black	Spruce	5	Pole	6		Ta	ng Alder	High	5 - 10 feet	Tall Shrub	
Americ	an Elm	10	Pole	5		Ва	lsam Fir	Medium	>20 feet	Sapling	
Tam	arack	2	Pole	8		Ame	rican Elm	Medium	Variable	Sapling	
Red	Maple	20	Pole	5							
Blac	k Ash	25	Pole	7							
Pape	r Birch	2	Pole	5							
Yellov	v Birch	2	Pole	8							
Northern V	Vhite Cedar	27	Pole	8	110						
15	622 - Low	land Shrub)	Nonst	ocked	39.7	ι	Jnspecified	No		
16	622 - Low	/land Shrub)	Nonst	ocked	0.9	L	Jnspecified	No		



Stand	Level 4 Co	over Type		Size De	ensity	Acres Stand Age E	BA Range	Managed S	Site	General Comments
17	6129 - Mixed Conife	erous Lowla	and Forest	Poletimb	er Well	49.7 89	51-80	N/A		Trail leading from private on the north through the stand and out to the
-	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Canopy Species	Density	Avg. Height	Size	canal is well used.
	Quaking Aspen	2	Pole	8		Tag Alder	Low	5 - 10 feet	Tall Shrub	
	Balsam Fir	2	Pole	6		Tamarack	Medium	10 - 20 feet	Sapling	
	Black Spruce	40	Pole	6	89	Black Spruce	High	Variable	Sapling	
	White Spruce	2	Pole/Log	10		Northern White Cedar	High	Variable	Pole	
No	rthern White Cedar	2	Pole	6		Balsam Fir	Medium	10 - 20 feet	Sapling	
	Paper Birch	2	Pole	4						
	Hemlock	20	Log	14						
	Tamarack	10	Pole/Log	10						
	Red Maple	5	Pole	6						
	White Pine	15	Log	16						
18	622 - Low	land Shrub)	Nonsto	ocked	0.9 L	Inspecified	No		
19	622 - Low	land Shrub)	Nonsto	ocked	86.5 L	Inspecified	No		There appears to be an historic trespass in the small strip in section 19. This property should be disposed of as there is no legal access of the bootjack road and adjacent owner has subdivided. There will be several
										more trespasses in the future as the new property owners will seek the waterfront.
20	4191 - Mixed Upla Coi	ınd Decidu	ous with	Poletimb	er Well	5.6 76	51-80	N/A		more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a
20		nifer	ous with		er Well	5.6 76 Sub-Canopy Species		N/A	Size	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree
20	Coi	nifer							Size Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a
20	Canopy Species	nifer % Cover	Size Class	DBH		Sub-Canopy Species	Density	Avg. Height		more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree
20	Canopy Species Yellow Birch	% Cover	Size Class Pole/Log	DB I-		Sub-Canopy Species Yellow Birch	Density Medium	Avg. Height Variable	Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north.
20	Canopy Species Yellow Birch Balsam Fir	% Cover 20 5	Size Class Pole/Log Pole	DBH 10 7		Sub-Canopy Species Yellow Birch Black Ash	Density Medium High	Avg. Height Variable Variable	Sapling Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north.
20	Canopy Species Yellow Birch Balsam Fir White Spruce	% Cover 20 5 10	Size Class Pole/Log Pole Log	DBH 10 7 16		Sub-Canopy Species Yellow Birch Black Ash Tag Alder	Density Medium High Medium	Avg. Height Variable Variable < 5 feet	Sapling Sapling Tall Shrub	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north.
20	Canopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple	% Cover 20 5 10 25	Size Class Pole/Log Pole Log Pole Pole/Log	DBH 10 7 16 8 10	I Age	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High	Avg. Height Variable Variable < 5 feet Variable	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north.
	Con Canopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple	20 5 10 25 30 ack Spruce	Size Class Pole/Log Pole Log Pole Pole/Log	DBH 10 7 16 8 10	76	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High High	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north.
	Canopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple	20 5 10 25 30 ack Spruce	Size Class Pole/Log Pole Log Pole Pole/Log	DBH 10 7 16 8 10	1 Age 76	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High High	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north. Stand not visited during this inventory cycle due to poor access across
	Canopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple 6122 - Black Canopy Species	% Cover	Size Class Pole/Log Pole Log Pole Pole/Log	DBH 10 7 16 8 10 loletimbe DBH	76	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High High	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north. Stand not visited during this inventory cycle due to poor access across
21	Canopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple 6122 - Black Canopy Species Tamarack	% Cover 20 5 10 25 30 ack Spruce % Cover 20	Size Class Pole/Log Pole Log Pole Pole/Log Pole Pole/Log	DBH	76	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High High	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north. Stand not visited during this inventory cycle due to poor access across
21	Conopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple 6122 - Black Canopy Species Tamarack Black Spruce rthern White Cedar	% Cover 20 5 10 25 30 ack Spruce % Cover 20 65	Size Class Pole/Log Pole Log Pole Pole/Log Pole Pole/Log Pole Pole/Log	DBH 10 7 16 8 10 10 0letimbe DBH 5 6	76 r Medium	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High High	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north. Stand not visited during this inventory cycle due to poor access across
21	Conopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple 6122 - Black Canopy Species Tamarack Black Spruce rthern White Cedar	Cover 20 5 10 25 30 30	Pole Pole Pole Pole Pole Pole Pole Pole	10	76 r Medium	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High 1-50	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet N/A	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north. Stand not visited during this inventory cycle due to poor access across
21	Canopy Species Yellow Birch Balsam Fir White Spruce Black Ash Red Maple 6122 - Black Canopy Species Tamarack Black Spruce rthern White Cedar	Cover 20 5 10 25 30 30	Pole Pole Pole Pole Pole Pole Pole Pole	10	76 r Medium 117	Sub-Canopy Species Yellow Birch Black Ash Tag Alder Sugar Maple Red Maple	Density Medium High Medium High High 1-50	Avg. Height Variable Variable < 5 feet Variable 5 - 10 feet N/A	Sapling Sapling Tall Shrub Sapling	more trespasses in the future as the new property owners will seek the waterfront. Driveway trespass has been resolved. There has been interest in this parcel should the state ever dispose of it. This parcel was acquired as a possible picnic and bathing beach. There has been some minor tree clearing on state land close the residence to north. Stand not visited during this inventory cycle due to poor access across

Compartment: 58 Year of Entry: 2023

OF NAT	URAZ
4	
DNR	
MICHI	GAN .

											Year of Entry: 2023
Stand	Level 4 Co	over Type	5	Size De	nsity	Acres	Stand Age B	A Range	Managed S	ite	General Comments
23	6225	5 - Bog		Nonsto	ocked	92.5	Uı	nspecified	No		
24	6121 - 7	Гатагаск	,	Sapling	Poor	40.0	125	1-50	N/A		
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Black Spruce	25	Sapling/Pole	4		Northern	White Cedar	Low	5 - 10 feet	Sapling	
	Tamarack	50	Sapling/Pole	4	125	Ta	marack	Low	5 - 10 feet	Sapling	
No	rthern White Cedar	25	Sapling	3							
25	4119 - Mixed No Canopy Species	ninem naro	awoods 5	awtimb	er Well	10.2	86	81-110	N/A		Heavy deer browse. Poor Quality timber. Several large canopy gaps are
		% Cover	Size Class	DBH	l Age	Sub-Ca				Size	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch	% Cover	Size Class Pole/Log	DB H	I Age		nopy Species gar Maple	Density High	Avg. Height Variable	Size Pole	
					I Age	Suç	nopy Species	Density	Avg. Height		not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch	2	Pole/Log	10	I Age	Sug Re	nopy Species gar Maple	Density High	Avg. Height Variable	Pole	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch Paper Birch	2 2	Pole/Log Pole/Log	10 10	I Age	Sug Re	nopy Species gar Maple ed Maple	Density High Medium	Avg. Height Variable 10 - 20 feet	Pole Sapling	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch Paper Birch White Pine	2 2 5	Pole/Log Pole/Log Log	10 10 16	Age	Sug Re	nopy Species gar Maple ed Maple	Density High Medium	Avg. Height Variable 10 - 20 feet	Pole Sapling	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch Paper Birch White Pine Balsam Fir	2 2 5 2	Pole/Log Pole/Log Log Pole	10 10 16 6		Sug Re	nopy Species gar Maple ed Maple	Density High Medium	Avg. Height Variable 10 - 20 feet	Pole Sapling	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch Paper Birch White Pine Balsam Fir Sugar Maple	2 2 5 2 50	Pole/Log Pole/Log Log Pole Pole/Log	10 10 16 6 12		Sug Re	nopy Species gar Maple ed Maple	Density High Medium	Avg. Height Variable 10 - 20 feet	Pole Sapling	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch Paper Birch White Pine Balsam Fir Sugar Maple Hemlock	2 2 5 2 50 10	Pole/Log Pole/Log Log Pole Pole/Log Log	10 10 16 6 12 12		Sug Re	nopy Species gar Maple ed Maple	Density High Medium	Avg. Height Variable 10 - 20 feet	Pole Sapling	not closed in from last harvest. Consider final harvest if treatment is
	Yellow Birch Paper Birch White Pine Balsam Fir Sugar Maple Hemlock Red Maple	2 2 5 2 50 10 20	Pole/Log Pole/Log Log Pole Pole/Log Log Pole/Log	10 10 16 6 12 12		Sug Re	nopy Species gar Maple ed Maple	Density High Medium	Avg. Height Variable 10 - 20 feet	Pole Sapling	not closed in from last harvest. Consider final harvest if treatment is

Canopy Species	% Cover	Size Class	DBH	Age
White Spruce	2	Pole	7	
Balsam Fir	2	Pole	6	
White Pine	5	Log	16	
Hemlock	5	Log	12	
Red Maple	31	Log/Pole	12	
Sugar Maple	50	Log/Pole	10	86
Red Oak	5	Log	16	

26	4112 - Maple, Beech	n, Cherry A	Sawtimber Well		25.3 86	81-110	N/A		
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Specie	s Density	Avg. Height	Size
	White Spruce	2	Pole	7		Red Maple	High	10 - 20 feet	Sapling
	Balsam Fir	2	Pole	6		Red Oak	Medium	10 - 20 feet	Sapling
	White Pine	5	Log	16		Northern White Ceda	r Low	>20 feet	Sapling
	Hemlock	5	Log	12		Paper Birch	Low	10 - 20 feet	Sapling
	Red Maple	31	Log/Pole	12		Sugar Maple	Medium	10 - 20 feet	Sapling
	Corner Manda	F0	Las/Dala	40	0.0				

Heavy deer browse. Quite a few canopy gaps that did not fill in since the last harvest. There is only a few acres of upland hardwoods the remainder is 15 ft lower and poor quality. Consider final harvest with reserves if a treatment is desirable. The regeneration should overwhelm the deer's ability to browse all the regeneration. Consult WLD before prescribing.



Stand Level 4 Cover Type			Size Density		Acres Stand Age BA Range Manage		Managed S	ite	General Comments					
27	429 - Mixed L	429 - Mixed Upland Conifers		Sawtimber Well B DBH Age		6.1	75	81-110	N/A		Canal buffer. 2010: There was supposed to be a canoe-in campsite			
Canopy Species % C		% Cover	Size Class			Sub-Canopy Species		Density	Avg. Height	Size	along the canal in the south of this stand, little evidence was found except for an old beer mug on a stump. However an illegal tree blind was			
	Paper Birch 5 Pole/Log			10		Sugar Maple		Medium	5 - 10 feet	Sapling	found on state in the south tip of the stand. 2020: the deer blind doesn't			
	Balsam Fir	5	Pole	6		Re	ed Maple	High	5 - 10 feet	Sapling	appear to be used anymore and falling apart.			
	White Spruce	5	Log/Pole	12		Ва	alsam Fir	Medium	Variable	Sapling				
	Hemlock	15	Log	14							_			
	Sugar Maple	5	Pole	8										
	White Pine	55	Log	16	75									
	Red Oak	5	Log/Pole	12										
	Red Maple	5	Pole	8										
28	500 -	- Water		Nonsto	cked	11.2	U	nspecified	No					
29	623 - Emer	gent Wetlar	nd	Nonsto	cked	27.9	U	nspecified	No					
31	6129 - Mixed Conif	erous Lowla	and Forest	Sawtimbe	er Well	3.1	98	81-110	N/A		Some areas may be harvested with stand 26.			
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size				
	White Pine	5	Log	16		Ва	alsam Fir	Medium	Variable	Sapling				
	Red Maple	5	Pole	8		Re	ed Maple	High	5 - 10 feet	Sapling				
	Balsam Fir	5	Pole	6		Sug	gar Maple	Medium	5 - 10 feet	Sapling				
	Hemlock	60	Log	14	98			,			-			
Nor	thern White Cedar	20	Log	16										
	White Spruce	5	Log/Pole	12										