

## **Compartment Review Presentation**

**Gladwin Forest Management Unit** 

Compartment 73126
Entry Year: 2026
Acreage: 7,613
County: Arenac

Management Area: Gladwin Lake Plain

Stand Examiner: Steve Nyhoff

**Legal Description:** 

T19N - R03E, Sections 5 - 8, 14 - 18, 20, 21 & 32 T20N - R03E, Sections 20, 28 - 34

#### **Identified Planning Goals:**

Vegetation management in the Gladwin Lake Plain management area (MA) (Figure 4.32.1) will provide forest products; maintain or enhance wildlife habitat; protect areas of unique character including the Rifle River, a designated natural river; the Lame Duck Foot Access Area, a high conservation value area; several wildlife area floodings; threatened, endangered and special concern species; and provide for forest-based recreational uses. Timber management for this 10-year planning period will focus on balancing the age-class distributions for aspen and red pine. Wildlife habitat management objectives include perpetuating early-successional communities for species adapted to young forests for hunting and other wildlife-related recreation opportunity. Expected trends in this 10-year planning period will be the continued need to address illegal off-road vehicle use, trash dumping and increased recreational pressure.

#### Soil and topography:

The soils are variable. The northern 1/3 is dominated by Rubicon association which is well to moderately well drained and large areas of Au Gres association which is somewhat poorly drained. There are also inclusions of poorly drained Roscommon association.

The central 1/3 is dominated by Roscommon association with inclusions of muck soils, mainly Tawas Muck. There are areas of Au Gres association along the west side and ridges of Rubicon association and East Port association which are both well to moderately well drained.

The south 1/3 is dominated by Au Gres association and Rubicon association. There are also large areas of Roscommon association and ridges of East Port association.

#### Ownership Patterns, Development, and Land Use in and Around the Compartment:

The compartment is largely a contiguous tract of public land. It is bisected by a strip of Consumers Energy ownership. The strip has maintained overhead transmission lines on it. There is also a natural gas pipeline that runs through the central portion. The compartment is bordered by the Lame Duck Foot Access Area to the west, I-75 to the east and private land at the north and south ends. Most of the public-private interface is concentrated in the southern portion of the compartment. The private land generally is used for recreational/hunting purposes, although some limited agricultural use exists. There is a landlocked 80 acres at the north end of the compartment.

#### **Unique Natural Features:**

The Michigan Natural Features Inventory (MNFI) lists the occurrence of Doll's Merolonche moth (Merolonche Dolli) within the compartment. Red-Shouldered hawk (Buteo lineatus) and Eastern massasauga rattlesnake (Sistrurus catenatus) are listed with MNFI as occurring just outside the compartment. During the inventory process a Bald Eagle (Haliaeetus leucocphalus) nest was located in the compartment.

#### **Archeological, Historical, and Cultural Features:**

No Archeological, Historical, or Cultural Features known.

#### **Special Management Designations or Considerations:**

A Director's Order restricts the use of approximately 1575 acres. This is in T20N, R2E, Sections 28, 29, 32, and 33 in the northern quarter of the compartment and east of Wells Creek to non-motorized vehicles.

#### **Watershed and Fisheries Considerations:**

Wells Creek flows thru part of the compartment. There are several small creeks and drainages that flow into Wells Creek. There are three man-made ponds in the northeast area. They are the result of the construction of I-75.

#### Wildlife Habitat Considerations:

Wildlife Habitat Considerations: Compartment #126. Both upland and lowland systems are present, making it suitable for a number of wildlife species. The majority of stands are lowland cover types with oak ridges in the southern portion of the

compartment. Furbearers including beaver, mink, muskrat, black bear, bobcat, and coyote use the lowlands as corridors as well as year-round habitat. Game species likely to be present in this compartment include black bear, bobcat, raccoon, coyote, wood duck, wild turkey, ruffed grouse and white-tailed deer. Many bird species stand to benefit from the juxtaposition of lowland and upland habitats present in the compartment. These species include gray catbird, redeyed vireo, white-breasted nuthatch, tufted titmouse, black-capped chickadees, eastern kingbirds and northern flicker. The compartment is easily accessible to hunters via the Sterling Truck Trail.

#### Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of lacustrine (lake) sand and gravel. The glacial drift thickness varies between 100 and 200 feet. Beneath the glacial drift are the Pennsylvanian Saginaw Formation and the Mississippian Michigan Formation. The Michigan is quarried for gypsum and the Saginaw is used for clay/shale. Gravel pits are not located in this area and potential appears to be limited. The mostly abandoned Moffatt 34 Field is located in the compartment. The Field produces minor oil from the Richfield Formation. Most of the Compartment is currently leased for oil and gas development.

#### **Vehicle Access:**

Access may be gained from Lame Duck Truck Trail, Sterling Truck Trail, and Lucas, Ward, and Demura Roads. Hunter Walking Trails have been designated east of Wells Creek in the north part of the compartment. This is a result of the Directors order. Three gates help control access to the closed area. The interior dirt roads can become seasonally impassable.

#### **Survey Needs:**

The area has been surveyed establishing the private/public interface. The needed corners are in place.

### **Recreational Facilities and Opportunities:**

There are no established facilities in the compartment. However, dispersed recreation is popular throughout the compartment with its varying cover types for hunting and camping. There is some abuse by illegal ORV activity in the southern portion of the compartment. Consider utilizing timber management activities to balance resource protection by closing illegal trails.

#### **Fire Protection:**

Wildland fire suppression could prove difficult within the compartment. The limited county roads, poor dirt roads, and overall seasonal wetness across much of the area will negatively affect fire suppression activities. Large contiguous areas of wet muck soils, leatherleaf and blueberry bogs will be particularly challenging to equipment mobility. I-75 serves as the compartment's east border. Smoke and visibility management issues along the highway will be a priority.

#### **Additional Compartment Information:**

The landlocked 80 acres at the north end of the compartment should be put up for disposal. Also, off of Ward Road two old well site have been remediated.

#### The following reports from the Inventory are attached:

Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details

The following information is displayed, where pertinent, on the attached compartment maps:

Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system


Compartment 126 Year of Entry 2026


Gladwin Mgt. Unit
Steve Nyhoff: Examiner





#### Age Class


	No.		3 / 2	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	g g		& &	3/8					70,			S. A.		A Real	No. No.
Aspen	0	514	341	473	486	167	212	10	6	12	0	0	0	0	0	0	0	0	2221
Bog	177	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	177
Cedar	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15	0	0	0	15
Cropland	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Herbaceous Openland	227	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	227
Jack Pine	0	0	0	68	0	5	8	0	0	0	0	0	0	0	0	0	0	0	81
Low-Density Trees	63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63
Lowland Aspen/Balsam Poplar	0	37	6	12	83	58	88	13	0	6	0	0	0	0	0	0	0	47	350
Lowland Conifers	0	0	2	0	5	0	0	5	28	0	0	0	0	0	0	0	0	0	40
Lowland Deciduous	0	0	181	254	241	25	147	50	35	74	168	133	0	0	5	0	0	190	1501
Lowland Mixed Forest	0	0	0	6	30	0	0	12	0	0	0	0	0	0	0	0	0	0	48
Lowland Shrub	1167	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1167
Marsh	203	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	203
Mixed Upland Deciduous	0	36	8	58	0	38	73	26	0	25	9	26	0	0	0	0	0	0	298
Natural Mixed Pines	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	4
Northern Hardwood	0	0	9	0	0	0	18	2	3	0	0	0	0	0	0	0	0	171	203
Oak	0	44	56	59	28	91	106	18	34	21	32	0	0	0	0	0	0	0	488
Red Pine	0	0	7	0	2	0	18	52	2	13	0	0	0	0	0	0	0	0	94
Sand, Soil	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Tamarack	0	0	16	0	23	2	40	0	4	0	3	0	0	0	0	0	0	19	106
Treed Bog	82	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	82
Upland Conifers	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Upland Mixed Forest	0	0	61	9	12	16	46	0	0	0	0	0	0	0	0	0	0	3	147
Water	81	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	81
White Pine	0	0	0	0	0	0	6	4	0	0	0	0	0	0	0	0	0	0	10
Total	2010	631	692	939	910	402	762	192	116	151	212	159	0	0	20	0	0	430	7621





































## **Report 2 - Treatment Summary**


# Gladwin Mgt. Unit Year of Entry: 2026

#### **Acres of Harvest**


Compartment 126
Total Compartment Acres: 7,613

Commercial Harvest - 437 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

## **Cover Type by Harvest Method**



#### **Proposed and Next Step Treatments by Method**



Compartment: 126

**Treatment** Stand Size Stand BA **Treatment Treatment Cover Type** Acres Age Habitat Method Name CoverType Density Age Range Type Objective Structure Cut

**Approved Treatments:** 

17 73126017-23.2 6224 - Treed Bog Nonstocked Unspec Natural Regen 612 - Lowland Even-Aged Monitoring No **Monitor** ified (Intermediate) Coniferous Forest

Prescription monitor the natural regeneration.

Specs:

S

t а

n

Ч

Next Step **Treatments:** 

Acceptable medium or better stocking of jack pine, conifers, and hardwoods.

Regen:

Other Comment:

Site Condition:

Proposed Start Date: 10/1 /2028

73126049-Cut 19.0 4130 - Aspen Poletimber 48 81-110 Harvest Clearcut with 413 - Aspen Even-Aged No Well Retention

Prescription Harvest as a clearcut with retention. The retention should be in pockets. In addition, mark some of the oaks for seed and structural diversity.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable medium to better stocking of aspen and other species.

Regen:

Include the Gladwin Grouse Spec in sale. Other

Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

73126067-Cut 69 81-110 6112 - Lowland 7.6 6112 - Lowland Sawtimber Harvest Clearcut Even-Aged No Aspen Aspen

Prescription Harvest as a clearcut. The harvest will need to be done during dry or frozen conditions.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable medium or better stocking of aspen mixed with maple and oak

Regen:

Other There may be areas that need to be painted out because of wetness. This should be done durring sale prep.

Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

Proposed Start Date: 10/1 /2025

Site Condition:

Proposed Start Date: 10/1 /2025

Site Condition:

result in variable stem density which is acceptable. Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

**Treatments:** 

Acceptable medium or better stocking of mixed hardwood and conifers.

Regen: Other

Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

**639 73126639-Cut** 5.9 6112 - Lowland Poletimber 48 51-80 Harvest Clearcut 6112 - Lowland Even-Aged No Aspen Medium

Prescription Harvest the stand as a clearcut. Areas may need to be painted out because of wetness.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

**Treatments:** 

Acceptable Medium or better stocking of aspen, maple and oak.

Regen:

Other Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

S t		Gladwin	Mgt. Unit		Repo	rt 3 '	Treatments		Compartme Year of Enti		DNR DNRCE
a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
644	73126644-Cut	4.6	4130 - Aspen	Poletimbe Well	r 52	81-110	Harvest	Clearcut	413 - Aspen	Even-Aged	No
Spec Next Treat	Step Monitor iments:	ring, Natura	cut. Mark some t	entory)		ŕ	nd wildlife consi	iderations.			
Rege		n or better s	stocking of aspen	mixea with	таріе а	and oak.					
Other Comr	<u>r</u> Include ment:	the Gladwi	in Grouse Spec ir	n sale.							
Site 0	Condition:										
Propo	osed Start Date	<u>:</u> 10/1 /202	25								

Total Treatment Acreage Proposed: 643.5

Compartment: 126

Gladwin Mgt. Unit

Steve Nyhoff: Examiner Year of Entry: 2026

Availa	ability for	Managemer	nt												
Total	Acres	Acres Avail	Acres	Γ	Oomina	nt Sit	e Con	dition	s						
Acres	Available	With Condition	Not Available		5B	5C	1B	1C	2A	2F	2G	2H	3J	3L	5E
2221	2167	6	48	Aspen	6	0		1	10	9	0	4	0	6	18
177	174	0	3	Bog					3		0				
15	0	0	15	Cedar							15				
2	2	0	0	Cropland											
227	214	0	13	Herbaceous Openland				0	3	0	0	9			
80	80	0	0	Jack Pine							0				
63	59	0	3	Low-Density Trees							0	3			
350	216	0	134	Lowland Aspen/Balsam Poplar				3			131				
40	35	0	5	Lowland Conifers							5				
1501	477	44	979	Lowland Deciduous	36	9	2		19	6	873	9	11	49	11
47	0	0	47	Lowland Mixed Forest						7	40				
1167	1131	0	36	Lowland Shrub				0	15	0	20	0	0		0
202	202	0	0	Marsh		0				0	0	0			
278	174	8	96	Mixed Upland Deciduous	8		2		27		3	55			9
4	4	0	0	Natural Mixed Pines											
203	201	0	2	Northern Hardwood			0				0	2			0
486	431	46	10	Oak	46						5				5
94	78	13	3	Red Pine	6	8	0			0	3				
8	8	0	0	Sand, Soil							0				
105	35	0	70	Tamarack						0	61	9			
82	82	0	0	Treed Bog							0				
5	5	0	0	Upland Conifers											
146	146	0	0	Upland Mixed Forest											
81	81	0	0	Water							0				
10	10	0	0	White Pine											
7,593	6,013	118	1,463	Total Forested Acres	101	16	5	4	77	21	1,155	91	11	54	43
	79%	2%	19%	Relative Percent											

<sup>\*</sup>Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	42	Unspecified	Unspecified	Unspecified	Unspecified

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

	Comments:						
2	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	7	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
3	Unavailable	2A: Adjacent landowner denied access	77	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
4	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	16	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
	Comments:						
5	Available	5B: Maintain for regeneration purposes	6	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
6	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	7	2A: Adjacent landowner denied access	Unspecified	Unspecified	Unspecified
	Comments:						

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

7	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	14	2A: Adjacent landowner denied access	Unspecified	Unspecified	Unspecified
(	Comments:						
8	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: This is the slope th	at transition from stand 87 to st	and 77.				
9	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	35	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
10	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	6	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
11	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	249	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
12	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	9	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
Comments:						
Unavailable	2G: Too wet (sensitive soils, does not include access issues)	165	Unspecified	Unspecified	Unspecified	Unspecified
Comments:						
Unavailable	2G: Too wet (sensitive soils, does not include access issues)	37	Unspecified	Unspecified	Unspecified	Unspecified
Comments:						
Unavailable	3J: Water quality / BMPs (stream, river, or lake)	11	2G: Too wet (sensitive soils, does not include access issues)	2F: Too steep	Unspecified	Unspecified
Comments:						
Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	9	Unspecified	Unspecified	Unspecified	Unspecified
Comments:						
	Unavailable Comments: Unavailable Comments: Unavailable Comments: Unavailable Unavailable	Soils, does not include access issues)  Comments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Comments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Comments:  Unavailable 3J: Water quality / BMPs (stream, river, or lake)  Comments:  Unavailable 2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	Soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 3J: Water quality / BMPs (stream, river, or lake)  Unavailable 2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	Soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 3J: Water quality / BMPs (stream, river, or lake)  Unavailable 2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)  Unspecified  Unspecified  Unspecified	Somments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 3J: Water quality / BMPs (stream, river, or lake)  Unavailable 2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)  Unspecified  Unspecified	Somments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 3J: Water quality / BMPs (stream, river, or lake)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2F: Too steep  Unspecified  Unspecified

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

18	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	66	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
19	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	19	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
C	Comments:						
20	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
21	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	10	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
22	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	140	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

23	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
24	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	47	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
25	Available	5B: Maintain for regeneration purposes	8	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
26	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	2	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
27	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	23	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
28	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	ong-term retention	n for stand 376.					

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

29	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	27	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
33	Unavailable	2F: Too steep	7	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
	Comments:						
34	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	3	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
35	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	4	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
36	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
37	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	11	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Gladwin Mgt. Unit

Steve Nyhoff: Examiner

38	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	8	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
39	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	2	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
41	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	16	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
44	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	9	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
45	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	31	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:	·					

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

Unavailable	2G: Too wet (sensitive soils, does not include access issues)	3	Unspecified	Unspecified	Unspecified	Unspecified
omments:						
Unavailable	2G: Too wet (sensitive soils, does not include access issues)	7	Unspecified	Unspecified	Unspecified	Unspecified
omments:						
Unavailable	2G: Too wet (sensitive soils, does not include access issues)	8	Unspecified	Unspecified	Unspecified	Unspecified
omments:						
Available	5B: Maintain for regeneration purposes	24	Unspecified	Unspecified	Unspecified	Unspecified
omments:						
Unavailable	3L: Other wildlife concerns	6	Unspecified	Unspecified	Unspecified	Unspecified
		o low to e	expect regenerate. Also it	has low volume. Many of the	he trees have cavities. It is	s better to retain for
Unavailable	2G: Too wet (sensitive soils, does not include access issues)	27	Unspecified	Unspecified	Unspecified	Unspecified
	omments:  Unavailable omments:  Available omments:  Unavailable omments:  unavailable omments:	soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Available 5B: Maintain for regeneration purposes  Omments:  Unavailable 3L: Other wildlife concerns  Omments:  he stand has old declining aspen. The vigor is too iddlife and let it seed in with conifers.  Unavailable 2G: Too wet (sensitive	soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive 7 soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive 8 soils, does not include access issues)  Omments:  Available 5B: Maintain for 24 regeneration purposes  Omments:  Unavailable 3L: Other wildlife concerns 6 omments:  ne stand has old declining aspen. The vigor is too low to edidlife and let it seed in with conifers.  Unavailable 2G: Too wet (sensitive 27	soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Available 5B: Maintain for regeneration purposes  Omments:  Unavailable 3L: Other wildlife concerns 6 Unspecified  Omments:  he stand has old declining aspen. The vigor is too low to expect regenerate. Also it ildlife and let it seed in with conifers.  Unavailable 2G: Too wet (sensitive 27 Unspecified	soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Unavailable 5B: Maintain for regeneration purposes  Omments:  Unavailable 3L: Other wildlife concerns 6 Unspecified	soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Omments:  Available 5B: Maintain for regeneration purposes  Unavailable 3L: Other wildlife concerns 6 Unspecified

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

54	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	26	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Stand is isolated by	very wet ground.					
55	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	8	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
56	Available	5B: Maintain for regeneration purposes	13	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
57	Available	5B: Maintain for regeneration purposes	12	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
58	Unavailable	1B: Non-DNR agency concerns (e.g. USFS)	5	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: This is the MDOT r	oad ROW for I-75					
59	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	13	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

61	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	17	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
62	Available	5B: Maintain for regeneration purposes	6	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
63	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
64	Available	5B: Maintain for regeneration purposes	17	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
65	Unavailable	5E: Long-Term Retention	7	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: This area is fairly w	ret and is an area of surface dra	inage.				
66	Available	5B: Maintain for regeneration purposes	16	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

67	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	7	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
68	Unavailable	5E: Long-Term Retention	1	3D: Recreational / Scenic values	Unspecified	Unspecified	Unspecified
C	Comments:						
69	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	8	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
70	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	6	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
71	Unavailable	5E: Long-Term Retention	5	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
72	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	3	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

73	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
74	Unavailable	2F: Too steep	6	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
75	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
76	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	6	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
77	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	13	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
78	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Gladwin Mgt. Unit Compartment: 126 Year of Entry: 2026 Steve Nyhoff: Examiner Unspecified Unspecified 79 10 Unspecified Unspecified Unavailable 2G: Too wet (sensitive soils, does not include access issues) Comments: Unspecified Unspecified Unspecified Unspecified 80 2G: Too wet (sensitive 9 Unavailable soils, does not include access issues) Comments: 81 Unspecified Unspecified Unavailable 3L: Other wildlife concerns 49 2G: Too wet (sensitive 3J: Water quality / BMPs soils, does not include (stream, river, or lake) access issues) Comments: The stand functions best for wildlife. Soil association have many inclusion that are not suited for forest management. The later successional stage of the stand is also desirable. Lastly the stand has drainage the flow into Wells Creek so to retain cover is desirable to minimize sedimentation into the creek. 82 Unavailable 2G: Too wet (sensitive 3 Unspecified Unspecified Unspecified Unspecified soils, does not include access issues) Comments: **5E: Long-Term Retention** Unspecified Unspecified Unspecified Unspecified 83 Unavailable 4

## Comments:

Comments:

86

Unspecified

Unavailable

2G: Too wet (sensitive

soils, does not include access issues)

7

Unspecified

Unspecified

Unspecified

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

89	Unavailable	5E: Long-Term Retention	5	Unspecified	Unspecified	Unspecified	Unspecified
	comments: tand 608.						
90	Unavailable	5E: Long-Term Retention	2	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
C	comments:						
91	Unavailable	5E: Long-Term Retention	11	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
C	comments:						
92	Unavailable	5E: Long-Term Retention	5	Unspecified	Unspecified	Unspecified	Unspecified
C	comments:						
93	Unavailable	1C: Other dept or div proc/practices	3	Unspecified	Unspecified	Unspecified	Unspecified
	comments: Vildlife opening bu	ffer.					
94	Unavailable	1C: Other dept or div proc/practices	1	Unspecified	Unspecified	Unspecified	Unspecified
	comments: Vildlife opening bu	ffer.					

Gladwin Mgt. Unit
Steve Nyhoff: Examiner

99	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	11	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
100	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
	tand 335.						
101	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	3	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
102	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	2	Unspecified	Unspecified	Unspecified	Unspecified
С	comments:						
104	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	14	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
106	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						

Gladwin Mgt. Unit

Steve Nyhoff: Examiner

508	Unavailable	2F: Too steep	9	Unspecified	Unspecified	Unspecified	Unspecified		
Comments:  The slope is around 50% and drop sharply from one road to the other. Harvesting the stand would not only be difficult it is also dangerous because of the proximity to county roads.									
522	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	16	Unspecified	Unspecified	Unspecified	Unspecified		
Co	omments:								

Mgt. Unit

Compartment: #Type! Year of Entry:

# DNR MCHIGAN

## Report 5 - PROPOSED SPECIAL CONSERVATION AREA\* (SCA) DETAILS

\* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Gladwin Mgt. Unit Compartment: 126
Year of Entry 2026



## Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

\* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservation Area	Туре	Description	HCVA = High Conservation Value Area SCA = Special Conservation Area
HCVA N	Dedicated Management Areas	Such areas are dedicated by the DNR Director for specific mar rules, as governed by Part 5, Department of Natural Resources 324.504). Section 38 of the Administrative Procedures Act (MC the promulgation of rules. This is an active program, with one pDNR.	s, of the NREPA (MCL 324.502(2) and CL 24.238) provides for public requests for

Mgt. Unit Report 7 – Stands

Compartment: Year of Entry:

DNR MICHIGAN

Stand Level 4 Cover Type Size Density Acres Stand Age BA Range Managed Site General Comments

#Type! #Type!